

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 01/17/2025 Time : 10:15 Temp : N/A

Matrix : SOIL

End Digest Date: 01/17/2025 Time : 11:45 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1, MC-2

Filter paper ID : N/A

Prep Technician Signature: NF

Weigh By : NF

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
01/17/2025, 11:55	NF (WC)	NF (WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB166112BL	PBS112	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1092-02DUP	428DUP	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1092-02	428	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1092-03	429	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1115-02	366	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1115-05	VNJ-214	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1115-08	72-11995	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1115-11	VNJ-213	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1119-01	FILTER CAKE	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A