

Analytical Sequence

Client: Tetra Tech NUS, Inc.	SDG No.: Q1122
Project: NWIRP Bethpage 112G08005-WE13	Instrument ID: ECD_L
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 12/23/2024 12/23/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	12/23/2024	12:34	PL093481.D	9.06	3.54
PEM	PEM	12/23/2024	12:47	PL093482.D	9.05	3.54
RESCHK	RESCHK	12/23/2024	13:01	PL093483.D	9.06	3.54
PSTDICCC100	PSTDICCC100	12/23/2024	13:15	PL093484.D	9.06	3.54
PSTDICCC075	PSTDICCC075	12/23/2024	13:28	PL093485.D	9.06	3.54
PSTDICCC050	PSTDICCC050	12/23/2024	13:42	PL093486.D	9.06	3.54
PSTDICCC025	PSTDICCC025	12/23/2024	13:55	PL093487.D	9.05	3.54
PSTDICCC005	PSTDICCC005	12/23/2024	14:09	PL093488.D	9.05	3.54
PCHLORICC500	PCHLORICC500	12/23/2024	14:50	PL093491.D	9.06	3.54
PTOXICC500	PTOXICC500	12/23/2024	15:58	PL093496.D	9.06	3.54
IBLK	IBLK	01/20/2025	08:51	PL093694.D	9.06	3.54
PEM	PEM	01/20/2025	09:05	PL093695.D	9.06	3.54
PSTDCCC050	PSTDCCC050	01/20/2025	09:18	PL093696.D	9.06	3.54
PB166101BL	PB166101BL	01/20/2025	12:22	PL093701.D	9.06	3.54
PB166101BS	PB166101BS	01/20/2025	12:35	PL093702.D	9.06	3.54
PB166101BSD	PB166101BSD	01/20/2025	13:01	PL093703.D	9.06	3.55
RW10A-20250116	Q1122-01	01/20/2025	13:28	PL093705.D	9.05	3.54
IBLK	IBLK	01/20/2025	13:50	PL093706.D	9.08	3.57
PSTDCCC050	PSTDCCC050	01/20/2025	14:19	PL093707.D	9.06	3.54

Analytical Sequence

Client: Tetra Tech NUS, Inc.	SDG No.: Q1122
Project: NWIRP Bethpage 112G08005-WE13	Instrument ID: ECD_L
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 12/23/2024 12/23/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
LBLK	LBLK	12/23/2024	12:34	PL093481.D	7.91	2.78
PEM	PEM	12/23/2024	12:47	PL093482.D	7.91	2.78
RESCHK	RESCHK	12/23/2024	13:01	PL093483.D	7.91	2.78
PSTDICCC100	PSTDICCC100	12/23/2024	13:15	PL093484.D	7.91	2.78
PSTDICCC075	PSTDICCC075	12/23/2024	13:28	PL093485.D	7.91	2.78
PSTDICCC050	PSTDICCC050	12/23/2024	13:42	PL093486.D	7.91	2.78
PSTDICCC025	PSTDICCC025	12/23/2024	13:55	PL093487.D	7.91	2.78
PSTDICCC005	PSTDICCC005	12/23/2024	14:09	PL093488.D	7.91	2.78
PCHLORICC500	PCHLORICC500	12/23/2024	14:50	PL093491.D	7.91	2.78
PTOXICC500	PTOXICC500	12/23/2024	15:58	PL093496.D	7.91	2.78
LBLK	LBLK	01/20/2025	08:51	PL093694.D	7.91	2.78
PEM	PEM	01/20/2025	09:05	PL093695.D	7.91	2.78
PSTDCCC050	PSTDCCC050	01/20/2025	09:18	PL093696.D	7.91	2.78
PB166101BL	PB166101BL	01/20/2025	12:22	PL093701.D	7.91	2.78
PB166101BS	PB166101BS	01/20/2025	12:35	PL093702.D	7.91	2.78
PB166101BSD	PB166101BSD	01/20/2025	13:01	PL093703.D	7.91	2.78
RW10A-20250116	Q1122-01	01/20/2025	13:28	PL093705.D	7.91	2.78
LBLK	LBLK	01/20/2025	13:50	PL093706.D	7.91	2.78
PSTDCCC050	PSTDCCC050	01/20/2025	14:19	PL093707.D	7.91	2.78