

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL122324\
 Data File : PL093486.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Dec 2024 13:42
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 24 14:23:28 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL122324.M
 Quant Title : GC Extractables
 QLast Update : Tue Dec 24 14:21:40 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.777	119.6E6	145.1E6	50.000	50.000
28)	SA Decachlor...	9.056	7.912	88772027	144.3E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.997	3.280	167.0E6	220.3E6	50.000	50.000
3)	MA gamma-BHC...	4.329	3.610	159.0E6	213.0E6	50.000	50.000
4)	MA Heptachlor	4.918	3.948	140.1E6	208.0E6	50.000	50.000
5)	MB Aldrin	5.259	4.228	138.5E6	205.8E6	50.000	50.000
6)	B beta-BHC	4.527	3.910	68943751	88703394	50.000	50.000
7)	B delta-BHC	4.775	4.138	148.4E6	213.3E6	50.000	50.000
8)	B Heptachlo...	5.686	4.730	125.3E6	187.9E6	50.000	50.000
9)	A Endosulfan I	6.071	5.100	112.3E6	173.0E6	50.000	50.000
10)	B gamma-Chl...	5.941	4.980	120.2E6	189.6E6	50.000	50.000
11)	B alpha-Chl...	6.020	5.044	119.2E6	188.0E6	50.000	50.000
12)	B 4,4'-DDE	6.194	5.233	107.1E6	182.8E6	50.000	50.000
13)	MA Dieldrin	6.346	5.364	118.7E6	191.9E6	50.000	50.000
14)	MA Endrin	6.575	5.640	102.3E6	165.8E6	50.000	50.000
15)	B Endosulfa...	6.795	5.934	104.7E6	162.7E6	50.000	50.000
16)	A 4,4'-DDD	6.711	5.788	84251133	141.6E6	50.000	50.000
17)	MA 4,4'-DDT	7.025	6.037	89205651	152.0E6	50.000	50.000
18)	B Endrin al...	6.926	6.113	83983177	132.8E6	50.000	50.000
19)	B Endosulfa...	7.160	6.337	95974066	155.7E6	50.000	50.000
20)	A Methoxychlor	7.500	6.612	48299350	79493908	50.000	50.000
21)	B Endrin ke...	7.645	6.842	106.4E6	180.9E6	50.000	50.000
22)	Mirex	8.117	7.022	88017913	147.8E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL122324\
Data File : PL093486.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Dec 2024 13:42
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 24 14:23:28 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL122324.M
Quant Title : GC Extractables
QLast Update : Tue Dec 24 14:21:40 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: 0.000 min
Response: 119576061
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 2.777 min
Delta R.T.: 0.000 min
Response: 145104840
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.997 min
Delta R.T.: 0.000 min
Response: 167005561
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.280 min
Delta R.T.: 0.000 min
Response: 220291663
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.329 min
Delta R.T.: 0.000 min
Response: 159007539
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 3.610 min
Delta R.T.: 0.000 min
Response: 213023392
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.918 min
Delta R.T.: 0.000 min
Response: 140111254
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 3.948 min
Delta R.T.: 0.000 min
Response: 207975775
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.259 min
Delta R.T.: 0.000 min
Response: 138524466
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 4.228 min
Delta R.T.: 0.000 min
Response: 205773118
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: 0.000 min
Response: 68943751
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 3.910 min
Delta R.T.: 0.000 min
Response: 88703394
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: 0.000 min
Response: 148390575
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 4.138 min
Delta R.T.: 0.000 min
Response: 213315422
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.686 min
Delta R.T.: 0.000 min
Response: 125281140
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.730 min
Delta R.T.: 0.000 min
Response: 187895056
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 6.071 min
Delta R.T.: 0.000 min
Response: 112304346
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 5.100 min
Delta R.T.: 0.000 min
Response: 173003604
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.941 min
Delta R.T.: 0.000 min
Response: 120166009
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 4.980 min
Delta R.T.: 0.000 min
Response: 189569513
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.020 min
Delta R.T.: 0.000 min
Response: 119223817
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 5.044 min
Delta R.T.: 0.000 min
Response: 187999046
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.194 min
Delta R.T.: 0.000 min
Response: 107149548
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.233 min
Delta R.T.: 0.000 min
Response: 182823272
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.346 min
Delta R.T.: 0.000 min
Response: 118728918
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 5.364 min
Delta R.T.: 0.000 min
Response: 191914955
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.575 min
Delta R.T.: 0.000 min
Response: 102335904
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.640 min
Delta R.T.: 0.000 min
Response: 165756127
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.795 min
Delta R.T.: 0.000 min
Response: 104748130
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 5.934 min
Delta R.T.: 0.000 min
Response: 162744357
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.711 min
Delta R.T.: 0.000 min
Response: 84251133
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.788 min
Delta R.T.: 0.000 min
Response: 141584662
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 7.025 min
Delta R.T.: 0.000 min
Response: 89205651
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 6.037 min
Delta R.T.: 0.000 min
Response: 151990805
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.926 min
Delta R.T.: 0.000 min
Response: 83983177
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.113 min
Delta R.T.: 0.000 min
Response: 132764145
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.160 min
Delta R.T.: 0.000 min
Response: 95974066
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 6.337 min
Delta R.T.: 0.000 min
Response: 155672392
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 48299350
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.612 min
Delta R.T.: 0.000 min
Response: 79493908
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.645 min
Delta R.T.: 0.000 min
Response: 106378368
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 6.842 min
Delta R.T.: 0.000 min
Response: 180922311
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.117 min
Delta R.T.: 0.000 min
Response: 88017913
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 7.022 min
Delta R.T.: 0.000 min
Response: 147831379
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.000 min
Response: 88772027
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050



#28 Decachlorobiphenyl

R.T.: 7.912 min
Delta R.T.: 0.000 min
Response: 144254176
Conc: 50.00 ng/ml