

ORIGIN ID:BYUA (425) 941-1406
ATTN: CANDICE SCHWARTZ
CH2NHILL
1100 112TH AVE NE
SUITE 500
BELLEVUE, WA 98004
UNITED STATES US

SHIP DATE: 16JAN25
ACTWGHT: 53.00 LB
CAD: 105505917/IN/ET4535
DIMS: 15x15x26 IN
BILL SENDER

TO **MOHAMMAD AHMED**

ALLIANCE TECHNICAL (CLP LAB)
284 SHEFFIELD STREET MOUNTAINSIDE

MOUNTAINSIDE NJ 07092

(908) 728-3151 REF: D356100.B.PN.ODC.01.5-2
INV. PO: ASARCO/KODEY ELEY DEPT:



J251024121701uv

2 of 2

MP# 7714 8350 4502
[0263]
Mstr# 7714 8350 4498


FRI - 17 JAN 10:30A
PRIORITY OVERNIGHT

[0201]

07092

XE KBCA

NJ-US EWR



117-25

0930

3.0c



After printing this label:
CONSIGNEE COPY - PLEASE PLACE IN FRONT OF POUCH
1. Fold the printed page along the horizontal line.
2. Place label in shipping pouch and affix it to your shipment.

Login Summary Report

Order ID :	Q1128	Order Date :	1/17/2025 9:30:00 AM	Project Mgr :	Deepak
Client :	USEPA CLP SMO	Project :	51956	Report Type :	USEPA CLP
Contact :	Anita Kapadia	Receive Date :	1/17/2025 9:30:00 AM	EDD Type :	EPA CLP
Date Sign Off :	1/20/2025 9:05:31 AM				

Sample ID	Client ID	Matrix	Sampling Date	Test	Test Group	Method	TAT Days	Fax Due Date	HC Due Date
Q1128-01	MJNLB4	Water	01/15/2025		DISS METALS-EB				
				Metals CLP MS-CLP4		SFAM_MS	15	02/07/2025	02/07/2025
Q1128-02	MJNLG3	Water	01/15/2025		DISS METALS				
				Metals CLP MS-CLP4		SFAM_MS	15	02/07/2025	02/07/2025
Q1128-03	MJNLG3D	Water	01/15/2025		DISS METALS				
				Metals CLP MS-CLP4		SFAM_MS	15	02/07/2025	02/07/2025
Q1128-04	MJNLG3S	Water	01/15/2025		DISS METALS				
				Metals CLP MS-CLP4		SFAM_MS	15	02/07/2025	02/07/2025
Q1128-05	MJNLG4	Water	01/15/2025		DISS METALS				
				Metals CLP MS-CLP4		SFAM_MS	15	02/07/2025	02/07/2025
Q1128-06	MJNLG6	Water	01/15/2025		DISS METALS				
				Metals CLP MS-CLP4		SFAM_MS	15	02/07/2025	02/07/2025
Q1128-07	MJNLG7	Water	01/15/2025		DISS METALS				
				Metals CLP MS-CLP4		SFAM_MS	15	02/07/2025	02/07/2025
Q1128-08	MJNLG8	Water	01/14/2025		DISS METALS				
				Metals CLP MS-CLP4		SFAM_MS	15	02/07/2025	02/07/2025

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PB166137

WorkList ID : 187014

Department : Digestion

Date : 01-20-2025 09:58:18

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1127-01	MJNLB3	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1127-02	MJNLB5	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1127-03	MJNLB5D	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1127-04	MJNLB5S	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1127-05	MJNLB6	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1127-06	MJNLB8	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1127-07	MJNLB9	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1127-08	MJNLC0	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1128-01	MJNLB4	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/14/2025	SFAM_MS
Q1128-02	MJNLG3	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1128-03	MJNLG3D	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1128-04	MJNLG3S	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1128-05	MJNLG4	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1128-06	MJNLG6	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1128-07	MJNLG7	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/15/2025	SFAM_MS
Q1128-08	MJNLG8	Water	Metals CLP MS-CLP4	1:1 HNO3 to pH < 2	USEP01	C11	01/14/2025	SFAM_MS

Date/Time 01/20/25 10:20
 Raw Sample Received by: SLD. met digestion
 Raw Sample Relinquished by: SLD. met digestion

Date/Time 01/20/25 11:20
 Raw Sample Received by: SLD. met digestion
 Raw Sample Relinquished by: SLD. met digestion