

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

YE8C3

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8
Matrix: SOIL Lab Sample ID: Q1135-19
% Solids: 92.9 Date Received: 01/22/2025
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.18		02/07/2025	1717

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

YE8D0

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEETLab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8Matrix: SOIL Lab Sample ID: Q1135-21% Solids: 88.8 Date Received: 01/22/2025Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.25		02/07/2025	1719

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

YE8D2

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8
Matrix: SOIL Lab Sample ID: Q1135-17
% Solids: 93.5 Date Received: 01/22/2025

Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.052	J	02/07/2025	1712

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

YE8D4

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8
Matrix: SOIL Lab Sample ID: Q1135-18
% Solids: 84.7 Date Received: 01/22/2025

Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.12		02/07/2025	1715

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

YE8D5

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8
Matrix: SOIL Lab Sample ID: Q1135-22
% Solids: 95.8 Date Received: 01/22/2025

Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.027	J	02/07/2025	1726

NOTE: Hardness (total) is reported in mg/L Comments:

EPA SAMPLE NO.

YE8E3

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEETLab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8Matrix: SOIL Lab Sample ID: Q1135-11% Solids: 74.3 Date Received: 01/22/2025Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	1.6		02/07/2025	1659

NOTE: Hardness (total) is reported in mg/L Comments:

EPA SAMPLE NO.

YE8E4

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEETLab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8Matrix: SOIL Lab Sample ID: Q1135-12% Solids: 83.3 Date Received: 01/22/2025Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.16		02/07/2025	1701

NOTE: Hardness (total) is reported in mg/L Comments:

EPA SAMPLE NO.

YE8E5

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEETLab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8Matrix: SOIL Lab Sample ID: Q1135-13% Solids: 78.9 Date Received: 01/22/2025Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.18		02/07/2025	1703

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

YE8E6

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8
Matrix: SOIL Lab Sample ID: Q1135-14
% Solids: 90.1 Date Received: 01/22/2025
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.11		02/07/2025	1706

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

YE8E7

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8
Matrix: SOIL Lab Sample ID: Q1135-15
% Solids: 93.7 Date Received: 01/22/2025
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.070	J	02/07/2025	1708

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

YE8E8

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8
Matrix: SOIL Lab Sample ID: Q1135-16
% Solids: 85.4 Date Received: 01/22/2025
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.12		02/07/2025	1710

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

YE8F5

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8
Matrix: SOIL Lab Sample ID: Q1135-01
% Solids: 95.9 Date Received: 01/18/2025

Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.084	J	02/07/2025	1638

NOTE: Hardness (total) is reported in mg/L Comments:

EPA SAMPLE NO.

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

YE8F8

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8Matrix: SOIL Lab Sample ID: Q1135-05% Solids: 92.9 Date Received: 01/18/2025Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.11		02/07/2025	1647

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

YE8F9

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8
Matrix: SOIL Lab Sample ID: Q1135-06
% Solids: 93.7 Date Received: 01/18/2025
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.13		02/07/2025	1650

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

YE8H9

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8
Matrix: SOIL Lab Sample ID: Q1135-07
% Solids: 84.1 Date Received: 01/18/2025
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.13		02/07/2025	1652

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

YE8J0

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8
Matrix: SOIL Lab Sample ID: Q1135-08
% Solids: 79.3 Date Received: 01/18/2025

Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.17		02/07/2025	1654

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

YE8J1

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51955 MA No. : SDG No.: YE8F8
Matrix: SOIL Lab Sample ID: Q1135-10
% Solids: 80.6 Date Received: 01/18/2025

Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): mg/kg

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.11	J	02/07/2025	1657

NOTE: Hardness (total) is reported in mg/L Comments:

LB134618


SFAM01.1

INSTRUMENT ID: CV1

Linear

μ Abs.:

40373



A= 0.0000e+000

B= 2.4707e-004 slope

C= -6.3044e-002 y-intercept

Rho= 0.9998511

Accept=Accepted

Std ID	Conc.	Calc.	Dev.	Mean	SD or %RSD	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	%D
0.00	0.000	-0.016	-0.016	191	0.000	191					
0.05	0.050										=
0.20	0.200	0.187	-0.013	1013	0.0 %	1013					-7
2.50	2.500	2.514	0.014	10432	0.0 %	10432					1
5.00	5.000	4.978	-0.022	20402	0.0 %	20402					0
7.50	7.500	7.624	0.124	31114	0.0 %	31114					2
10.0	10.000	9.912	-0.088	40373	0.0 %	40373					1

LB134618
INSTRUMENT ID : CV1

Sample ID	Extended ID	μ Abs.	Conc.	Std Conc	Method	Units	Date	Type
	0 S0	191	-		0 SFAM01.1	PPB	2/7/2025 11:14	Std
	0.2 S01	1013	-		0.2 SFAM01.1	PPB	2/7/2025 11:16	Std
	2.5 S02	10432	-		2.5 SFAM01.1	PPB	2/7/2025 11:19	Std
	5 S03	20402	-		5 SFAM01.1	PPB	2/7/2025 11:21	Std
	7.5 S04	31114	-		7.5 SFAM01.1	PPB	2/7/2025 11:23	Std
	10 S05	40373	-		10 SFAM01.1	PPB	2/7/2025 11:25	Std
ICV090	ICV090	16401	3.9892 -		SFAM01.1	PPB	2/7/2025 11:31	SMPL
ICB090	ICB090	-84	-0.0838 -		SFAM01.1	PPB	2/7/2025 11:34	SMPL
CCV037	CCV037	20765	5.0674 -		SFAM01.1	PPB	2/7/2025 11:36	SMPL
CCB037	CCB037	-55	-0.0766 -		SFAM01.1	PPB	2/7/2025 11:41	SMPL
PB166616BL	PBW616	109	-0.0361 -		SFAM01.1	PPB	2/7/2025 11:43	SMPL
Q1135-09	YE8H7	113	-0.0351 -		SFAM01.1	PPB	2/7/2025 11:45	SMPL
Q1176-01	ME2931	218	-0.0092 -		SFAM01.1	PPB	2/7/2025 11:48	SMPL
Q1176-02	ME2933	134	-0.0299 -		SFAM01.1	PPB	2/7/2025 11:50	SMPL
Q1176-03	ME2937	292	0.0091 -		SFAM01.1	PPB	2/7/2025 11:52	SMPL
Q1176-04	ME2945	191	-0.0159 -		SFAM01.1	PPB	2/7/2025 11:54	SMPL
Q1176-05	ME2942	165	-0.0223 -		SFAM01.1	PPB	2/7/2025 11:57	SMPL
Q1176-06	ME2943	114	-0.0349 -		SFAM01.1	PPB	2/7/2025 11:59	SMPL
Q1176-07	ME2940	389	0.0331 -		SFAM01.1	PPB	2/7/2025 12:01	SMPL
Q1176-08	ME2941	79	-0.0435 -		SFAM01.1	PPB	2/7/2025 12:03	SMPL
Q1176-09	ME2944	139	-0.0287 -		SFAM01.1	PPB	2/7/2025 12:06	SMPL
Q1176-10	ME2944D	217	-0.0094 -		SFAM01.1	PPB	2/7/2025 12:08	SMPL
Q1176-11	ME2944S	4335	1.008 -		SFAM01.1	PPB	2/7/2025 12:10	SMPL
Q1176-12	ME2938	230	-0.0062 -		SFAM01.1	PPB	2/7/2025 12:12	SMPL
Q1176-13	ME2939	264	0.0022 -		SFAM01.1	PPB	2/7/2025 12:15	SMPL
Q1176-14	ME2932	340	0.021 -		SFAM01.1	PPB	2/7/2025 12:17	SMPL
Q1176-15	ME2936	101	-0.0381 -		SFAM01.1	PPB	2/7/2025 12:19	SMPL
Q1176-16	ME2934	319	0.0158 -		SFAM01.1	PPB	2/7/2025 12:22	SMPL
Q1176-17	ME2935	93	-0.0401 -		SFAM01.1	PPB	2/7/2025 12:24	SMPL
Q1176-18	ME2950	150	-0.026 -		SFAM01.1	PPB	2/7/2025 12:26	SMPL
CCV038	CCV038	20175	4.9217 -		SFAM01.1	PPB	2/7/2025 12:28	SMPL
CCB038	CCB038	-37	-0.0722 -		SFAM01.1	PPB	2/7/2025 12:31	SMPL
Q1176-19	ME2951	192	-0.0156 -		SFAM01.1	PPB	2/7/2025 12:33	SMPL
Q1176-20	ME2953	259	0.0009 -		SFAM01.1	PPB	2/7/2025 12:35	SMPL
Q1176-21	ME2954	180	-0.0186 -		SFAM01.1	PPB	2/7/2025 12:37	SMPL
PB166617BL	PBW617	86	-0.0418 -		SFAM01.1	PPB	2/7/2025 12:40	SMPL
Q1151-13	MCOB02	106	-0.0369 -		SFAM01.1	PPB	2/7/2025 12:42	SMPL
Q1186-01	ME2948	170	-0.021 -		SFAM01.1	PPB	2/7/2025 12:44	SMPL
Q1186-02	ME2949	135	-0.0297 -		SFAM01.1	PPB	2/7/2025 12:47	SMPL
Q1186-03	ME2955	143	-0.0277 -		SFAM01.1	PPB	2/7/2025 12:49	SMPL
Q1186-04	ME2956	159	-0.0238 -		SFAM01.1	PPB	2/7/2025 12:51	SMPL
Q1186-05	ME2957	186	-0.0171 -		SFAM01.1	PPB	2/7/2025 12:53	SMPL
Q1186-06	ME2960	184	-0.0176 -		SFAM01.1	PPB	2/7/2025 12:56	SMPL
Q1186-07	ME2961	124	-0.0324 -		SFAM01.1	PPB	2/7/2025 12:58	SMPL
Q1186-08	ME2962	181	-0.0183 -		SFAM01.1	PPB	2/7/2025 13:00	SMPL
Q1186-09	ME2959	127	-0.0317 -		SFAM01.1	PPB	2/7/2025 13:02	SMPL


LB134618
INSTRUMENT ID : CV1

Q1186-10	ME2959D	119	-0.0336 -	SFAM01.1	PPB	2/7/2025 13:05 SMPL
Q1186-11	ME2959S	4265	0.9907 -	SFAM01.1	PPB	2/7/2025 13:07 SMPL
Q1186-12	ME2963	82	-0.0428 -	SFAM01.1	PPB	2/7/2025 13:09 SMPL
Q1186-13	ME2967	171	-0.0208 -	SFAM01.1	PPB	2/7/2025 13:11 SMPL
Q1186-14	ME2965	263	0.0019 -	SFAM01.1	PPB	2/7/2025 13:14 SMPL
Q1186-15	ME2966	166	-0.022 -	SFAM01.1	PPB	2/7/2025 13:16 SMPL
CCV039	CCV039	20280	4.9476 -	SFAM01.1	PPB	2/7/2025 13:18 SMPL
CCB039	CCB039	-94	-0.0863 -	SFAM01.1	PPB	2/7/2025 13:21 SMPL
Q1186-16	ME2958	76	-0.0443 -	SFAM01.1	PPB	2/7/2025 13:23 SMPL
Q1186-17	ME2968	95	-0.0396 -	SFAM01.1	PPB	2/7/2025 13:25 SMPL
Q1186-18	ME2974	121	-0.0331 -	SFAM01.1	PPB	2/7/2025 13:27 SMPL
Q1186-19	ME2977	149	-0.0262 -	SFAM01.1	PPB	2/7/2025 13:30 SMPL
Q1186-20	ME2980	177	-0.0193 -	SFAM01.1	PPB	2/7/2025 13:32 SMPL
CCV040	CCV040	20372	4.9703 -	SFAM01.1	PPB	2/7/2025 13:34 SMPL
CCB040	CCB040	-33	-0.0712 -	SFAM01.1	PPB	2/7/2025 13:36 SMPL

LB134635

SFAM01.1

INSTRUMENT ID : CV1



Std ID	Conc.	Calc.	Dev.	Mean	SD or %RSD	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	g/d
0.00	0.000	0.039	0.039	132	0.000	132					=
0.05	0.050										20
0.20	0.200	0.239	0.039	1014	0.0 %	1014					1
2.50	2.500	2.518	0.018	11058	0.0 %	11058					7
5.00	5.000	4.670	-0.330	20542	0.0 %	20542					6
7.50	7.500	7.929	0.429	34905	0.0 %	34905					2
10.0	10.000	9.804	-0.196	43171	0.0 %	43171					

LB134635

INSTRUEMNT ID: LB134635

Sample ID	Extended ID	μ Abs.	Conc.	Stnd Conc	Method	Units	Date	Type
	0 S0	132	-		0 SFAM01.1	PPB	2/7/2025 16:10	Std
	0.2 S01	1014	-		0.2 SFAM01.1	PPB	2/7/2025 16:12	Std
	2.5 S02	11058	-		2.5 SFAM01.1	PPB	2/7/2025 16:15	Std
	5 S03	20542	-		5 SFAM01.1	PPB	2/7/2025 16:17	Std
	7.5 S04	34905	-		7.5 SFAM01.1	PPB	2/7/2025 16:19	Std
	10 S05	43171	-		10 SFAM01.1	PPB	2/7/2025 16:22	Std
ICV092	ICV092	16527	3.7591 -		SFAM01.1	PPB	2/7/2025 16:25	SMPL
ICB092	ICB092	-38	0.0005 -		SFAM01.1	PPB	2/7/2025 16:27	SMPL
CCV044	CCV044	21366	4.857 -		SFAM01.1	PPB	2/7/2025 16:29	SMPL
CCB044	CCB044	-8	0.0073 -		SFAM01.1	PPB	2/7/2025 16:31	SMPL
PB166632BL	PBS632	92	0.03 -		SFAM01.1	PPB	2/7/2025 16:36	SMPL
Q1135-01	YE8F5	1959	0.4536 -		SFAM01.1	PPB	2/7/2025 16:38	SMPL
Q1135-02	YE8F7	2102	0.4861 -		SFAM01.1	PPB	2/7/2025 16:41	SMPL
Q1135-03	YE8F7D	2333	0.5385 -		SFAM01.1	PPB	2/7/2025 16:43	SMPL
Q1135-04	YE8F7S	13100	2.9815 -		SFAM01.1	PPB	2/7/2025 16:45	SMPL
Q1135-05	YE8F8	2360	0.5446 -		SFAM01.1	PPB	2/7/2025 16:47	SMPL
Q1135-06	YE8F9	3023	0.6951 -		SFAM01.1	PPB	2/7/2025 16:50	SMPL
Q1135-07	YE8H9	2428	0.5601 -		SFAM01.1	PPB	2/7/2025 16:52	SMPL
Q1135-08	YE8J0	3038	0.6985 -		SFAM01.1	PPB	2/7/2025 16:54	SMPL
Q1135-10	YE8J1	2039	0.4718 -		SFAM01.1	PPB	2/7/2025 16:57	SMPL
Q1135-11	YE8E3	28993	6.5875 -		SFAM01.1	PPB	2/7/2025 16:59	SMPL
Q1135-12	YE8E4	3108	0.7144 -		SFAM01.1	PPB	2/7/2025 17:01	SMPL
Q1135-13	YE8E5	3407	0.7822 -		SFAM01.1	PPB	2/7/2025 17:03	SMPL
Q1135-14	YE8E6	2191	0.5063 -		SFAM01.1	PPB	2/7/2025 17:06	SMPL
Q1135-15	YE8E7	1602	0.3726 -		SFAM01.1	PPB	2/7/2025 17:08	SMPL
Q1135-16	YE8E8	2385	0.5503 -		SFAM01.1	PPB	2/7/2025 17:10	SMPL
Q1135-17	YE8D2	1192	0.2796 -		SFAM01.1	PPB	2/7/2025 17:12	SMPL
Q1135-18	YE8D4	2365	0.5458 -		SFAM01.1	PPB	2/7/2025 17:15	SMPL
Q1135-19	YE8C3	3811	0.8739 -		SFAM01.1	PPB	2/7/2025 17:17	SMPL
Q1135-21	YE8D0	5323	1.2169 -		SFAM01.1	PPB	2/7/2025 17:19	SMPL
CCV045	CCV045	23192	5.2713 -		SFAM01.1	PPB	2/7/2025 17:22	SMPL
CCB045	CCB045	-71	-0.007 -		SFAM01.1	PPB	2/7/2025 17:24	SMPL
Q1135-22	YE8D5	567	0.1378 -		SFAM01.1	PPB	2/7/2025 17:26	SMPL
CCV046	CCV046	22835	5.1903 -		SFAM01.1	PPB	2/7/2025 18:01	SMPL
CCB046	CCB046	11	0.0117 -		SFAM01.1	PPB	2/7/2025 18:03	SMPL

Prep Standard - Chemical Standard Summary

Order ID : Q1135

Test : Mercury

Prepbatch ID : PB166616,PB166632,

Sequence ID/Qc Batch ID: LB134618,LB134635,

Standard ID :

MP83691,MP83692,MP83693,MP83694,MP84364,MP84365,MP84366,MP84367,MP84368,MP84369,MP84370,MP84371,MP84372,MP84373,MP84374,MP84394,MP84395,MP84396,MP84397,MP84398,MP84399,MP84400,MP84401,MP84402,MP84403,MP84404,MP84407,MP84408,MP84411,

Chemical ID :

M4371,M4465,M4916,M5062,M5532,M5789,M5882,M5884,M6041,M6121,M6126,W3112,

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3965	2:1 H2SO4 : HNO3	MP83691	12/18/2024	06/03/2025	Mohan Bera	None	None	Sarabjit Jaswal
								12/18/2024

FROM 1600.00000ml of M6041 + 800.00000ml of M6126 = Final Quantity: 3200.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
65	POTASSIUM PERMANGANATE SOLUTION 5 %	MP83692	12/18/2024	06/18/2025	Mohan Bera	METALS_SCALE_3 (M SC-3)	None	Sarabjit Jaswal
								12/18/2024

FROM 100.00000gram of M4916 + 2000.00000ml of W3112 = Final Quantity: 2000.000 ml

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
66	POTASSIUM PERSULFATE SOLUTION 5 %	MP83693	12/18/2024	06/18/2025	Mohan Bera	METALS_SCALE_3 (M SC-3)	None	Sarabjit Jaswal
12/18/2024								

FROM 100.00000ml of M4465 + 2000.00000ml of W3112 = Final Quantity: 2000.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
67	SODIUM CHLORIDE - HYDROXYL- CHLORIDE SOLUTION	MP83694	12/18/2024	06/18/2025	Mohan Bera	METALS_SCALE_3 (M SC-3)	None	Sarabjit Jaswal
12/18/2024								

FROM 2000.00000ml of W3112 + 240.00000gram of M4371 + 240.00000gram of M5884 = Final Quantity: 2000.000 ml

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
871	MERCURY INTERMEDIATE B 250PPB WORKING STD.	MP84364	02/06/2025	02/07/2025	Mohan Bera	None	METALS_PIP ETTE_5 (HG	Sarabjit Jaswal 02/10/2025

A)

FROM 1.00000ml of M6126 + 2.50000ml of M5062 + 96.50000ml of W3112 = Final Quantity: 100.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1340	Hg 0.00 PPB STD	MP84365	02/06/2025	02/07/2025	Mohan Bera	None	METALS_PIP ETTE_5 (HG	Sarabjit Jaswal 02/10/2025

A)

FROM 2.50000ml of M6126 + 247.50000ml of W3112 = Final Quantity: 250.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1341	Hg 0.2 PPB STD	MP84366	02/06/2025	02/07/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG)	Sarabjit Jaswal
FROM 2.50000ml of M6126 + 247.30000ml of W3112 + 0.20000ml of MP84364 = Final Quantity: 250.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1342	Hg 2.5 PPB STD	MP84367	02/06/2025	02/07/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 02/10/2025
<u>FROM</u>	2.50000ml of M6126 + 245.00000ml of W3112 + 2.50000ml of MP84364 = Final Quantity: 250.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1343	Hg 5.0 PPB STD	MP84368	02/06/2025	02/07/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG)	Sarabjit Jaswal
FROM 2.50000ml of M6126 + 242.50000ml of W3112 + 5.00000ml of MP84364 = Final Quantity: 250.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1344	Hg 7.5 PPB STD	MP84369	02/06/2025	02/07/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 02/10/2025
<u>FROM</u>	2.50000ml of M6126 + 240.00000ml of W3112 + 7.50000ml of MP84364 = Final Quantity: 250.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1345	Hg 10.0 PPB STD	MP84370	02/06/2025	02/07/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG)	Sarabjit Jaswal
FROM 2.50000ml of M6126 + 237.50000ml of W3112 + 10.00000ml of MP84364 = Final Quantity: 250.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1346	Hg ICV SOLUTION	MP84371	02/06/2025	02/07/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 02/10/2025
<u>FROM</u>	2.50000ml of M5532 + 2.50000ml of M6126 + 245.00000ml of W3112 = Final Quantity: 250.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1351	ICB (Hg 0.00 PPB SOLUTION)	MP84372	02/06/2025	02/07/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG	Sarabjit Jaswal
FROM 2.50000ml of M5789 + 247.50000ml of W3112 = Final Quantity: 250.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1358	CCV (Hg 5.0 PPB SOLUTION)	MP84373	02/06/2025	02/07/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 02/10/2025
FROM 485.00000ml of W3112 + 5.00000ml of M6126 + 10.00000ml of MP84364 = Final Quantity: 500.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1352	CCB (Hg 0.00 PPB SOLUTION)	MP84374	02/06/2025	02/07/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG)	Sarabjit Jaswal
FROM 495.00000ml of W3112 + 5.00000ml of M5789 = Final Quantity: 500.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
871	MERCURY INTERMEDIATE B 250PPB WORKING STD.	MP84394	02/07/2025	02/08/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 02/10/2025
<u>FROM</u>	1.00000ml of M6126 + 2.50000ml of M5062 + 96.50000ml of W3112 = Final Quantity: 100.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1340	Hg 0.00 PPB STD	MP84395	02/07/2025	02/08/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG)	Sarabjit Jaswal
FROM 2.50000ml of M6126 + 247.50000ml of W3112 = Final Quantity: 250.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1341	Hg 0.2 PPB STD	MP84396	02/07/2025	02/08/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 02/10/2025
<u>FROM</u>	2.50000ml of M6126 + 247.30000ml of W3112 + 0.20000ml of MP84394 = Final Quantity: 250.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1342	Hg 2.5 PPB STD	MP84397	02/07/2025	02/08/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG)	Sarabjit Jaswal
FROM 2.50000ml of M6126 + 245.00000ml of W3112 + 2.50000ml of MP84394 = Final Quantity: 250.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1343	Hg 5.0 PPB STD	MP84398	02/07/2025	02/08/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 02/10/2025
<u>FROM</u>	2.50000ml of M6126 + 242.50000ml of W3112 + 5.00000ml of MP84394 = Final Quantity: 250.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1344	Hg 7.5 PPB STD	MP84399	02/07/2025	02/08/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG A)	Sarabjit Jaswal 02/10/2025
<u>FROM</u>	2.50000ml of M6126 + 240.00000ml of W3112 + 7.50000ml of MP84394 = Final Quantity: 250.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1345	Hg 10.0 PPB STD	MP84400	02/07/2025	02/08/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG)	Sarabjit Jaswal
FROM 2.50000ml of M6126 + 237.50000ml of W3112 + 10.00000ml of MP84394 = Final Quantity: 250.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1346	Hg ICV SOLUTION	MP84401	02/07/2025	02/08/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG)	Sarabjit Jaswal 02/10/2025
FROM 2.50000ml of M5532 + 2.50000ml of M6126 + 245.00000ml of W3112 = Final Quantity: 250.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1351	ICB (Hg 0.00 PPB SOLUTION)	MP84402	02/07/2025	02/08/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 02/10/2025
<u>FROM</u> 2.50000ml of M6126 + 247.50000ml of W3112 = Final Quantity: 250.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1358	CCV (Hg 5.0 PPB SOLUTION)	MP84403	02/07/2025	02/08/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG)	Sarabjit Jaswal
A) FROM 485.00000ml of W3112 + 5.00000ml of M6126 + 10.00000ml of MP84394 = Final Quantity: 500.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1352	CCB (Hg 0.00 PPB SOLUTION)	MP84404	02/07/2025	02/08/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 02/10/2025
FROM 495.00000ml of W3112 + 5.00000ml of M6126 = Final Quantity: 500.000 ml								

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
887	AQUA REGIA FOR HG ON 7471A	MP84407	02/07/2025	02/08/2025	Mohan Bera	None	None	Sarabjit Jaswal
								02/10/2025

FROM 150.00000ml of M6121 + 50.00000ml of M6126 = Final Quantity: 200.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
68	STANNOUS CHLORIDE SOLUTION	MP84408	02/07/2025	02/08/2025	Mohan Bera	None	None	Sarabjit Jaswal
								02/10/2025

FROM 450.00000ml of W3112 + 50.00000gram of M5882 + 50.00000ml of M6121 = Final Quantity: 500.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
68	STANNOUS CHLORIDE SOLUTION	MP84411	02/10/2025	02/11/2025	Mohan Bera	METALS_SCALE_3 (M SC-3)	None	Sohil Jodhani 02/10/2025
<u>FROM</u> 450.00000ml of W3112 + 50.00000gram of M5882 + 50.00000ml of M6121 = Final Quantity: 500.000 ml								

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-2196-01 / Hydroxylamine Hydrochloride, Crystal (cs/4x500g)	0000215387	06/25/2025	07/01/2019 / RICHARD	06/07/2019 / RICHARD	M4371

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3238-05 / Potassium Persulfate (2.5kg)	0000234156	08/06/2025	07/23/2019 / jaswal	07/25/2019 / manojkumar	M4465

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3227-05 / Potassium Permanganate (2.5kg)	210800	03/31/2026	11/30/2022 / mohan	07/28/2021 / mohan	M4916

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	MSHG-10PPM / MERCURY HCl 125mL 10ug/mL	S2-HG709270	09/22/2026	05/28/2022 / mohan	01/27/2022 / mohan	M5062

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
EPA	ICV-5 / ICV (HG) STOCK SOLN	ICV5-0415	02/28/2025	01/02/2025 / jaswal	03/30/2023 / mohan	M5532

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	23G1262003	07/30/2025	02/08/2024 / Al-Terek	06/26/2023 / Al-Terek	M5789

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3980-01 / Stannous Chloride (cs/4x500g)	232820	08/31/2028	04/30/2024 / mohan	04/25/2024 / mohan	M5882

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3624-05 / Sodium Chloride, Crystal (cs/4x2.5kg)	0000281938	07/06/2026	04/30/2024 / mohan	04/25/2024 / mohan	M5884

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	23D2462010	03/20/2028	08/16/2024 / mohan	08/16/2024 / mohan	M6041

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	0000275677	05/13/2025	11/13/2024 / Eman	10/13/2024 / Eman	M6121

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	24D1062002	06/03/2025	12/03/2024 / Janvi	11/12/2024 / Janvi	M6126

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / lwona	07/03/2024 / lwona	W3112

M5882
 M3

Certificate of Analysis

1 Reagent Lane
 Fair Lawn, NJ 07410
 201.796.7100 tel
 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System
 Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120633

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	T142	Quality Test / Release Date	08/17/2023
Lot Number	232820		
Description	STANNOUS CHLORIDE, DIHYDRATE CERTIFIED ACS (Suitable for Mercury Determination)		
Country of Origin	United States	Suggested Retest Date	Aug/2028
Chemical Origin	Inorganic-non animal		
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.		

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear crystals
ASSAY	%	Inclusive Between 98 - 103	100.65
CALCIUM	%	<= 0.005	0.0017
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
IRON (Fe)	%	<= 0.003	0.0011
LEAD (Pb)	%	<= 0.01	0.0006
MERCURY (Hg)	ppm	<= 0.05	<0.05
POTASSIUM (K)	%	<= 0.005	0.0001
SODIUM (Na)	%	<= 0.01	<0.01
SOLUBILITY IN HCL	PASS/FAIL	= PASS TEST	PASS TEST
SULFATE (SO4)	PASS/FAIL	= P.T. (ABOUT 0.003%)	P.T. (ABOUT 0.003%)



Harout Sahagian - Quality Control Supervisor - Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.

If there are any questions with this certificate, please call at (800) 227-6701.

*Based on suggested storage condition.

M4371

Hydroxylamine Hydrochloride, Crystal
BAKER ANALYZED® A.C.S. Reagent
Suitable for Mercury Determination
(hydroxylammonium chloride)

Rec - 06.07.19



avantortm

Material No.: 2196-01
Batch No.: 0000215387
Manufactured Date: 2018/06/27
Retest Date: 2025/06/25
Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay (NH ₂ OH · HCl) (by KMnO ₄ titrn)	>= 96.0 %	99.1
Clarity of Alcohol Solution	Passes Test	PT
Residue after Ignition	<= 0.050 %	0.017
Titrate Free Acid (meq/g)	<= 0.25	0.19
Ammonium (NH ₄)	Passes Test	PT
Sulfur Compounds (as SO ₄)	<= 0.005 %	< 0.003
Trace Impurities - ACS - Heavy Metals (as Pb)	<= 5 ppm	4
Trace Impurities - Iron (Fe)	<= 5 ppm	< 3
Trace Impurities - Mercury (Hg)	<= 0.050 ppm	< 0.005

For Laboratory, Research or Manufacturing Use

Country of Origin: CN
Packaging Site: Paris Mfg Ctr & DC

ISO

Phillipsburg, NJ 9001:2015, FSSC22000
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Gliwice, Poland 9001:2015, 13485:2012
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2015, 17025:2005
Panoli, India 9001:2015

James Ethier

Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

M4913-16

MS

Certificate of Analysis

1 Reagent Lane
 Fair Lawn, NJ 07410
 201.796.7100 tel
 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System
 Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	P279	Quality Test / Release Date	01/12/2021
Lot Number	210306		
Description	POTASSIUM PERMANGANATE, A.C.S.		
Country of Origin	United States	Suggested Retest Date	Jan/2026

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Dark purple to purple green crystals
ASSAY	%	>= 99	99.3
CHLORIDE & CHLORATE	%	<= 0.005	<0.005
IDENTIFICATION	PASS/FAIL	= PASS TEST	pass test
INSOLUBLE MATTER	%	<= 0.2	<0.2
MERCURY (Hg)	ppm	<= 0.05	<0.004
SULFATE (SO4)	%	<= 0.02	<0.02

Julian Burton

Julian Burton - Quality Control Manager – Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.
 If there are any questions with this certificate, please call at (800) 227-6701.

*Based on suggested storage condition.

300 Technology Drive
 Christiansburg, VA 24073 USA
 inorganicventures.com

P: 800-669-6799/540-585-3030
 F: 540-585-3012
 info@inorganicventures.com

MS062
 MS063
 MS

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code: Single Analyte Mass Spec Solution
 Catalog Number: MSHG-10PPM
 Lot Number: S2-HG709270
 Matrix: 10% (v/v) HCl
 Value / Analyte(s): 10 µg/mL ea:
 Mercury
 Starting Material: Hg metal
 Starting Material Lot#: 1959
 Starting Material Purity: 99.9994%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 10.001 ± 0.053 µg/mL
Density: 1.020 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Hg	ICP Assay	3133	160921
Hg	EDTA	928	928
Hg	Calculated		See Sec. 4.2

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{CRM/RM} = \sum (w_i) (X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{char i}$
 w_i = the weighting factors for each method calculated using the inverse square of the variance.
 $w_i = (1/u_{char i}^2) / (\sum (1/u_{char i}^2))$

$$CRM/RM \text{ Expanded Uncertainty } (z) = U_{CRM/RM} = k (u_{char}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char} = [\sum ((w_i)^2 (u_{char i})^2)]^{1/2}$ where $u_{char i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$$X_{CRM/RM} = (X_a) (u_{char a})$$

X_a = mean of Assay Method A with

$u_{char a}$ = the standard uncertainty of characterization Method A

$$CRM/RM \text{ Expanded Uncertainty } (z) = U_{CRM/RM} = k (u_{char a}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

O	Ag	0.000011	M	Eu	<	0.000201	O	Na	0.000004	M	Se	<	0.015915	O	Zn	<	0.001510
O	Al	0.000001	O	Fe	0.000001	M	Nb	<	0.000201	O	Si	0.000005	M	Zr	<	0.000201	
M	As	<	0.000402	M	Ga	<	0.000201	M	Nd	<	0.000201	M	Sm	<	0.000201		
M	Au	<	0.003631	M	Gd	<	0.000201	M	Ni	<	0.000402	M	Sn	<	0.001007		
M	B	<	0.001208	M	Ge	<	0.000201	M	Os	<	0.000605	M	Sr	<	0.000201		
M	Ba	<	0.000201	M	Hf	<	0.000201	O	P	<	0.032370	M	Ta	<	0.000201		
M	Be	<	0.000201	s	Hg	<		M	Pb	<	0.000201	M	Tb	<	0.000201		
M	Bi	<	0.000201	M	Ho	<	0.000201	M	Pd	<	0.000403	M	Te	<	0.002216		
O	Ca	0.000007	M	In	<	0.000201	M	Pr	<	0.000201	M	Th	<	0.000201			
M	Cd	<	0.000201	M	Ir	<	0.000201	M	Pt	<	0.000402	M	Ti	<	0.000402		
M	Ce	<	0.000201	O	K	0.000020	M	Rb	<	0.000201	O	Tl	<	0.016508			
M	Co	<	0.000201	M	La	<	0.000201	M	Re	<	0.000201	M	Tm	<	0.000201		
O	Cr	<	0.003021	O	Li	<	0.000107	M	Rh	<	0.000201	M	U	<	0.008058		
M	Cs	<	0.001208	M	Lu	<	0.000201	M	Ru	<	0.000201	M	V	<	0.000201		
M	Cu	<	0.000402	O	Mg	0.000001	O	S	<	0.053950	M	W	<	0.000604			
M	Dy	<	0.000201	M	Mn	<	0.000604	M	Sb	<	0.001208	M	Y	<	0.000201		
M	Er	<	0.000201	M	Mo	0.000009	M	Sc	<	0.000201	M	Yb	<	0.000201			

M - Checked by ICP-MS O - Checked by ICP-OES i - Spectral Interference
n - Not Checked For s - Solution Standard Element

6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

Atomic Weight; Valence; Coordination Number; Chemical Form in Solution - 200.59 +2 4 Hg(OH)(aq) 1+

Chemical Compatibility - Stable in HNO₃. Avoid basic media forming insoluble carbonate. The sulfide, basic carbonate, oxalate, phosphate, arsenite, arsenate and iodide are insoluble in water.

Stability - 2-100 ppb levels not stable in 1% HNO₃ / LDPE container, stable in 10% HNO₃ packaged in borosilicate glass. 1-100 ppm levels stable in 7% HNO₃ packaged in borosilicate glass. 1000-10,000 ppm solutions are chemically stable for years in 5-10% HNO₃ / LDPE container.

Hg Containing Samples (Preparation and Solution) - Metal (soluble in HNO₃); Oxide (Soluble in HNO₃); Ores and Organic based (The literature has more references to the preparation of Hg containing samples than any other element. Please consult the literature for your specific sample type, since such preparations are prone to error. Or e-mail our technical staff and we will contact you to discuss your particular sample preparation questions in further detail.).

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	Estimated D.L.	Order	Interferences (underlined indicates severe)
ICP-MS 202 amu	9 ppt	n/a	186W16O
ICP-OES 184.950 nm	0.03 / 0.005 µg/mL	1	
ICP-OES 194.227 nm	0.03 / 0.005 µg/mL	1	V
ICP-OES 253.652 nm	0.1 / 0.03 µg/mL	1	Ta, Co, Th ,Rh , Fe, U

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va, 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

September 22, 2021

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- **September 22, 2026**

- The date after which this CRM/RM should not be used.
- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Uyen Truong
Supervisor, Product Documentation



Certificate Approved By:

Michael Booth
Director, Quality Control



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director





QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
"An ISO 9001:2015 Certified Program"


Instructions for QATS Reference Material: *Inorganic ICV Solutions*

QATS LABORATORY INORGANIC REFERENCE MATERIAL
INITIAL CALIBRATION VERIFICATION SOLUTIONS
(ICV1, ICV5, AND ICV6)

NOTE: These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

APPLICATION: For use with the CLP SFAM01.0 SOW and revisions.

CAUTION: Read instructions carefully before opening bottle(s) and proceeding with the analyses.



MS528-32
MS

(A) SAMPLE DESCRIPTION

Enclosed is a set of one (1) or more Aqueous Inorganic Reference Materials containing various analyte concentrations. ICV1 and ICV5 are in a matrix of dilute nitric acid. ICV6 is in a matrix of dilute basic solution. **For the reference material source in reporting ICVs use "USEPA". For the reference material lot number for the ICV1, ICV5, and ICV6 solutions use "ICV1-1014", "ICV5-0415", and "ICV6-0400", respectively.**

(B) BREAKAGE OR MISSING ITEMS

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to Mr. Keith Strout, APTIM Federal Services, LLC, at (702) 895-8722. If requested, return the chain-of-custody record with appropriate annotations and signatures to the address provided below.

QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
APTIM Federal Services, LLC
2700 Chandler Avenue - Building C
Las Vegas, NV 89120

(C) ANALYSIS OF SAMPLES

The Initial Calibration Verification Solutions (ICVs) are to be used to evaluate the accuracy of the initial calibrations of ICP, AA, and Cyanide colorimetric instruments, and are to be used with the CLP SOWs and revisions. The values for each element in the ICVs are listed below in $\mu\text{g/L}$ (ppb) for the resulting solution(s) after the dilution of the concentrate(s) according to the following instructions. Use Class 'A' glassware to prepare the solution(s).

ICV1-1014 For ICP-AES analysis, use a 10-fold dilution by pipetting 10 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid.





QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
"An ISO 9001:2015 Certified Program"

Instructions for QATS Reference Material: *Inorganic ICV Solutions*

ICV1-1014 For ICP-MS analysis, use a 50-fold dilution by pipetting 2 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 1% (v/v) nitric acid.

ICV5-0415 For the cold vapor analysis of mercury by AA, use a 100-fold dilution by pipetting 1 mL of the ICV5 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid. The ICV5 concentrate is prepared in 0.05% (w/v) K₂Cr₂O₇ and 5% (v/v) nitric acid.

ICV6-0400 For the analysis of cyanide, use a 100-fold dilution by pipetting 1 mL of the ICV6 concentrate into a 100 mL volumetric flask and dilute to volume with Type II water. Distill this solution along with the samples before analysis. The cyanide concentrate is prepared from K₃Fe(CN)₆, Type II water, and 0.1 % sodium hydroxide, and will decompose rapidly if exposed to light.

NOTE: USE TYPE II WATER AND HIGH-PURITY ACIDS FOR ALL DILUTIONS.

(D) CERTIFIED CONCENTRATIONS OF QATS ICV1, ICV5, AND ICV6 SOLUTIONS

ICV1-1014		
Element	Concentration (µg/L) (after 10-fold dilution)	Concentration (µg/L) (after 50-fold dilution)
Al	2500	500
Sb	1000	200
As	1000	200
Ba	520	100
Be	510	100
Cd	510	100
Ca	10000	2000
Cr	520	100
Co	520	100
Cu	510	100
Fe	10000	2000
Pb	1000	200
Mg	6000	1200
Mn	520	100
Ni	530	110
K	9900	2000
Se	1000	200
Ag	250	50
Na	10000	2000
Tl	1000	210
V	500	100
Zn	1000	200

ICV5-0415		ICV6-0400	
Element	Concentration (µg/L) (after 100-fold dilution)	Analyte	Concentration (µg/L) (after 100-fold dilution)
Hg	4.0	CN ⁻	99

Sodium Chloride, Crystal
BAKER ANALYZED® A.C.S. Reagent



MS824
MB

Material No.: 3624-01

Batch No.: 0000281938

Manufactured Date: 2021-06-07


Retest Date: 2026-06-07

Revision No.: 1

Certificate of Analysis

Test	Specification	Result
Assay (NaCl) (by Ag titrn)	≥ 99.0 %	100.0 %
pH of 5% Solution at 25°C	5.0 - 9.0	6.3
Insoluble Matter	≤ 0.005 %	0.003 %
Iodide (I)	≤ 0.002 %	< 0.002 %
Bromide (Br)	≤ 0.01 %	< 0.01 %
Chlorate and Nitrate (as NO ₃)	≤ 0.003 %	< 0.001 %
ACS - Phosphate (PO ₄)	≤ 5 ppm	< 5 ppm
Sulfate (SO ₄)	≤ 0.004 %	< 0.004 %
Barium (Ba)	Passes Test	Passes Test
ACS - Heavy Metals (as Pb)	≤ 5 ppm	< 5 ppm
Iron (Fe)	≤ 2 ppm	< 1 ppm
Calcium (Ca)	≤ 0.002 %	< 0.001 %
Magnesium (Mg)	≤ 0.001 %	< 0.001 %
Potassium (K)	≤ 0.005 %	0.001 %

For Laboratory, Research, or Manufacturing Use
Meets Reagent Specifications for testing USP/NF monographs
Country of Origin: USA
Packaging Site: Paris Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Mansford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone 610.386.1700

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium

avantor™



M 6041-4b
MS

Material No.: 9673-33
Batch No.: 23D2462010
Manufactured Date: 2023-03-22
Retest Date: 2028-03-20
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (H ₂ SO ₄)	95.0 – 98.0 %	96.1 %
Appearance	Passes Test	Passes Test
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Substances Reducing Permanganate (as SO ₂)	≤ 2 ppm	< 2 ppm
Ammonium (NH ₄)	≤ 1 ppm	1 ppm
Chloride (Cl)	≤ 0.1 ppm	< 0.1 ppm
Nitrate (NO ₃)	≤ 0.2 ppm	< 0.1 ppm
Phosphate (PO ₄)	≤ 0.5 ppm	< 0.1 ppm
Trace Impurities – Aluminum (Al)	≤ 30.0 ppb	< 5.0 ppb
Arsenic and Antimony (as As)	≤ 4.0 ppb	< 2.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	8.5 ppb
Trace Impurities – Cadmium (Cd)	≤ 2.0 ppb	< 0.3 ppb
Trace Impurities – Chromium (Cr)	≤ 6.0 ppb	< 0.4 ppb
Trace Impurities – Cobalt (Co)	≤ 0.5 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gold (Au)	≤ 10.0 ppb	0.5 ppb
Heavy Metals (as Pb)	≤ 500.0 ppb	< 100.0 ppb
Trace Impurities – Iron (Fe)	≤ 50.0 ppb	1.3 ppb
Trace Impurities – Lead (Pb)	≤ 0.5 ppb	< 0.5 ppb
Trace Impurities – Magnesium (Mg)	≤ 7.0 ppb	0.8 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	< 0.1 ppb
Trace Impurities – Nickel (Ni)	≤ 2.0 ppb	0.3 ppb
Trace Impurities – Potassium (K)	≤ 500.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se)	≤ 50.0 ppb	< 0.1 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	31.5 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb

>>> Continued on page 2 >>>

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium

 **avantorsm**




Material No.: 9673-33
Batch No.: 23D2462010

Test	Specification	Result
Trace Impurities - Sodium (Na)	≤ 500.0 ppb	5.4 ppb
Trace Impurities - Strontium (Sr)	≤ 5.0 ppb	< 0.2 ppb
Trace Impurities - Tin (Sn)	≤ 5.0 ppb	< 0.8 ppb
Trace Impurities - Zinc (Zn)	≤ 5.0 ppb	0.4 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality

Hydrochloric Acid, 36.5-38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

avantor™



R → 16/13/24
Met dig

M 6121

Material No.: 9530-33
Batch No.: 0000275677
Manufactured Date: 2020/12/16
Retest Date: 2025/12/15
Revision No: 1

Certificate of Analysis

Test	Specification	Result
ACS - Assay (as HCl) (by acid-base titrn)	36.5 - 38.0 %	37.6
ACS - Color (APHA)	<= 10	5
ACS - Residue after Ignition	<= 3 ppm	1
ACS - Specific Gravity at 60°/60°F	1.185 - 1.192	1.190
ACS - Bromide (Br)	<= 0.005 %	< 0.005
ACS - Extractable Organic Substances	<= 5 ppm	1
ACS - Free Chlorine (as Cl ₂)	<= 0.5 ppm	< 0.5
Phosphate (PO ₄)	<= 0.05 ppm	< 0.03
Sulfate (SO ₄)	<= 0.5 ppm	< 0.3
Sulfite (SO ₃)	<= 0.8 ppm	0.3
Ammonium (NH ₄)	<= 3 ppm	< 1
Trace Impurities - Arsenic (As)	<= 0.010 ppm	< 0.003
Trace Impurities - Aluminum (Al)	<= 10.0 ppb	< 0.2
Arsenic and Antimony (as As)	<= 5 ppb	< 3
Trace Impurities - Barium (Ba)	<= 1.0 ppb	< 0.2
Trace Impurities - Beryllium (Be)	<= 1.0 ppb	< 0.2
Trace Impurities - Bismuth (Bi)	<= 10.0 ppb	< 1.0
Trace Impurities - Boron (B)	<= 20.0 ppb	< 5.0
Trace Impurities - Cadmium (Cd)	<= 1.0 ppb	< 0.3
Trace Impurities - Calcium (Ca)	<= 50.0 ppb	29.7
Trace Impurities - Chromium (Cr)	<= 1.0 ppb	< 0.4
Trace Impurities - Cobalt (Co)	<= 1.0 ppb	< 0.3
Trace Impurities - Copper (Cu)	<= 1.0 ppb	< 0.1
Trace Impurities - Gallium (Ga)	<= 1.0 ppb	< 0.2

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

Material No.: 9530-33

Batch No.: 0000275677

Test	Specification	Result
Trace Impurities – Germanium (Ge)	≤ 3.0 ppb	< 2.0
Trace Impurities – Gold (Au)	≤ 4.0 ppb	< 0.2
Heavy Metals (as Pb)	≤ 100 ppb	< 50
Trace Impurities – Iron (Fe)	≤ 15.0 ppb	< 1
Trace Impurities – Lead (Pb)	≤ 1.0 ppb	< 0.5
Trace Impurities – Lithium (Li)	≤ 1.0 ppb	0.2
Trace Impurities – Magnesium (Mg)	≤ 10.0 ppb	0.4
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	0.1
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 5.0
Trace Impurities – Nickel (Ni)	≤ 4.0 ppb	< 0.3
Trace Impurities – Niobium (Nb)	≤ 1.0 ppb	< 0.2
Trace Impurities – Potassium (K)	≤ 9.0 ppb	< 2.0
Trace Impurities – Selenium (Se), For Information Only	ppb	1.0
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	< 10.0
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3
Trace Impurities – Sodium (Na)	≤ 100.0 ppb	< 5.0
Trace Impurities – Strontium (Sr)	≤ 1.0 ppb	< 0.2
Trace Impurities – Tantalum (Ta)	≤ 1.0 ppb	< 0.9
Trace Impurities – Thallium (Tl)	≤ 5.0 ppb	< 2.0
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	< 0.8
Trace Impurities – Titanium (Ti)	≤ 1.0 ppb	0.2
Trace Impurities – Vanadium (V)	≤ 1.0 ppb	< 0.2
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.3
Trace Impurities – Zirconium (Zr)	≤ 1.0 ppb	< 0.1

For Laboratory, Research or Manufacturing Use


Product Information (not specifications):

Appearance (clear, fuming liquid)

Meets ACS Specifications

Country of Origin: US

Packaging Site: Phillipsburg Mfg Ctr & DC



Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

Nitric Acid 69%
CMOS



R → 11/12/24

M6126

Material No.: 9606-03
Batch No.: 24D1062002
Manufactured Date: 2024-03-26
Retest Date: 2029-03-25
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay (HNO ₃)	69.0 – 70.0 %	69.7 %
Appearance	Passes Test	Passes Test
Color (APHA)	≤ 10	5
Residue after Ignition	≤ 2 ppm	1 ppm
Chloride (Cl)	≤ 0.08 ppm	< 0.03 ppm
Phosphate (PO ₄)	≤ 0.10 ppm	< 0.03 ppm
Sulfate (SO ₄)	≤ 0.2 ppm	< 0.2 ppm
Trace Impurities – Aluminum (Al)	≤ 40.0 ppb	< 1.0 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Barium (Ba)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Beryllium (Be)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Bismuth (Bi)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Cadmium (Cd)	≤ 50 ppb	< 1 ppb
Trace Impurities – Calcium (Ca)	≤ 50.0 ppb	2.3 ppb
Trace Impurities – Chromium (Cr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities – Cobalt (Co)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Copper (Cu)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Gallium (Ga)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Germanium (Ge)	≤ 20 ppb	< 10 ppb
Trace Impurities – Gold (Au)	≤ 20 ppb	< 5 ppb
Heavy Metals (as Pb)	≤ 100 ppb	100 ppb
Trace Impurities – Iron (Fe)	≤ 40.0 ppb	< 1.0 ppb
Trace Impurities – Lead (Pb)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities – Lithium (Li)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Magnesium (Mg)	≤ 20 ppb	< 1 ppb
Trace Impurities – Manganese (Mn)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Nickel (Ni)	≤ 20.0 ppb	< 5.0 ppb

>>> Continued on page 2 >>>

Nitric Acid 69%
CMOS

 **avantorsTM**



Material No.: 9606-03
Batch No.: 24D1062002

Test	Specification	Result
------	---------------	--------

For Microelectronic Use

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC



Jamie Croak
Director Quality Operations, Bioscience Production

SOP ID : M7470A-Mercury-19, MSFAM01.1-Mercury in Water-2

SDG No : YE8F8/ME293

Start Digest Date: 02/06/2025 Time : 15:50 Temp : 94 °C

Matrix : WATER

End Digest Date: 02/06/2025 Time : 17:50 Temp : 95 °C

Pipette ID: HG A

Digestion tube ID: M6054

Balance ID : N/A

Block thermometer ID: HG-DIG#1

Filter paper ID : NA

Dig Technician Signature:

pH Strip ID : M6069

Supervisor Signature:

Hood ID : #1

Temp : 1. 94°C 2. N/A

Block ID: 1. HG HOT BLOCK#1 2. N/A

Standardized Name	MLS USED	STD REF. # FROM LOG
ICV	100mL	MP84371
CCV	100mL	MP84373
Matrix Spike	0.40mL	MP84364
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
HNO3/H2SO4(1:2)	7.5mL	MP83691
KMnO4 (5%)	15.0mL	MP83692
K2S2O8 (5%)	8.0mL	MP83693
Hydroxylamine HCL (12%)	6.0mL	MP83694
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
0.0 ppb	S0	100mL	MP84365
0.05 ppb	S0.05	N/A	N/A
0.2 ppb	S0.2	100mL	MP84366
2.5 ppb	S2.5	100mL	MP84367
5.0 ppb	S5.0	100mL	MP84368
7.5 ppb	S7.5	100mL	MP84369
10.0 ppb	S10.0	100mL	MP84370
ICV	ICV	100mL	MP84371
ICB	ICB	100mL	MP84372
CCV	CCV	100mL	MP84373
CCB	CCB	100mL	MP84374
CRI	CRI	N/A	N/A
CHK STD	CHK STD	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A		
Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
2/6/25 @ 18:35	MB - Dig. Lab	MB - Metal Lab
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Comment	Prep Pos
PB166616BL	PBW616	100	100	<2	N/A	1-1
Q1135-09	YE8H7	100	100	<2	N/A	2
Q1176-01	ME2931	100	100	<2	N/A	3
Q1176-02	ME2933	100	100	<2	N/A	4
Q1176-03	ME2937	100	100	<2	N/A	5
Q1176-04	ME2945	100	100	<2	N/A	6
Q1176-05	ME2942	100	100	<2	N/A	7
Q1176-06	ME2943	100	100	<2	N/A	8
Q1176-07	ME2940	100	100	<2	N/A	9
Q1176-08	ME2941	100	100	<2	N/A	10
Q1176-09	ME2944	100	100	<2	N/A	11
Q1176-10	ME2944D	100	100	<2	N/A	12
Q1176-11	ME2944S	100	100	<2	MP84364	13
Q1176-12	ME2938	100	100	<2	N/A	14
Q1176-13	ME2939	100	100	<2	N/A	15
Q1176-14	ME2932	100	100	<2	N/A	16
Q1176-15	ME2936	100	100	<2	N/A	17
Q1176-16	ME2934	100	100	<2	N/A	18
Q1176-17	ME2935	100	100	<2	N/A	19
Q1176-18	ME2950	100	100	<2	N/A	20
Q1176-19	ME2951	100	100	<2	N/A	21
Q1176-20	ME2953	100	100	<2	N/A	22
Q1176-21	ME2954	100	100	<2	N/A	23

SOP ID : M7471B-Mercury-18, MSFAM01.1-Mercury in Soil-2

SDG No : YE8F8 **Start Digest Date:** 02/07/2025 **Time :** 10:35 **Temp :** 94 °C

Matrix : SOIL **End Digest Date:** 02/07/2025 **Time :** 11:05 **Temp :** 95 °C

Pipette ID: HG A **Digestion tube ID:** M6054

Balance ID : M SC-3 **Block thermometer ID:** HG-DIG#1

Filter paper ID : NA **Dig Technician Signature:** *MB*

pH Strip ID : NA **Supervisor Signature:** *12*

Hood ID : #1 **Temp :** 1. 94°C 2. N/A

Block ID: 1. HG HOT BLOCK#1 2. N/A

Standardized Name	MLS USED	STD REF. # FROM LOG
ICV	100mL	MP84401
CCV	100mL	MP84403
Matrix Spike	1.0mL	MP84394
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
AQUA REGIA	5.0mL	MP84407
KMnO4 (5%)	15.0mL	MP83692
Hydroxylamine HCL (12%)	6.0mL	MP83694
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
0.0 ppb	S0	100mL	MP84395
0.05 ppb	S0.05	N/A	N/A
0.2 ppb	S0.2	100mL	MP84396
2.5 ppb	S2.5	100mL	MP84397
5.0 ppb	S5.0	100mL	MP84398
7.5 ppb	S7.5	100mL	MP84399
10.0 ppb	S10.0	100mL	MP84400
ICV	ICV	100mL	MP84401
ICB	ICB	100mL	MP84402
CCV	CCV	100mL	MP84403
CCB	CCB	100mL	MP84404
CRI	CRI	N/A	N/A
CHK STD	CHK STD	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A		
Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
2/7/25 @ 11:50	MB - Dig. Lab	MB - Dig. Lab
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Comment	Prep Pos
PB166632BL	PBS632	0.50	100	NA	N/A	1-1
Q1135-01	YE8F5	0.56	100	NA	N/A	2
Q1135-02	YE8F7	0.52	100	NA	N/A	3
Q1135-03	YE8F7D	0.55	100	NA	N/A	4
Q1135-04	YE8F7S	0.54	100	NA	MP84394	5
Q1135-05	YE8F8	0.53	100	NA	N/A	6
Q1135-06	YE8F9	0.56	100	NA	N/A	7
Q1135-07	YE8H9	0.53	100	NA	N/A	8
Q1135-08	YE8J0	0.53	100	NA	N/A	9
Q1135-10	YE8J1	0.52	100	NA	N/A	10
Q1135-11	YE8E3	0.55	100	NA	N/A	11
Q1135-12	YE8E4	0.55	100	NA	N/A	12
Q1135-13	YE8E5	0.54	100	NA	N/A	13
Q1135-14	YE8E6	0.50	100	NA	N/A	14
Q1135-15	YE8E7	0.57	100	NA	N/A	15
Q1135-16	YE8E8	0.52	100	NA	N/A	16
Q1135-17	YE8D2	0.58	100	NA	N/A	17
Q1135-18	YE8D4	0.54	100	NA	N/A	18
Q1135-19	YE8C3	0.51	100	NA	N/A	19
Q1135-21	YE8D0	0.55	100	NA	N/A	20
Q1135-22	YE8D5	0.54	100	NA	N/A	21

Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: pH

Supervisor Review By : Iwona

Run Number: LB134550

Slope : 98.4

BalanceID: WC SC-7

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3107
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER,COLOR CD 475ML	W3094
buffer solution pH 7 yellow	W3071
Buffer Solution, PH2 (500ml)	W3161
Buffer Solution, PH12 (500ml)	W3072

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12.00 Control Limits[+/- 0.1].

True Value of CCV3 = 2.00 Control Limits[+/- 0.1].

True Value of CCV4 = 12.00 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.2	4.01	02/04/2025	08:20
2	CAL2	1	Water	NA	NA	20.2	7.00	02/04/2025	08:21
3	CAL3	1	Water	NA	NA	20.2	10.02	02/04/2025	08:22
4	ICV	1	Water	NA	NA	20.3	7.02	02/04/2025	08:25
5	CCV1	1	Water	NA	NA	20.2	2.01	02/04/2025	08:30
6	Q1135-01	1	Solid	20.02	20	21.9	5.98	02/04/2025	08:37
7	Q1135-02	1	Solid	20.03	20	21.9	5.97	02/04/2025	08:40
8	Q1135-05	1	Solid	20.02	20	21.7	6.13	02/04/2025	08:42
9	Q1135-06	1	Solid	20.03	20	21.9	6.17	02/04/2025	08:47
10	Q1135-07	1	Solid	20.03	20	21.0	7.78	02/04/2025	08:55
11	Q1135-08	1	Solid	20.01	20	21.7	7.02	02/04/2025	09:00
12	Q1135-10	1	Solid	20.02	20	21.5	6.83	02/04/2025	09:10
13	Q1135-11	1	Solid	20.03	20	22.0	6.77	02/04/2025	09:18
14	Q1135-12	1	Solid	20.05	20	21.5	6.68	02/04/2025	09:25
15	Q1135-13	1	Solid	20.03	20	21.6	6.72	02/04/2025	09:33
16	CCV2	1	Water	NA	NA	20.2	12.02	02/04/2025	09:37
17	Q1135-14	1	Solid	20.02	20	21.3	6.71	02/04/2025	09:42
18	Q1135-15	1	Solid	20.03	20	21.0	6.74	02/04/2025	09:50
19	Q1135-16	1	Solid	20.04	20	21.4	7.49	02/04/2025	10:00
20	Q1135-17	1	Solid	20.02	20	21.7	7.77	02/04/2025	10:10

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
21	Q1135-18	1	Solid	20.03	20	21.9	7.30	02/04/2025	10:18
22	Q1135-19	1	Solid	20.01	20	22.1	7.26	02/04/2025	10:25
23	Q1135-21	1	Solid	20.03	20	21.8	7.07	02/04/2025	10:33
24	Q1135-22	1	Solid	20.03	20	21.9	8.74	02/04/2025	10:37
25	Q1159-01	1	Solid	20.02	20	22.2	7.93	02/04/2025	10:44
26	Q1159-04	1	Solid	20.03	20	21.8	7.64	02/04/2025	10:50
27	CCV3	1	Water	NA	NA	20.2	2.01	02/04/2025	11:00
28	Q1159-05	1	Solid	20.05	20	22.0	8.00	02/04/2025	11:11
29	Q1159-06	1	Solid	20.03	20	21.6	7.99	02/04/2025	11:15
30	CCV4	1	Water	NA	NA	20.2	12.02	02/04/2025	11:20

WORKLIST(Hardcopy Internal Chain)

134550

WorkList Name : ph q1135

WorkList ID : 187437

Department : Wet-Chemistry

Date : 02-04-2025 08:02:00

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1135-01	YE8F5	Solid	pH	Cool 4 deg C	USEP01	Q31	01/15/2025	9045D
Q1135-02	YE8F7	Solid	pH	Cool 4 deg C	USEP01	Q31	01/15/2025	9045D
Q1135-05	YE8F8	Solid	pH	Cool 4 deg C	USEP01	Q31	01/15/2025	9045D
Q1135-06	YE8F9	Solid	pH	Cool 4 deg C	USEP01	Q31	01/15/2025	9045D
Q1135-07	YE8H9	Solid	pH	Cool 4 deg C	USEP01	Q31	01/15/2025	9045D
Q1135-08	YE8J0	Solid	pH	Cool 4 deg C	USEP01	Q31	01/16/2025	9045D
Q1135-10	YE8J1	Solid	pH	Cool 4 deg C	USEP01	Q31	01/16/2025	9045D
Q1135-11	YE8E3	Solid	pH	Cool 4 deg C	USEP01	Q31	01/16/2025	9045D
Q1135-12	YE8E4	Solid	pH	Cool 4 deg C	USEP01	Q31	01/17/2025	9045D
Q1135-13	YE8E5	Solid	pH	Cool 4 deg C	USEP01	Q31	01/17/2025	9045D
Q1135-14	YE8E6	Solid	pH	Cool 4 deg C	USEP01	Q31	01/17/2025	9045D
Q1135-15	YE8E7	Solid	pH	Cool 4 deg C	USEP01	Q31	01/17/2025	9045D
Q1135-16	YE8E8	Solid	pH	Cool 4 deg C	USEP01	Q31	01/17/2025	9045D
Q1135-17	YE8D2	Solid	pH	Cool 4 deg C	USEP01	Q31	01/17/2025	9045D
Q1135-18	YE8D4	Solid	pH	Cool 4 deg C	USEP01	Q31	01/19/2025	9045D
Q1135-19	YE8C3	Solid	pH	Cool 4 deg C	USEP01	Q31	01/18/2025	9045D
Q1135-21	YE8D0	Solid	pH	Cool 4 deg C	USEP01	Q31	01/19/2025	9045D
Q1135-22	YE8D5	Solid	pH	Cool 4 deg C	USEP01	Q31	01/18/2025	9045D
Q1159-01	YE8C9	Solid	pH	Cool 4 deg C	USEP01	Q31	01/19/2025	9045D
Q1159-04	YE8D1	Solid	pH	Cool 4 deg C	USEP01	C33	01/18/2025	9045D
Q1159-05	YE8D3	Solid	pH	Cool 4 deg C	USEP01	C33	01/19/2025	9045D

Date/Time 02/04/25 08:15

Raw Sample Received by: 186021

Raw Sample Relinquished by: CR SM

Date/Time 02/04/25 12:00

Raw Sample Received by: CR SM

Raw Sample Relinquished by: 186021

WORKLIST(Hardcopy Internal Chain)

134550

WorkList Name : ph q1135

WorkList ID : 187437

Department : Wet-Chemistry

Date : 02-04-2025 08:02:00

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1159-06	YE8E2	Solid	pH	Cool 4 deg C	USEP01	C33	01/19/2025	9045D

Date/Time 02/04/25 08:15
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

Date/Time 02/04/25 12:00
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

Instrument ID: CV1

Daily Analysis Runlog For Sequence/QC Batch ID # LB134618

Review By	Mohan Bera	Review On	2/10/2025 5:30:16 PM
Supervise By	Kareem Khairalla	Supervise On	2/10/2025 5:31:19 PM
STD. NAME	STD REF.#		
ICAL Standard	MP84365,MP84366,MP84367,MP84368,MP84369,MP84370		
ICV Standard	MP84371		
CCV Standard	MP84373		
ICSA Standard			
CRI Standard			
LCS Standard			
Chk Standard	MP84372,MP84374,MP84408		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	S0	S0	CAL1	02/07/25 11:14		Mohan	OK
2	S0.2	S01	CAL2	02/07/25 11:16		Mohan	OK
3	S2.5	S02	CAL3	02/07/25 11:19		Mohan	OK
4	S5	S03	CAL4	02/07/25 11:21		Mohan	OK
5	S7.5	S04	CAL5	02/07/25 11:23		Mohan	OK
6	S10	S05	CAL6	02/07/25 11:25		Mohan	OK
7	ICV090	ICV090	ICV	02/07/25 11:31		Mohan	OK
8	ICB090	ICB090	ICB	02/07/25 11:34		Mohan	OK
9	CCV037	CCV037	CCV	02/07/25 11:36		Mohan	OK
10	CCB037	CCB037	CCB	02/07/25 11:41		Mohan	OK
11	PB166616BL	PBW616	MB	02/07/25 11:43		Mohan	OK
12	Q1135-09	YE8H7	SAM	02/07/25 11:45		Mohan	OK
13	Q1176-01	ME2931	SAM	02/07/25 11:48		Mohan	OK
14	Q1176-02	ME2933	SAM	02/07/25 11:50		Mohan	OK
15	Q1176-03	ME2937	SAM	02/07/25 11:52		Mohan	OK
16	Q1176-04	ME2945	SAM	02/07/25 11:54		Mohan	OK
17	Q1176-05	ME2942	SAM	02/07/25 11:57		Mohan	OK
18	Q1176-06	ME2943	SAM	02/07/25 11:59		Mohan	OK

Instrument ID: CV1

Daily Analysis Runlog For Sequence/QC Batch ID # LB134618

Review By	Mohan Bera	Review On	2/10/2025 5:30:16 PM
Supervise By	Kareem Khairalla	Supervise On	2/10/2025 5:31:19 PM
STD. NAME	STD REF.#		
ICAL Standard	MP84365,MP84366,MP84367,MP84368,MP84369,MP84370		
ICV Standard	MP84371		
CCV Standard	MP84373		
ICSA Standard			
CRI Standard			
LCS Standard			
Chk Standard	MP84372,MP84374,MP84408		

19	Q1176-07	ME2940	SAM	02/07/25 12:01		Mohan	OK
20	Q1176-08	ME2941	SAM	02/07/25 12:03		Mohan	OK
21	Q1176-09	ME2944	SAM	02/07/25 12:06		Mohan	OK
22	Q1176-10	ME2944D	DUP	02/07/25 12:08		Mohan	OK
23	Q1176-11	ME2944S	MS	02/07/25 12:10		Mohan	OK
24	Q1176-12	ME2938	SAM	02/07/25 12:12		Mohan	OK
25	Q1176-13	ME2939	SAM	02/07/25 12:15		Mohan	OK
26	Q1176-14	ME2932	SAM	02/07/25 12:17		Mohan	OK
27	Q1176-15	ME2936	SAM	02/07/25 12:19		Mohan	OK
28	Q1176-16	ME2934	SAM	02/07/25 12:22		Mohan	OK
29	Q1176-17	ME2935	SAM	02/07/25 12:24		Mohan	OK
30	Q1176-18	ME2950	SAM	02/07/25 12:26		Mohan	OK
31	CCV038	CCV038	CCV	02/07/25 12:28		Mohan	OK
32	CCB038	CCB038	CCB	02/07/25 12:31		Mohan	OK
33	Q1176-19	ME2951	SAM	02/07/25 12:33		Mohan	OK
34	Q1176-20	ME2953	SAM	02/07/25 12:35		Mohan	OK
35	Q1176-21	ME2954	SAM	02/07/25 12:37		Mohan	OK
36	PB166617BL	PBW617	MB	02/07/25 12:40		Mohan	OK
37	Q1151-13	MC0B02	SAM	02/07/25 12:42		Mohan	OK
38	Q1186-01	ME2948	SAM	02/07/25 12:44		Mohan	OK

Instrument ID: CV1

Daily Analysis Runlog For Sequence/QC Batch ID # LB134618

Review By	Mohan Bera	Review On	2/10/2025 5:30:16 PM
Supervise By	Kareem Khairalla	Supervise On	2/10/2025 5:31:19 PM
STD. NAME	STD REF.#		
ICAL Standard	MP84365,MP84366,MP84367,MP84368,MP84369,MP84370		
ICV Standard	MP84371		
CCV Standard	MP84373		
ICSA Standard			
CRI Standard			
LCS Standard			
Chk Standard	MP84372,MP84374,MP84408		

39	Q1186-02	ME2949	SAM	02/07/25 12:47		Mohan	OK
40	Q1186-03	ME2955	SAM	02/07/25 12:49		Mohan	OK
41	Q1186-04	ME2956	SAM	02/07/25 12:51		Mohan	OK
42	Q1186-05	ME2957	SAM	02/07/25 12:53		Mohan	OK
43	Q1186-06	ME2960	SAM	02/07/25 12:56		Mohan	OK
44	Q1186-07	ME2961	SAM	02/07/25 12:58		Mohan	OK
45	Q1186-08	ME2962	SAM	02/07/25 13:00		Mohan	OK
46	Q1186-09	ME2959	SAM	02/07/25 13:02		Mohan	OK
47	Q1186-10	ME2959D	DUP	02/07/25 13:05		Mohan	OK
48	Q1186-11	ME2959S	MS	02/07/25 13:07		Mohan	OK
49	Q1186-12	ME2963	SAM	02/07/25 13:09		Mohan	OK
50	Q1186-13	ME2967	SAM	02/07/25 13:11		Mohan	OK
51	Q1186-14	ME2965	SAM	02/07/25 13:14		Mohan	OK
52	Q1186-15	ME2966	SAM	02/07/25 13:16		Mohan	OK
53	CCV039	CCV039	CCV	02/07/25 13:18		Mohan	OK
54	CCB039	CCB039	CCB	02/07/25 13:21		Mohan	OK
55	Q1186-16	ME2958	SAM	02/07/25 13:23		Mohan	OK
56	Q1186-17	ME2968	SAM	02/07/25 13:25		Mohan	OK
57	Q1186-18	ME2974	SAM	02/07/25 13:27		Mohan	OK
58	Q1186-19	ME2977	SAM	02/07/25 13:30		Mohan	OK

Instrument ID: CV1

Daily Analysis Runlog For Sequence/QC Batch ID # LB134618

Review By	Mohan Bera	Review On	2/10/2025 5:30:16 PM
Supervise By	Kareem Khairalla	Supervise On	2/10/2025 5:31:19 PM
STD. NAME	STD REF.#		
ICAL Standard	MP84365,MP84366,MP84367,MP84368,MP84369,MP84370		
ICV Standard	MP84371		
CCV Standard	MP84373		
ICSA Standard			
CRI Standard			
LCS Standard			
Chk Standard	MP84372,MP84374,MP84408		

59	Q1186-20	ME2980	SAM	02/07/25 13:32		Mohan	OK
60	CCV040	CCV040	CCV	02/07/25 13:34		Mohan	OK
61	CCB040	CCB040	CCB	02/07/25 13:36		Mohan	OK

Instrument ID: CV1

Daily Analysis Runlog For Sequence/QC Batch ID # LB134635

Review By	Mohan Bera	Review On	2/11/2025 12:25:03 PM
Supervise By	Kareem Khairalla	Supervise On	2/11/2025 12:32:13 PM
STD. NAME	STD REF.#		
ICAL Standard	MP84395,MP84396,MP84397,MP84398,MP84399,MP84400		
ICV Standard	MP84401		
CCV Standard	MP84403		
ICSA Standard			
CRI Standard			
LCS Standard			
Chk Standard	MP84402,MP84404,MP84411		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	S0	S0	CAL1	02/07/25 16:10		Mohan	OK
2	S0.2	S01	CAL2	02/07/25 16:12		Mohan	OK
3	S2.5	S02	CAL3	02/07/25 16:15		Mohan	OK
4	S5	S03	CAL4	02/07/25 16:17		Mohan	OK
5	S7.5	S04	CAL5	02/07/25 16:19		Mohan	OK
6	S10	S05	CAL6	02/07/25 16:22		Mohan	OK
7	ICV092	ICV092	ICV	02/07/25 16:25		Mohan	OK
8	ICB092	ICB092	ICB	02/07/25 16:27		Mohan	OK
9	CCV044	CCV044	CCV	02/07/25 16:29		Mohan	OK
10	CCB044	CCB044	CCB	02/07/25 16:31		Mohan	OK
11	PB166632BL	PBS632	MB	02/07/25 16:36		Mohan	OK
12	Q1135-01	YE8F5	SAM	02/07/25 16:38		Mohan	OK
13	Q1135-02	YE8F7	SAM	02/07/25 16:41		Mohan	OK
14	Q1135-03	YE8F7D	DUP	02/07/25 16:43		Mohan	OK
15	Q1135-04	YE8F7S	MS	02/07/25 16:45		Mohan	OK
16	Q1135-05	YE8F8	SAM	02/07/25 16:47		Mohan	OK
17	Q1135-06	YE8F9	SAM	02/07/25 16:50		Mohan	OK
18	Q1135-07	YE8H9	SAM	02/07/25 16:52		Mohan	OK

Instrument ID: CV1

Daily Analysis Runlog For Sequence/QC Batch ID # LB134635

Review By	Mohan Bera	Review On	2/11/2025 12:25:03 PM
Supervise By	Kareem Khairalla	Supervise On	2/11/2025 12:32:13 PM
STD. NAME	STD REF.#		
ICAL Standard	MP84395,MP84396,MP84397,MP84398,MP84399,MP84400		
ICV Standard	MP84401		
CCV Standard	MP84403		
ICSA Standard			
CRI Standard			
LCS Standard			
Chk Standard	MP84402,MP84404,MP84411		

19	Q1135-08	YE8J0	SAM	02/07/25 16:54		Mohan	OK
20	Q1135-10	YE8J1	SAM	02/07/25 16:57		Mohan	OK
21	Q1135-11	YE8E3	SAM	02/07/25 16:59		Mohan	OK
22	Q1135-12	YE8E4	SAM	02/07/25 17:01		Mohan	OK
23	Q1135-13	YE8E5	SAM	02/07/25 17:03		Mohan	OK
24	Q1135-14	YE8E6	SAM	02/07/25 17:06		Mohan	OK
25	Q1135-15	YE8E7	SAM	02/07/25 17:08		Mohan	OK
26	Q1135-16	YE8E8	SAM	02/07/25 17:10		Mohan	OK
27	Q1135-17	YE8D2	SAM	02/07/25 17:12		Mohan	OK
28	Q1135-18	YE8D4	SAM	02/07/25 17:15		Mohan	OK
29	Q1135-19	YE8C3	SAM	02/07/25 17:17		Mohan	OK
30	Q1135-21	YE8D0	SAM	02/07/25 17:19		Mohan	OK
31	CCV045	CCV045	CCV	02/07/25 17:22		Mohan	OK
32	CCB045	CCB045	CCB	02/07/25 17:24		Mohan	OK
33	Q1135-22	YE8D5	SAM	02/07/25 17:26		Mohan	OK
34	CCV046	CCV046	CCV	02/07/25 18:01		Mohan	OK
35	CCB046	CCB046	CCB	02/07/25 18:03		Mohan	OK