

DATA PACKAGE

VOLATILE ORGANICS

PROJECT NAME : 21-36 UTOPIA PARKWAY, FLUSHING NY

GFE LLC

58 Nokomis Ave

Lake Hiawatha, NJ - 07034

Phone No: 646-542-3465

ORDER ID : Q1138

ATTENTION : Frank Galdun



Laboratory Certification ID # 20012



| | |
|-----------------------------------|----|
| 1) Signature Page | 3 |
| 2) Case Narrative | 4 |
| 2.1) VOCMS Group3- Case Narrative | 4 |
| 3) Qualifier Page | 6 |
| 4) QA Checklist | 7 |
| 5) VOCMS Group3 Data | 8 |
| 6) Shipping Document | 13 |
| 6.1) CHAIN OF CUSTODY | 14 |
| 6.2) Lab Certificate | 16 |
| 6.3) Internal COC | 17 |

Cover Page

Order ID : Q1138

Project ID : 21-36 Utopia Parkway, Flushing NY

Client : GFE LLC

Lab Sample Number

Q1138-01
Q1138-02

Client Sample Number

IA1
IA2

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 4:40 pm, Jan 27, 2025

Date: 1/23/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

GFE LLC

Project Name: 21-36 Utopia Parkway, Flushing NY

Project # N/A

Chemtech Project # Q1138

Test Name: VOCMS Group3

A. Number of Samples and Date of Receipt:

2 Air samples were received on 01/20/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: VOCMS Group3. This data package contains results for VOCMS Group3.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_L were done using GC column RTX-1, which is 60 meters, 0.32 mm id, 1.0 um df, Restek Cat. #10157. The Trap was supplied by Entech, glass bead and Tenax , Entech 7100A Preconcentrator. The analysis of VOCMS Group3 was based on method TO-15.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

The Tuning criteria met requirements.

E. Additional Comments:

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 4:41 pm, Jan 27, 2025

Signature _____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

| | |
|-------|---|
| Value | If the result is a value greater than or equal to the detection limit, report the value |
| U | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required. |
| ND | Indicates the analyte was analyzed for, but not detected |
| J | Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others. |
| B | Indicates the analyte was found in the blank as well as the sample report as “12 B”. |
| E | Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis. |
| D | This flag identifies all compounds identified in an analysis at a secondary dilution factor. |
| P | This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”. |
| N | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used. |
| A | This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product. |
| Q | Indicates the LCS did not meet the control limits requirements |

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1138

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 01/23/2025

Hit Summary Sheet
SW-846

SDG No.: Q1138
Client: GFE LLC

| Sample ID | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|-------------------|------------|--------|-----------------------------|---------------|---|------|------|-------|
| Client ID: | IA1 | | | | | | | |
| Q1138-01 | IA1 | Air | Tetrachloroethene | 13.6 | | 0.14 | 0.20 | ug/m3 |
| | | | Total Voc : | 13.6 | | | | |
| | | | Total Concentration: | 13.6 | | | | |
| Client ID: | IA2 | | | | | | | |
| Q1138-02 | IA2 | Air | Tetrachloroethene | 3.80 | | 0.14 | 0.20 | ug/m3 |
| | | | Total Voc : | 3.80 | | | | |
| | | | Total Concentration: | 3.80 | | | | |



SAMPLE DATA

Report of Analysis

| | | | |
|--------------------|-----------------------------------|-----------------|--------------|
| Client: | GFE LLC | Date Collected: | 01/17/25 |
| Project: | 21-36 Utopia Parkway, Flushing NY | Date Received: | 01/20/25 |
| Client Sample ID: | IA1 | SDG No.: | Q1138 |
| Lab Sample ID: | Q1138-01 | Matrix: | Air |
| Analytical Method: | TO-15 | Test: | VOCMS Group3 |
| Sample Wt/Vol: | 400 Units: mL | | |

| | | | | |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| VL041928.D | 1 | | 01/20/25 19:51 | VL012025 |

| CAS Number | Parameter | Conc. ppbv | Conc. ug/M3 | Qualifier | MDL | LOQ / CRQL | Units |
|---------------------------|-------------------------|---------------|----------------|-----------|----------|------------|---------|
| TARGETS | | | | | | | |
| 75-01-4 | Vinyl Chloride | 0.010 | 0.030 | U | 0.030 | 0.080 | ug/m3 |
| 75-35-4 | 1,1-Dichloroethene | 0.14 | 0.56 | U | 0.56 | 1.98 | ug/m3 |
| 156-59-2 | cis-1,2-Dichloroethene | 0.090 | 0.36 | U | 0.36 | 1.98 | ug/m3 |
| 71-55-6 | 1,1,1-Trichloroethane | 0.010 | 0.050 | U | 0.050 | 0.16 | ug/m3 |
| 79-01-6 | Trichloroethene | 0.020 | 0.11 | U | 0.11 | 0.16 | ug/m3 |
| 127-18-4 | Tetrachloroethene | 2.00 | 13.6 | | 0.14 | 0.20 | ug/m3 |
| SURROGATES | | | | | | | |
| 460-00-4 | 1-Bromo-4-Fluorobenzene | 9.80 | | | 65 - 135 | 98% | SPK: 10 |
| INTERNAL STANDARDS | | | | | | | |
| 74-97-5 | Bromochloromethane | 134000 | | | 2.781 | | |
| 540-36-3 | 1,4-Difluorobenzene | 374000 | | | 3.949 | | |
| 3114-55-4 | Chlorobenzene-d5 | 330000 | | | 8.872 | | |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

| | | | |
|--------------------|-----------------------------------|-----------------|--------------|
| Client: | GFE LLC | Date Collected: | 01/17/25 |
| Project: | 21-36 Utopia Parkway, Flushing NY | Date Received: | 01/20/25 |
| Client Sample ID: | IA2 | SDG No.: | Q1138 |
| Lab Sample ID: | Q1138-02 | Matrix: | Air |
| Analytical Method: | TO-15 | Test: | VOCMS Group3 |
| Sample Wt/Vol: | 400 Units: mL | | |

| | | | | |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| VL041929.D | 1 | | 01/20/25 20:26 | VL012025 |

| CAS Number | Parameter | Conc. ppbv | Conc. ug/M3 | Qualifier | MDL | LOQ / CRQL | Units |
|---------------------------|-------------------------|---------------|----------------|-----------|----------|------------|---------|
| TARGETS | | | | | | | |
| 75-01-4 | Vinyl Chloride | 0.010 | 0.030 | U | 0.030 | 0.080 | ug/m3 |
| 75-35-4 | 1,1-Dichloroethene | 0.14 | 0.56 | U | 0.56 | 1.98 | ug/m3 |
| 156-59-2 | cis-1,2-Dichloroethene | 0.090 | 0.36 | U | 0.36 | 1.98 | ug/m3 |
| 71-55-6 | 1,1,1-Trichloroethane | 0.010 | 0.050 | U | 0.050 | 0.16 | ug/m3 |
| 79-01-6 | Trichloroethene | 0.020 | 0.11 | U | 0.11 | 0.16 | ug/m3 |
| 127-18-4 | Tetrachloroethene | 0.56 | 3.80 | | 0.14 | 0.20 | ug/m3 |
| SURROGATES | | | | | | | |
| 460-00-4 | 1-Bromo-4-Fluorobenzene | 9.80 | | | 65 - 135 | 98% | SPK: 10 |
| INTERNAL STANDARDS | | | | | | | |
| 74-97-5 | Bromochloromethane | 140000 | | | 2.781 | | |
| 540-36-3 | 1,4-Difluorobenzene | 384000 | | | 3.949 | | |
| 3114-55-4 | Chlorobenzene-d5 | 332000 | | | 8.875 | | |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

LAB CHRONICLE

| | | | |
|-----------------|--------------|-------------------|-----------------------------------|
| OrderID: | Q1138 | OrderDate: | 1/20/2025 10:43:00 AM |
| Client: | GFE LLC | Project: | 21-36 Utopia Parkway, Flushing NY |
| Contact: | Frank Galdun | Location: | E11,VOA Lab |

| LabID | ClientID | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|-----------------|------------|------------|--------------|--------|-----------------|-----------|-----------|-----------------|
| Q1138-01 | IA1 | Air | VOCMS Group3 | TO-15 | 01/17/25 | | 01/20/25 | 01/20/25 |
| Q1138-02 | IA2 | Air | VOCMS Group3 | TO-15 | 01/17/25 | | 01/20/25 | 01/20/25 |



SHIPPING DOCUMENTS

| | | | | | | | | | | | | | | | | | |
|---|----------------|--------------------------|-------------------------|---|------------------------------------|----------------------------|---------------------------|--|-----------------------------------|---|--------|---|-------------|------------|---|--|--|
| Client Contact Information | | | | Bottle Order ID : B2501014 | | | | Courier : FGALDUN | | | | <u>1</u> of <u>2</u> COCs | | | | | |
| Client ID : GFEL01 Project ID : 182 Ralph Ave, Brooklyn, NY | | | | Sampler Name(s) : F | | | | Analysis | | | | Matrix | | | | | |
| Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country : | | | | Project Manager : FRANK GALDUN | | | | AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified | | | | <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Indoor Ambient Air</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Soil Gas</div> | | | | | |
| | | | | Phone Number : 646-542-3465 | | | | | | | | | | | | | |
| | | | | Fax Number : 973-334-1692 | | | | | | | | | | | | | |
| | | | | Site Details: 21-36 UTOPIA PARKWAY / FUSHING, NY | | | | | | | | | | | | | |
| Analysis Turnaround Time | | | | Standard : 10 business days OR | | | | Data Package Type : RESULTS ONLY | | | | | | | | | |
| Rush (Specify): Days | | | | EDD Type : PDF | | | | | | | | | | | | | |
| Sample Identification | Sample Date(s) | Time Start (24 hr Clock) | Time Stop (24 hr Clock) | Can Vacuum in Field ("Hg) (Start) | Can Vacuum in Field ("Hg) (Stop)** | Interior Temp. (F) (Start) | Interior Temp. (F) (Stop) | Out going Can Pressure ("Hg)(Lab) | In coming Can Pressure ("Hg)(Lab) | Flow Reg. ID | Can ID | Flow Controller Readout (ml/min) | Can Cert ID | | | | |
| IA1 | 11/17/25 | 12:01 | 2:01 | 30 | 5 | 60 | 25 | -30 | -5.9 | 10185 | 10607 | 6 L | 50 | VL041614.D | 1 | | |
| Temperature (Fahrenheit) | | | | | | | | | | GC/MS Analyst Signature (TO-15) [Signature] | | | | | | | |
| | | Ambient | Maximum | Minimum | | | | | | | | | | | | | |
| Start | | | | | | | | | | | | | | | | | |
| Stop | | | | | | | | | | | | | | | | | |
| Pressure (Inches of Hg) | | | | | | | | | | ** Submittal of this COC indicates approval of the analysis based on existing conditions. Report only: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC. | | | | | | | |
| | | Ambient | Maximum | Minimum | | | | | | | | | | | | | |
| Start | | | | | | | | | | | | | | | | | |
| Stop | | | | | | | | | | | | | | | | | |
| Special Instructions/QC Requirements & Comments : | | | | | | | | | | | | | | | | | |
| Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u> | | | | | | | | | | | | | | | | | |
| Sampling site (State): | | | | | | | | | | | | | | | | | |
| Quick Connector required : <u>NO</u> | | | | | | | | | | | | | | | | | |
| Canisters Shipped by: <u>[Signature]</u> | | | | Date/Time: <u>11/14/25</u> | | | | Canisters Received by: <u>[Signature]</u> | | | | Date/Time: <u>11/20/25 0700</u> | | | | | |
| Samples Relinquished by: <u>[Signature]</u> | | | | Date/Time: <u>11/19/25</u> | | | | Received by: | | | | Date/Time: | | | | | |
| Relinquished by: | | | | Date/Time: | | | | Received by: | | | | Date/Time: | | | | | |

B2501014 - 2

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------|--------------------------|-------------------------|---|------------------------------------|----------------------------|---------------------------|--|-----------------------------------|--------------|--------------|--------------------------------|----------------------------------|-------------------|----------|---------------------|----------|------|--|--|--|--|--|--|--|--|--|--|--|
| Client Contact Information | | | | Bottle Order ID : B2501014 | | | | Courier : FGALDUN | | | | 2 of 2 COCs | | | | | | | | | | | | | | | | | |
| Client ID : GFEL01 | | | | Project ID : 182 Ralph Ave, Brooklyn NY | | | | Sampler Name(s) : FRANK GALDUN | | | | Analysis | | Matrix | | | | | | | | | | | | | | | |
| Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country : | | | | Project Manager : FRANK GALDUN | | | | AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified | | | | | | | | | | | | | | | | | | | | | |
| | | | | Phone Number : 646-542-3465 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | Fax Number : 973-334-1692 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | Site Details: 2136 UTOPIA PARKWAY FLUSHING, NY | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analysis Turnaround Time | | | | Standard : 10 business days OR | | | | Data Package Type RESULTS ONLY | | | | | | | | | | | | | | | | | | | | | |
| Rush (Specify): _____ Days | | | | EDD Type : PDF | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sample Identification | Sample Date(s) | Time Start (24 hr Clock) | Time Stop (24 hr Clock) | Can Vacuum in Field ("Hg) (Start) | Can Vacuum in Field ("Hg) (Stop)** | Interior Temp. (F) (Start) | Interior Temp. (F) (Stop) | Out going Can Pressure ("Hg)(Lab) | In coming Can Pressure ("Hg)(Lab) | Flow Reg. ID | Can ID | | Flow Controller Readout (ml/min) | Can Cert ID | TO-15 | Indoor Ambient Air | Soil Gas | | | | | | | | | | | | |
| IAZ | 1/17/25 | 10:56 | 12:56 | OVER 30 | 5 | 50 | 52 | 30 | -27 | 10528 | 10323 | 6 L | 50 | VL041614.D | 1 | 1 | | | | | | | | | | | | | |
| Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> | | | | | | | | | | | Ambient | Maximum | Minimum | Start | | | | Stop | | | | GC/MS Analyst Signature (TO-15) [Signature] | | | | | | | |
| | Ambient | Maximum | Minimum | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Start | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stop | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> | | | | | | | | | | | Ambient | Maximum | Minimum | Start | | | | Stop | | | | ** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA VINYL CHLORIDE Please follow the instructions on the back of this COC. | | | | | | | |
| | Ambient | Maximum | Minimum | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Start | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stop | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Special Instructions/QC Requirements & Comments : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Suspected Contamination: High Medium Low PID Readings: 0.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sampling site (State): | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quick Connector required : No | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canisters Shipped by: SAM | | | | Date/Time: 01/14/25 | | | | Canisters Received by: [Signature] | | | | Date/Time: 1/20/25 0700 | | | | B2501014 - 1 | | | | | | | | | | | | | |
| Samples Relinquished by: [Signature] | | | | Date/Time: 1/18/25 | | | | Received by: | | | | Date/Time: | | | | | | | | | | | | | | | | | |
| Relinquished by: | | | | Date/Time: | | | | Received by: | | | | Date/Time: | | | | | | | | | | | | | | | | | |

Laboratory Certification

| Certified By | License No. |
|----------------------|------------------|
| | |
| CAS EPA CLP Contract | 68HERH20D0011 |
| | |
| Connecticut | PH-0830 |
| | |
| DOD ELAP (ANAB) | L2219 |
| | |
| Maine | 2024021 |
| | |
| Maryland | 296 |
| | |
| New Hampshire | 255424 Rev 1 |
| | |
| New Jersey | 20012 |
| | |
| New York | 11376 |
| | |
| Pennsylvania | 68-00548 |
| | |
| Soil Permit | 525-24-234-08441 |
| | |
| Texas | T104704488 |

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

~~NAME~~

Title: Sample Custodian

Field Sample Seal No.: Q1138



Date Broken: 1/20/2025

Military Time Seal Broken: 07:00:00

Case No.: 21-36 Utopia Parkway, Flu:

Analytical Parameter/Fraction: OCMS Group3

| Sample No. | Aliquot/Extract No. | Sample No. | Aliquot/Extract No. |
|------------|---------------------|------------|---------------------|
| Q1138-01 | IA1 | | |
| Q1138-02 | IA2 | | |
| | | | |

| Date | Time | Relinquished By | Received By | Purpose of Change of Custody |
|------|------|---|---|------------------------------|
| 1/20 | 1110 | Signature  | Signature  | |
| | | Printed Name <u>GEORGE N.</u> | Printed Name <u>Security Guard</u> | |
| | | Signature | Signature | |
| | | Printed Name | Printed Name | |
| | | Signature | Signature | |
| | | Printed Name | Printed Name | |
| | | Signature | Signature | |
| | | Printed Name | Printed Name | |
| | | Signature | Signature | |
| | | Printed Name | Printed Name | |
| | | Signature | Signature | |
| | | Printed Name | Printed Name | |
| | | Signature | Signature | |
| | | Printed Name | Printed Name | |

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy