

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	21-36 Utopia Parkway, Flushing NY	Date Received:	
Client Sample ID:	VL0120ABS01	SDG No.:	Q1138
Lab Sample ID:	VL0120ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group3
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041920.D	1		01/20/25 14:49	VL012025

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	10.3	26.3		0.030	0.080	ug/m3
75-35-4	1,1-Dichloroethene	9.80	38.9		0.56	1.98	ug/m3
156-59-2	cis-1,2-Dichloroethene	10.0	39.6		0.36	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	11.1	60.6		0.050	0.16	ug/m3
79-01-6	Trichloroethene	10.5	56.4		0.11	0.16	ug/m3
127-18-4	Tetrachloroethene	10.2	69.2		0.14	0.20	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135	101%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	135000		2.784			
540-36-3	1,4-Difluorobenzene	387000		3.952			
3114-55-4	Chlorobenzene-d5	350000		8.875			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements