

## Prep Standard - Chemical Standard Summary

**Order ID :** Q1152

**Test :** Cyanide,Cyanide-Amenable

**Prepbatch ID :** PB166383,

**Sequence ID/Qc Batch ID:** LB134490, LB134506,

**Standard ID :**

WP110103, WP110390, WP110391, WP111035, WP1111695, WP111294, WP111295, WP111296, WP111695, WP111707, WP111709, WP111710, WP111711, WP111712, WP111713, WP111714, WP111715, WP111717,

**Chemical ID :**

M5673, M6121, W2668, W2882, W3001, W3012, W3019, W3101, W3112, W3113, W3138, W3139, W3140, W3154,



| <u>Recipe ID</u>   | <u>NAME</u> | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u>                   | <u>PipetteID</u> | <u>Supervised By</u>           |
|--|-------------|--------------------------|------------------|------------------------|--------------------|----------------------------------|------------------|--------------------------------|
| 539  | CN BUFFER   | <a href="#">WP110103</a> | 10/08/2024       | 04/08/2025             | Rubina Mughal      | WETCHEM_S<br>CALE_5 (WC<br>SC-5) | None             | Iwona Zarych<br><br>10/08/2024 |
| <b><u>FROM</u></b> 138.00000gram of W2668 + 862.00000ml of W3112 = Final Quantity: 1000.000 ml |             |                          |                  |                        |                    |                                  |                  |                                |

| <u>Recipe ID</u>   | <u>NAME</u>                                 | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u>            | <u>PipetteID</u> | <u>Supervised By</u>       |
|--|---|--------------------------|------------------|------------------------|--------------------|---------------------------|------------------|----------------------------|
| 3214   | Magnesium Chloride For Cyanide 2.5M(51%W/V) | <a href="#">WP110390</a> | 10/24/2024       | 04/24/2025             | Niha Farheen Shaik | WETCHEM_SCALE_5 (WC SC-5) | None             | Iwona Zarych<br>10/24/2024 |
| <b><u>FROM</u></b> 500.00000ml of W3112 + 510.00000gram of W3001 = Final Quantity: 1000.000 ml |   |                          |                  |                        |                    |                           |                  |                            |

## Wet Chemistry STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>              | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u>       |
|------------------|--------------------------|--------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------------|
| 1714             | Sulfuric Acid, 50% (v/v) | <a href="#">WP110391</a> | 10/24/2024       | 04/24/2025             | Niha Farheen Shaik | None           | None             | Iwona Zarych<br>10/24/2024 |

**FROM** 1000.00000ml of M5673 + 1000.00000ml of W3112 = Final Quantity: 2000.000 ml

| <u>Recipe ID</u> | <u>NAME</u>              | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u>                   | <u>PipetteID</u>   | <u>Supervised By</u>       |
|------------------|--------------------------|--------------------------|------------------|------------------------|--------------------|----------------------------------|--------------------|----------------------------|
| 607              | PYRIDINE-BARBITURIC ACID | <a href="#">WP111035</a> | 12/09/2024       | 04/30/2025             | Niha Farheen Shaik | WETCHEM_S<br>CALE_5 (WC<br>SC-5) | Glass<br>Pipette-A | Iwona Zarych<br>12/10/2024 |

**FROM** 145.00000ml of W3112 + 15.00000gram of W2882 + 15.00000ml of M6121 + 75.00000ml of W3019 = Final Quantity: 250.000 ml



| <u>Recipe ID</u>   | <u>NAME</u>  | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u>                   | <u>PipetteID</u> | <u>Supervised By</u>           |
|--------------------|--|--------------------------|------------------|------------------------|--------------------|----------------------------------|------------------|--------------------------------|
| 11                 | Sodium hydroxide absorbing solution 0.25 N                             | <a href="#">WP111294</a> | 01/07/2025       | 07/07/2025             | Niha Farheen Shaik | WETCHEM_S<br>CALE_5 (WC<br>SC-5) | None             | Iwona Zarych<br><br>01/07/2025 |
| <b><u>FROM</u></b> | 21.00000L of W3112 + 210.00000gram of W3113 = Final Quantity: 21.000 L |                          |                  |                        |                    |                                  |                  |                                |

| <u>Recipe ID</u> | <u>NAME</u>   | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>  | <u>Supervised By</u>       |
|------------------|---|--------------------------|------------------|------------------------|--------------------|----------------|-------------------|----------------------------|
| 3850             | Cyanide MS-MSD spiking solution, 5PPM                                     | <a href="#">WP111295</a> | 01/07/2025       | 07/07/2025             | Niha Farheen Shaik | None           | WETCHEM_PIPETTE_3 | Iwona Zarych<br>01/07/2025 |
| <u>FROM</u>      | 1.00000ml of W3154 + 199.00000ml of WP111294 = Final Quantity: 200.000 ml |                          |                  |                        |                    |                |                   |                            |

## Wet Chemistry STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>                      | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>  | <u>Supervised By</u> |
|------------------|----------------------------------|--------------------------|------------------|------------------------|--------------------|----------------|-------------------|----------------------|
| 3371             | Cyanide LCS Spike Solution, 5PPM | <a href="#">WP111296</a> | 01/07/2025       | 07/07/2025             | Niha Farheen Shaik | None           | WETCHEM_FIPETTE_3 | Iwona Zarych         |

(WC)

**FROM** 1.00000ml of W3138 + 199.00000ml of WP111294 = Final Quantity: 200.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                       | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>  | <u>Supervised By</u> |
|------------------|-----------------------------------|--------------------------|------------------|------------------------|--------------------|----------------|-------------------|----------------------|
| 1649             | Cyanide LOD LOQ Spike Std, 100ppb | <a href="#">WP111695</a> | 01/29/2025       | 01/30/2025             | Niha Farheen Shaik | None           | WETCHEM_FIPETTE_3 | Iwona Zarych         |

(WC)

**FROM** 1.00000ml of WP111296 + 49.00000ml of WP111294 = Final Quantity: 50.000 ml



| <u>Recipe ID</u>   | <u>NAME</u>                            | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>  | <u>Supervised By</u>       |
|--|--|--------------------------|------------------|------------------------|--------------------|----------------|-------------------|----------------------------|
| 3456   | Cyanide Intermediate Working Std, 5PPM | <a href="#">WP111707</a> | 01/30/2025       | 01/31/2025             | Niha Farheen Shaik | None           | WETCHEM_PIPETTE_3 | Iwona Zarych<br>01/31/2025 |
| <b><u>FROM</u></b> 0.25000ml of W3154 + 49.75000ml of WP111294 = Final Quantity: 50.000 ml |  |                          |                  |                        |                    |                |                   |                            |

| <u>Recipe ID</u>  | <u>NAME</u>                         | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u>       |
|---|-------------------------------------|--------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------------|
| 3761  | Calibration-CCV CN Standard 250 ppb | <a href="#">WP111709</a> | 01/30/2025       | 01/31/2025             | Niha Farheen Shaik | None           | Glass Pipette-A  | Iwona Zarych<br>01/31/2025 |
| <b><u>FROM</u></b> 2.50000ml of WP111707 + 47.50000ml of WP111294 = Final Quantity: 50.000 ml |                                     |                          |                  |                        |                    |                |                  |                            |

## Wet Chemistry STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>                  | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u>       |
|------------------|------------------------------|--------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------------|
| 4                | Calibration standard 500 ppb | <a href="#">WP111710</a> | 01/30/2025       | 01/31/2025             | Niha Farheen Shaik | None           | Glass Pipette-A  | Iwona Zarych<br>01/31/2025 |

**FROM** 45.00000ml of WP111294 + 5.00000ml of WP111707 = Final Quantity: 50.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                  | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>          | <u>Supervised By</u>       |
|------------------|------------------------------|--------------------------|------------------|------------------------|--------------------|----------------|---------------------------|----------------------------|
| 6                | Calibration Standard 100 ppb | <a href="#">WP111711</a> | 01/30/2025       | 01/31/2025             | Niha Farheen Shaik | None           | WETCHEM_FIPETTE_3<br>(WC) | Iwona Zarych<br>01/31/2025 |

**FROM** 1.00000ml of WP111707 + 49.00000ml of WP111294 = Final Quantity: 50.000 ml



| <u>Recipe ID</u> | <u>NAME</u>  | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>          | <u>Supervised By</u>       |
|------------------|--|--------------------------|------------------|------------------------|--------------------|----------------|---------------------------|----------------------------|
| 7                | Calibration Standard 50 ppb  | <a href="#">WP111712</a> | 01/30/2025       | 01/31/2025             | Niha Farheen Shaik | None           | WETCHEM_PIPETTE_3<br>(WC) | Iwona Zarych<br>01/31/2025 |
| <u>FROM</u>      | 0.50000ml of WP111707 + 49.50000ml of WP111294 = Final Quantity: 50.000 ml |                          |                  |                        |                    |                |                           |                            |

| <u>Recipe ID</u>  | <u>NAME</u>                 | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>  | <u>Supervised By</u> |
|---|-----------------------------|--------------------------|------------------|------------------------|--------------------|----------------|-------------------|----------------------|
| 8   | Calibration Standard 10 ppb | <a href="#">WP111713</a> | 01/30/2025       | 01/31/2025             | Niha Farheen Shaik | None           | WETCHEM_PIPETTE_3 | Iwona Zarych         |
| <p><b>FROM</b> 1.00000ml of WP111710 + 49.00000ml of WP111294 = Final Quantity: 50.000 ml</p> |                             |                          |                  |                        |                    |                |                   |                      |

## Wet Chemistry STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>                | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>          | <u>Supervised By</u>       |
|------------------|----------------------------|--------------------------|------------------|------------------------|--------------------|----------------|---------------------------|----------------------------|
| 9                | Calibration Standard 5 ppb | <a href="#">WP111714</a> | 01/30/2025       | 01/31/2025             | Niha Farheen Shaik | None           | WETCHEM_FIPETTE_3<br>(WC) | Iwona Zarych<br>01/31/2025 |

**FROM** 0.50000ml of WP111710 + 49.50000ml of WP111294 = Final Quantity: 50.000 ml

| <u>Recipe ID</u> | <u>NAME</u>              | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u>       |
|------------------|--------------------------|--------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------------|
| 167              | 0 ppb CN calibration std | <a href="#">WP111715</a> | 01/30/2025       | 01/31/2025             | Niha Farheen Shaik | None           | None             | Iwona Zarych<br>01/31/2025 |

**FROM** 50.00000ml of WP111294 = Final Quantity: 50.000 ml



| <u>Recipe ID</u> | <u>NAME</u>  | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u>          | <u>PipetteID</u> | <u>Supervised By</u>       |
|------------------|--|--------------------------|------------------|------------------------|--------------------|-------------------------|------------------|----------------------------|
| 1582             | Chloramine T solution, 0.014M  | <a href="#">WP111717</a> | 01/30/2025       | 01/31/2025             | Niha Farheen Shaik | WETCHEM_SCALE_5 (WCS-5) | None             | Iwona Zarych<br>01/31/2025 |
| <u>FROM</u>      | 0.08000gram of W3139 + 20.00000ml of W3112 = Final Quantity: 20.000 ml |                          |                  |                        |                    |                         |                  |                            |

## CHEMICAL RECEIPT LOG BOOK

| Supplier         | ItemCode / ItemName                                     | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|---|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L) | 23D2462010 | 03/20/2028      | 09/21/2023 / mohan      | 09/05/2023 / mohan          | M5673          |

| Supplier         | ItemCode / ItemName   | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|---|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L) | 0000275677 | 05/13/2025      | 11/13/2024 / Eman       | 10/13/2024 / Eman           | M6121          |

| Supplier                    | ItemCode / ItemName   | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|---|------------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | J3818-5 / SODIUM PHOSPHATE, MONOBAS/HYD, CRYST, ACS, 2.5 KG | 0000225799 | 12/03/2025      | 04/05/2021 / Alexander  | 02/10/2020 / apatel         | W2668          |

| Supplier                    | ItemCode / ItemName                    | Lot #        | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|--|--------------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | EM-BX0035-3 / Barbituric Acid, 100 gms | 1.00132.0100 | 04/30/2025      | 12/07/2021 /            | 11/30/2021 / apatel         | W2882          |

| Supplier                    | ItemCode / ItemName                                  | Lot #        | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|--|--------------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | 01237-10KG / Magnesium Chloride Hexahydrate ACS 10KG | 002251-03319 | 06/06/2027      | 01/23/2023 / lwona      | 06/06/2022 / lwona          | W3001          |

| Supplier | ItemCode / ItemName | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| EPA      | / ICV-CN            | ICV6-400 | 12/31/2025      | 01/08/2025 / lwona      | 02/20/2020 / lwona          | W3012          |

## CHEMICAL RECEIPT LOG BOOK

| Supplier      | ItemCode / ItemName     | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---------------|-------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| SIGMA ALDRICH | 270970-1L / Pyridine 1L | SHBQ2113 | 04/03/2028      | 04/03/2023 / lwona      | 04/03/2023 / lwona          | W3019          |

| Supplier                    | ItemCode / ItemName                              | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|--|--------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | 470112-662 / TEST STRIPES, NITRATE/NITRITE, PK50 | 402403 | 04/30/2026      | 05/02/2024 / lwona      | 04/10/2024 / lwona          | W3101          |

| Supplier         | ItemCode / ItemName | Lot #               | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|---------------------|---------------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | DIW / DI Water      | Daily Lab-Certified | 07/03/2029      | 07/03/2024 / lwona      | 07/03/2024 / lwona          | W3112          |

| Supplier                    | ItemCode / ItemName                        | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|--|------------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | PC19510-7 / Sodium Hydroxide Pellets 12 Kg | 23B1556310 | 12/31/2025      | 07/08/2024 / lwona      | 07/08/2024 / lwona          | W3113          |

| Supplier                    | ItemCode / ItemName                                  | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | LC135457 / Cyanide Standard, 1000 PPM, Second Source | 44080060 | 01/30/2025      | 09/06/2024 / lwona      | 08/28/2024 / lwona          | W3138          |

| Supplier                    | ItemCode / ItemName                 | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|-------------------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | JTE494-6 / CHLORAMINE-T BAKER 250GM | 10239484 | 09/09/2029      | 09/09/2024 / lwona      | 09/09/2024 / lwona          | W3139          |

### CHEMICAL RECEIPT LOG BOOK

| Supplier                    | ItemCode / ItemName                         | Lot #   | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|---|---------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | 140444 / TEST PAPERS,PH 0-14,.5 SENSI,100PK | 10D0142 | 09/17/2029      | 09/17/2024 / Iwona      | 09/17/2024 / Iwona          | W3140          |

| Supplier                    | ItemCode / ItemName                | Lot #   | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|------------------------------------|---------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | RC2543-4 / CYANIDE STD 1000PPM 4OZ | 1411J58 | 05/31/2025      | 12/02/2024 / Iwona      | 12/02/2024 / Iwona          | W3154          |

W2918  
W3001  
rec. 06/06/22  
exp. 06/06/27

---

## Chem-Impex International, Inc.

---

**Tel:** (630) 766-2112  
**E-mail:** sales@chemimpex.com  
**Shipping and Correspondence:**  
935 Dillon Drive  
Wood Dale, IL 60191

**Fax:** (630) 766-2218  
**Web site:** www.chemimpex.com  
**Manufacturing site:**  
825 Dillon Drive  
Wood Dale, IL 60191

---

### Certificate of Analysis

|                          |  |
|--------------------------|--|
| <b>Catalogue Number</b>  | 01237  |
| <b>Product</b>           | <b>Magnesium chloride hexahydrate</b>                |
| <b>Lot Number</b>        | 002251-03319<br>Magnesium chloride•6H <sub>2</sub> O |
| <b>CAS Number</b>        | 7791-18-6  |
| <b>Molecular Formula</b> | MgCl <sub>2</sub> •6H <sub>2</sub> O                 |
| <b>Molecular Weight</b>  | 203.3  |

---

|                           |  |
|---------------------------|--|
| <b>Appearance</b>         | Colorless crystals, very deliquescent  |
| <b>Heavy Metals</b>       | < 5 ppm  |
| <b>Anion</b>              | Nitrate : < 0.001%<br>Phosphate : < 5 ppm<br>Sulfate : < 0.002%  |
| <b>Cation</b>             | Ammonium : < 0.002%<br>Barium : < 0.005%<br>Calcium : 0.0006%<br>Iron : < 5 ppm<br>Manganese : 1.8 ppm<br>Potassium : 0.0006%<br>Sodium : 0.0008%<br>Strontium : 0.0015% |
| <b>Insoluble material</b> | 0.0025%  |
| <b>Assay by titration</b> | 100.29%  |
| <b>Grade</b>              | ACS reagent  |
| <b>Storage</b>            | Store at RT  |
| <b>Country of Origin</b>  | India  |

## ***Certificate of Analysis***

**Catalog Number: 01237**

**Lot Number: 002251-03319**

---

**Remarks**

See material safety data sheet for additional information

For laboratory use only

**The foregoing is a copy of the Certificate of Analysis as provided by our supplier**



**Bala Kumar**  
**Quality Control Manager**

W3019  
rec 4/3/23

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: [www.sigmaaldrich.com](http://www.sigmaaldrich.com)Email USA: [techserv@sial.com](mailto:techserv@sial.com)Outside USA: [eurtechserv@sial.com](mailto:eurtechserv@sial.com)

## Certificate of Analysis

Product Name:

Pyridine - anhydrous, 99.8%

Product Number:

270970

Batch Number:

SHBQ2113

Brand:

SIAL

CAS Number:

110-86-1

MDL Number:

MFCD00011732

Formula:


C<sub>5</sub>H<sub>5</sub>N

Formula Weight:


79.10 g/mol

Quality Release Date:

15 DEC 2022



| Test                    | Specification         | Result     |
|-------------------------|-----------------------|------------|
| Appearance (Color)      | Colorless             | Colorless  |
| Appearance (Form)       | Liquid                | Liquid     |
| Infrared Spectrum       | Conforms to Structure | Conforms   |
| Purity (GC)             | ≥ 99.75 %             | 99.99 %    |
| Water (by Karl Fischer) | ≤ 0.003 %             | 0.002 %    |
| Residue on Evaporation  | ≤ 0.0005 %            | < 0.0001 % |

  
Larry Coers, Director  
Quality Control  
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at [Sigma-Aldrich.com](http://Sigma-Aldrich.com). For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.





R: 02/20/20  
53

Instructions for QATS Reference Material: *Inorganic ICV Solutions*

For ICP-MS use: dilute the ICV1 concentrate 50-fold with 1% (v/v) nitric acid; pipet 2 mL of the concentrate into a 100 mL volumetric flask and dilute to volume with 1% (v/v) nitric acid.

**ICV5-0415**

For the cold vapor analysis of mercury by AA: dilute the ICV5 concentrate 100-fold with 2% (v/v) nitric acid; pipet 1 mL of the concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid. The ICV5 concentrate is prepared in 0.05% (w/v)  $K_2Cr_2O_7$  and 5% (v/v) nitric acid.

**ICV6-0400**

For the analysis of cyanide: dilute the ICV6 concentrate 100-fold with Type II water; pipet 1 mL of the concentrate into a 100 mL volumetric flask and dilute to volume with Type II water. Distill this solution along with the samples before analysis. The cyanide concentrate is prepared from  $K_3Fe(CN)_6$ , Type II water, and 0.1 % sodium hydroxide, and will decompose rapidly if exposed to light.

**NOTE:** USE TYPE II WATER AND HIGH-PURITY ACIDS FOR ALL DILUTIONS.

**(D) CERTIFIED CONCENTRATIONS OF QATS ICV1, ICV5, AND ICV6 SOLUTIONS**

| ICV1-1014 |  |  |
|-----------|--|--|
| Element   | Concentration (µg/L)<br>(after 10-fold dilution) | Concentration (µg/L)<br>(after 50-fold dilution) |
| Al        | 2520   | 504  |
| Sb        | 1010   | 202  |
| As        | 997  | 199  |
| Ba        | 518  | 104  |
| Be        | 514  | 103  |
| Cd        | 514  | 103  |
| Ca        | 10000  | 2000   |
| Cr        | 517  | 103  |
| Co        | 521  | 104  |
| Cu        | 505  | 101  |
| Fe        | 10100  | 2020   |
| Pb        | 1030   | 206  |
| Mg        | 5990   | 1198   |
| Mn        | 524  | 105  |
| Ni        | 525  | 105  |
| K         | 9940   | 1988   |
| Se        | 1030   | 206  |
| Ag        | 252  | 50   |
| Na        | 10100  | 2020   |
| Tl        | 1040   | 208  |
| V         | 504  | 101  |
| Zn        | 1010   | 202  |

| ICV5-0415 |   | ICV6-0400       |   |
|-----------|---|-----------------|---|
| Element   | Concentration (µg/L)<br>(after 100-fold dilution) | Analyte         | Concentration (µg/L)<br>(after 100-fold dilution) |
| Hg        | 4.0   | CN <sup>-</sup> | 99  |

W3011  
W3012  
W3013  
W3014  
W3015

Sulfuric Acid  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis  
Low Selenium

 **avantor**™



Material No.: 9673-33  
Batch No.: 23D2462010  
Manufactured Date: 2023-03-22  
Retest Date: 2028-03-20  
Revision No.: 0

## Certificate of Analysis

| Test   | Specification | Result      |
|--|---------------|-------------|
| ACS – Assay (H <sub>2</sub> SO <sub>4</sub> )                | 95.0 – 98.0 % | 96.1 %      |
| Appearance   | Passes Test   | Passes Test |
| ACS – Color (APHA)   | ≤ 10          | 5           |
| ACS – Residue after Ignition                                 | ≤ 3 ppm       | < 1 ppm     |
| ACS – Substances Reducing Permanganate (as SO <sub>2</sub> ) | ≤ 2 ppm       | < 2 ppm     |
| Ammonium (NH <sub>4</sub> )                                  | ≤ 1 ppm       | 1 ppm       |
| Chloride (Cl)  | ≤ 0.1 ppm     | < 0.1 ppm   |
| Nitrate (NO <sub>3</sub> )                                   | ≤ 0.2 ppm     | < 0.1 ppm   |
| Phosphate (PO <sub>4</sub> )                                 | ≤ 0.5 ppm     | < 0.1 ppm   |
| Trace Impurities – Aluminum (Al)                             | ≤ 30.0 ppb    | < 5.0 ppb   |
| Arsenic and Antimony (as As)                                 | ≤ 4.0 ppb     | < 2.0 ppb   |
| Trace Impurities – Boron (B)                                 | ≤ 10.0 ppb    | 8.5 ppb     |
| Trace Impurities – Cadmium (Cd)                              | ≤ 2.0 ppb     | < 0.3 ppb   |
| Trace Impurities – Chromium (Cr)                             | ≤ 6.0 ppb     | < 0.4 ppb   |
| Trace Impurities – Cobalt (Co)                               | ≤ 0.5 ppb     | < 0.3 ppb   |
| Trace Impurities – Copper (Cu)                               | ≤ 1.0 ppb     | < 0.1 ppb   |
| Trace Impurities – Gold (Au)                                 | ≤ 10.0 ppb    | 0.5 ppb     |
| Heavy Metals (as Pb)   | ≤ 500.0 ppb   | < 100.0 ppb |
| Trace Impurities – Iron (Fe)                                 | ≤ 50.0 ppb    | 1.3 ppb     |
| Trace Impurities – Lead (Pb)                                 | ≤ 0.5 ppb     | < 0.5 ppb   |
| Trace Impurities – Magnesium (Mg)                            | ≤ 7.0 ppb     | 0.8 ppb     |
| Trace Impurities – Manganese (Mn)                            | ≤ 1.0 ppb     | < 0.4 ppb   |
| Trace Impurities – Mercury (Hg)                              | ≤ 0.5 ppb     | < 0.1 ppb   |
| Trace Impurities – Nickel (Ni)                               | ≤ 2.0 ppb     | 0.3 ppb     |
| Trace Impurities – Potassium (K)                             | ≤ 500.0 ppb   | < 2.0 ppb   |
| Trace Impurities – Selenium (Se)                             | ≤ 50.0 ppb    | < 0.1 ppb   |
| Trace Impurities – Silicon (Si)                              | ≤ 100.0 ppb   | 31.5 ppb    |
| Trace Impurities – Silver (Ag)                               | ≤ 1.0 ppb     | < 0.3 ppb   |

>>> Continued on page 2 >>>

Sulfuric Acid  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis  
Low Selenium



Material No.: 9673-33  
Batch No.: 23D2462010

| Test                              | Specification    | Result    |
|-----------------------------------|------------------|-----------|
| Trace Impurities – Sodium (Na)    | $\leq 500.0$ ppb | 5.4 ppb   |
| Trace Impurities – Strontium (Sr) | $\leq 5.0$ ppb   | < 0.2 ppb |
| Trace Impurities – Tin (Sn)       | $\leq 5.0$ ppb   | < 0.8 ppb |
| Trace Impurities – Zinc (Zn)      | $\leq 5.0$ ppb   | 0.4 ppb   |

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA  
Packaging Site: Phillipsburg Mfg Ctr & DC

A handwritten signature in cursive script that reads 'Jamie Ethier'.  
Jamie Ethier  
Vice President Global Quality

Hydrochloric Acid, 36.5-38.0%  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis



R → 16/13/24  
Met dig

M 6121

Material No.: 9530-33  
Batch No.: 0000275677  
Manufactured Date: 2020/12/16  
Retest Date: 2025/12/15  
Revision No: 1

## Certificate of Analysis

| Test                                      | Specification | Result  |
|---|---------------|---------|
| ACS - Assay (as HCl) (by acid-base titrn) | 36.5 - 38.0 % | 37.6    |
| ACS - Color (APHA)                        | <= 10         | 5       |
| ACS - Residue after Ignition              | <= 3 ppm      | 1       |
| ACS - Specific Gravity at 60°/60°F        | 1.185 - 1.192 | 1.190   |
| ACS - Bromide (Br)                        | <= 0.005 %    | < 0.005 |
| ACS - Extractable Organic Substances      | <= 5 ppm      | 1       |
| ACS - Free Chlorine (as Cl <sub>2</sub> ) | <= 0.5 ppm    | < 0.5   |
| Phosphate (PO <sub>4</sub> )              | <= 0.05 ppm   | < 0.03  |
| Sulfate (SO <sub>4</sub> )                | <= 0.5 ppm    | < 0.3   |
| Sulfite (SO <sub>3</sub> )                | <= 0.8 ppm    | 0.3     |
| Ammonium (NH <sub>4</sub> )               | <= 3 ppm      | < 1     |
| Trace Impurities - Arsenic (As)           | <= 0.010 ppm  | < 0.003 |
| Trace Impurities - Aluminum (Al)          | <= 10.0 ppb   | < 0.2   |
| Arsenic and Antimony (as As)              | <= 5 ppb      | < 3     |
| Trace Impurities - Barium (Ba)            | <= 1.0 ppb    | < 0.2   |
| Trace Impurities - Beryllium (Be)         | <= 1.0 ppb    | < 0.2   |
| Trace Impurities - Bismuth (Bi)           | <= 10.0 ppb   | < 1.0   |
| Trace Impurities - Boron (B)              | <= 20.0 ppb   | < 5.0   |
| Trace Impurities - Cadmium (Cd)           | <= 1.0 ppb    | < 0.3   |
| Trace Impurities - Calcium (Ca)           | <= 50.0 ppb   | 29.7    |
| Trace Impurities - Chromium (Cr)          | <= 1.0 ppb    | < 0.4   |
| Trace Impurities - Cobalt (Co)            | <= 1.0 ppb    | < 0.3   |
| Trace Impurities - Copper (Cu)            | <= 1.0 ppb    | < 0.1   |
| Trace Impurities - Gallium (Ga)           | <= 1.0 ppb    | < 0.2   |

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC


100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

Material No.: 9530-33  
Batch No.: 0000275677

| Test   | Specification | Result |
|--|---------------|--------|
| Trace Impurities – Germanium (Ge)                      | <= 3.0 ppb    | < 2.0  |
| Trace Impurities – Gold (Au)                           | <= 4.0 ppb    | < 0.2  |
| Heavy Metals (as Pb)                                   | <= 100 ppb    | < 50   |
| Trace Impurities – Iron (Fe)                           | <= 15.0 ppb   | < 1    |
| Trace Impurities – Lead (Pb)                           | <= 1.0 ppb    | < 0.5  |
| Trace Impurities – Lithium (Li)                        | <= 1.0 ppb    | 0.2    |
| Trace Impurities – Magnesium (Mg)                      | <= 10.0 ppb   | 0.4    |
| Trace Impurities – Manganese (Mn)                      | <= 1.0 ppb    | < 0.4  |
| Trace Impurities – Mercury (Hg)                        | <= 0.5 ppb    | 0.1    |
| Trace Impurities – Molybdenum (Mo)                     | <= 10.0 ppb   | < 5.0  |
| Trace Impurities – Nickel (Ni)                         | <= 4.0 ppb    | < 0.3  |
| Trace Impurities – Niobium (Nb)                        | <= 1.0 ppb    | < 0.2  |
| Trace Impurities – Potassium (K)                       | <= 9.0 ppb    | < 2.0  |
| Trace Impurities – Selenium (Se), For Information Only | ppb           | 1.0    |
| Trace Impurities – Silicon (Si)                        | <= 100.0 ppb  | < 10.0 |
| Trace Impurities – Silver (Ag)                         | <= 1.0 ppb    | < 0.3  |
| Trace Impurities – Sodium (Na)                         | <= 100.0 ppb  | < 5.0  |
| Trace Impurities – Strontium (Sr)                      | <= 1.0 ppb    | < 0.2  |
| Trace Impurities – Tantalum (Ta)                       | <= 1.0 ppb    | < 0.9  |
| Trace Impurities – Thallium (Tl)                       | <= 5.0 ppb    | < 2.0  |
| Trace Impurities – Tin (Sn)                            | <= 5.0 ppb    | < 0.8  |
| Trace Impurities – Titanium (Ti)                       | <= 1.0 ppb    | 0.2    |
| Trace Impurities – Vanadium (V)                        | <= 1.0 ppb    | < 0.2  |
| Trace Impurities – Zinc (Zn)                           | <= 5.0 ppb    | 0.3    |
| Trace Impurities – Zirconium (Zr)                      | <= 1.0 ppb    | < 0.1  |

For Laboratory, Research or Manufacturing Use  
Product Information (not specifications):  
Appearance (clear, fuming liquid)  
Meets ACS Specifications

Country of Origin: US  
Packaging Site: Phillipsburg Mfg Ctr & DC

  
Jamie Ethier  
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC  
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700



# Certificate of Analysis

1.00132.0000 Barbituric acid for analysis EMSURE®  
Batch N020065932

|  | Spec. Values |     | Batch Values |     |
|--|--------------|-----|--------------|-----|
| Assay (acidimetric)                                | ≥ 99         | %   | 99.6         | %   |
| Identity (IR-spectrum)                             | passes test  |     | passes test  |     |
| Chloride (Cl)                                      | ≤ 40         | ppm | ≤ 40         | ppm |
| Heavy metals (as Pb)                               | ≤ 50         | ppm | ≤ 50         | ppm |
| Fe (Iron)  | ≤ 10         | ppm | ≤ 10         | ppm |
| Sulfated ash                                       | ≤ 0.1        | %   | ≤ 0.1        | %   |
| Loss on Drying (105 °C)                            | ≤ 0.1        | %   | ≤ 0.1        | %   |
| Suitability as reagent (for cyanide determination) | passes test  |     | passes test  |     |

Date of release (DD.MM.YYYY) 17.04.2020  
Minimum shelf life (DD.MM.YYYY) 30.04.2025

Ioannis Chartomatsidis  
Responsible laboratory manager quality control

This document has been produced electronically and is valid without a signature.

Sodium Phosphate, Monobasic, Monohydrate,  
Crystal  
BAKER ANALYZED® A.C.S. Reagent

(sodium dihydrogen phosphate, monohydrate)



Material No.: 3818-05  
Batch No.: 0000225799  
Manufactured Date: 2018/12/05  
Retest Date: 2025/12/03  
Revision No: 1

## Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

| Test   | Specification        | Result    |
|--|----------------------|-----------|
| Assay ( $\text{NaH}_2\text{PO}_4 \cdot \text{H}_2\text{O}$ ) | 98.0 – 102.0 %       | 99.5      |
| pH of 5% Solution at 25°C                                    | 4.1 – 4.5            | 4.3       |
| Insoluble Matter   | $\leq 0.01 \%$       | $< 0.01$  |
| Chloride (Cl)  | $\leq 5 \text{ ppm}$ | $< 5$     |
| ACS – Sulfate ( $\text{SO}_4$ )                              | $\leq 0.003 \%$      | $< 0.003$ |
| Calcium (Ca)   | $\leq 0.005 \%$      | $< 0.005$ |
| Potassium (K)  | $\leq 0.01 \%$       | $< 0.01$  |
| Heavy Metals (as Pb)   | $\leq 0.001 \%$      | $< 0.001$ |
| Trace Impurities – Iron (Fe)                                 | $\leq 0.001 \%$      | $< 0.001$ |

For Laboratory, Research or Manufacturing Use  
Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: IN  
Packaging Site: Paris Mfg Ctr & DC

  
Jamie Ethier  
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700  
Avantor Performance Materials, LLC  
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700



## Sodium Hydroxide (Pellets)

**Material:** 0583  
**Grade:** ACS GRADE  
**Batch Number:** 23B1556310

Chemical Formula: NaOH  
Molecular Weight: 40  
CAS #: 1310-73-2  
Appearance:

Manufacture Date: 12/14/2022  
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

| TEST               | SPECIFICATION | ANALYSIS | DISPOSITION |
|--------------------|---------------|----------|-------------|
| Calcium            | <= 0.005 %    | <0.005 % | PASS        |
| Chloride           | <= 0.005 %    | 0.002 %  | PASS        |
| Heavy Metals       | <= 0.002 %    | <0.002 % | PASS        |
| Iron               | <= 0.001 %    | <0.001 % | PASS        |
| Magnesium          | <= 0.002 %    | <0.002 % | PASS        |
| Mercury            | <= 0.1 ppm    | <0.1 ppm | PASS        |
| Nickel             | <= 0.001 %    | <0.001 % | PASS        |
| Nitrogen Compounds | <= 0.001 %    | <0.001 % | PASS        |
| Phosphate          | <= 0.001 %    | <0.001 % | PASS        |
| Potassium          | <= 0.02 %     | <0.02 %  | PASS        |
| Purity             | >= 97.0 %     | 99.2 %   | PASS        |
| Sodium Carbonate   | <= 1.0 %      | 0.5 %    | PASS        |
| Sulfate            | <= 0.003 %    | <0.003 % | PASS        |

Internal ID #: 710

### Signature

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon  
VWR Chemicals, LLC.  
28600 Fountain Parkway, Solon OH 44139 USA

### Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



## Sodium Hydroxide (Pellets)

**Material:** 0583  
**Grade:** ACS GRADE  
**Batch Number:** 23B1556310

Chemical Formula: NaOH  
Molecular Weight: 40  
CAS #: 1310-73-2  
Appearance:

Manufacture Date: 12/14/2022  
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

Spec Set: 0583ACS

Internal ID #: 710

### Signature

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon  
VWR Chemicals, LLC.  
28600 Fountain Parkway, Solon OH 44139 USA

### Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



Part of TCP Analytical Group

Jackson's Pointe Commerce Park- Building 1000  
1010 Jackson's Pointe Court, Zelienople, PA 16063

## Certificate of Analysis

### Cyanide Standard 1000 ppm (1ml = 1mg CN)

Product Code: **LC13545**

Manufacture Date: August 01, 2024

Lot Number: **44080060**

Expiration Date: January 30, 2025

| Test                  | Specification      | Result         |
|-----------------------|--------------------|----------------|
| Appearance (clarity)  | clear solution     | clear solution |
| Appearance (color)    | colorless          | colorless      |
| Concentration (CN)    | 0.990 - 1.010mg/mL | 1.008mg/mL     |
| Concentration (CN)    | 990 - 1,010ppm     | 1,008ppm       |
| Traceable to NIST SRM | Report             | 999b           |

**Intended Use** - Product is intended for use in manufacturing procedures and laboratory procedures and protocols.

**Storage Information** - Unless noted on the product label, store the product under normal lab conditions in its tightly closed, original container. Do not pipet directly from the container or return unused portions to the container.

**Instructions for Handling and Use** - Please refer to the associated product label and Safety Data Sheet (SDS) for information regarding safety and handling of this product.

**Preparation** - All products are manufactured and tested according to established, documented procedures and methodology. Production documentation records manufacturing data, raw material traceability and testing history on a per lot basis. Balances, thermometers, and glassware are calibrated before first use and on a regular schedule with references traceable to NIST standards.

\*The suffix of the product code may differ from what is on your product label. The suffix will designate the size and be associated with a numeric digit(s). Visit [LabChem.com](http://LabChem.com) for more information\*

| Suffix | 1          | 2         | 3/3S/36/36S                           | 4/4C | 5   | 6   | 7     | 8   | 9    | 20      | 44   | 200  | 246    | 486    |
|--------|------------|-----------|---------------------------------------|------|-----|-----|-------|-----|------|---------|------|------|--------|--------|
| Size   | 500mL or g | 1L or 1kg | 2.5L/2.5L Coated/6x2.5L/6x2.5L Coated | 4L   | 20L | 10L | 125mL | 25g | 100g | 20x20mL | 4x4L | 200L | 24x6mL | 48x6mL |

*Michael Monteleone*

Michael Monteleone  
Chemistry Supervisor - Quality Control

ISO9001:2015 Registration #0306-01

2024080113:32:16bsturges-0-0

W3139 Received on 9/9/24 by IZ

Product No.: A12044  
Product: Chloramine-T trihydrate, 98%  
Lot No.: 10239484

|                               |              |
|-------------------------------|--------------|
| Appearance:                   | White powder |
| Melting Point:                | 166°C(dec)   |
| Assay (Iodometric titration): | 100.5%       |
| Identification (FTIR):        | Conforms     |

Order our products online [thermofisher.com/chemicals](https://thermofisher.com/chemicals)

**This document has been electronically generated and does not require a signature.**

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.



# Certificate of Analysis

## Cyanide Standard, 1000 ppm CN<sup>-</sup>

**Lot Number:** 1411J58**Product Number:** 2543**Manufacture Date:** NOV 22, 2024**Expiration Date:** MAY 2025

This standard is prepared using accurate volumetric techniques from material that has been assayed against Silver Nitrate solution certified traceable to NIST Standard Reference Material 999. The certified value reported is the prepared value based upon the method of preparation of the material. The uncertainty in the prepared value is the combined uncertainty based on the stability of the assayed Potassium Cyanide, and the uncertainty in the mass and volume measurements.

Use 0.16% (w/v) (0.04 N) Sodium Hydroxide or 0.225 % (w/v) (0.04 N) Potassium Hydroxide to make dilutions of this standard. Restandardize weekly if extreme accuracy is required.

| Name              | CAS#      | Grade           |
|-------------------|-----------|-----------------|
| Water             | 7732-18-5 | ACS/ASTM/USP/EP |
| Potassium Cyanide | 151-50-8  | ACS             |
| Sodium Hydroxide  | 1310-73-2 | Reagent         |


| Test                       | Specification    | Result   |
|----------------------------|------------------|----------|
| Appearance                 | Colorless liquid | Passed   |
| Cyanide (CN <sup>-</sup> ) | 995-1005 ppm     | 1000 ppm |

| Specification  | Reference              |
|--|------------------------|
| Stock Standard Cyanide Solution                                  | APHA (4500-CN- F)      |
| Stock Cyanide Solution   | APHA (4500-CN- E)      |
| Stock Cyanide Solution   | APHA (4500-CN- K)      |
| Stock Cyanide Solution   | APHA (4500-CN- H)      |
| Cyanide Reference Solution (1000 mg/L)                           | EPA (SW-846) (7.3.3.2) |
| Cyanide Calibration Stock Solution (1,000 mg/L CN <sup>-</sup> ) | EPA (SW-846) (9213)    |
| Stock Cyanide Solution   | EPA (335.3)            |
| Stock Cyanide Solution   | EPA (335.2)            |
| Cyanide Solution Stock   | ASTM (D 4282)          |
| Simple Cyanide Solution, Stock (1.0 g/L CN <sup>-</sup> )        | ASTM (D 4374)          |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 2543-16     | 500 mL amber poly   | 6 months                        |
| 2543-32     | 1 L amber poly      | 6 months                        |
| 2543-4      | 120 mL amber poly   | 6 months                        |

**Recommended Storage:** 2°C - 8°C (36°F - 46°F)

A handwritten signature in black ink, appearing to read 'Luis Briceno', is written over a horizontal line.

Luis Briceno (11/22/2024)  
Operations Supervisor

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.