

No: 9-011925-103929-0018

Lab Phone: 908-789-8900

[illegible]

Sample(s) to be used for Lab QC: MW-24-SO-5-7 Tag 150, MW-24-SO-5-7 Tag 151, MW-24-SO-5-7 Tag 154

**Analysis Key:** ICP-AES/MS=ICP-AES/MS Metals+Hg MA 3152.0, pH, SVOA=Semivolatiles, SPLP ICP-AES=SPLP ICP-AES Metals + Hg, pH

Shipment for Case Complete? ☒ N

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time        | Received by (Signature and Organization) | Date/Time        | Sample Condition Upon Receipt |
|--------------|----------------------------------------------|------------------|------------------------------------------|------------------|-------------------------------|
|              | Alison Hulse EA                              | 01/21/25<br>1000 | R. Melendez                              | 10:15<br>1-22-25 | FA gun # Z.2                  |
|              |                                              |                  |                                          |                  | Temp Blank passed             |
|              |                                              |                  |                                          |                  | Unstud. Seal intact           |

## CHAIN OF CUSTODY RECORD

**No: 9-011925-104047-0019**

Lab: Alliance Technical Group LLC

Lab Contact: Mohammad Ahmed  
Lab Phone: 908-789-8900

[illegible]

Shipment for Case Complete? ☒ N

**Analysis Key:** SVOA=Semivolatiles, SPLP ICP-AES=Metals + Hg, pH, ICP-AES/MS=ICP-AES/MS Metals+Hg MA 3152.0, pH

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time        | Received by (Signature and Organization)                                            | Date/Time       | Sample Condition Upon Receipt |
|--------------|----------------------------------------------|------------------|-------------------------------------------------------------------------------------|-----------------|-------------------------------|
|              | Mison Huser<br>SA                            | 01/21/25<br>1600 |  | 9:55<br>1-23-25 | IR Gun #1 1.9°C               |
|              |                                              |                  |                                                                                     |                 | Custody Seal Intact           |
|              |                                              |                  |                                                                                     |                 | Temp blank present            |