



**284 Sheffield Street
Mountainside, NJ 07092**

SDG NARRATIVE

USEPA

SDG # ME2946

CASE # 51900

CONTRACT # 68HERH20D0011

SOW# SFAM01.1

LAB NAME: Alliance Technical Group, LLC

LAB CODE: ACE

LAB ORDER ID # Q1163

A. Number of Samples and Date of Receipt

02 Soil samples were delivered to the laboratory intact on 01/22/2025.

B. Parameter

Test requested for Metals CLP CLP12= Aluminum, Calcium, Iron, Magnesium, Potassium, Sodium & Mercury.

Test requested for Metals CLP MS FULL = Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Nickel, Selenium, Silver, Thallium, Vanadium, Zinc

C. Cooler Temp

Indicator Bottle: Presence/Absence

Cooler: 2.1°C

D. Detail Documentation (related to Sample Handling Shipping, Analytical Problem, Temp of Cooler etc):

Issue 1 : A "P" or "M" prefix was listed at the beginning of a CLP sample ID.

Issue 2: The samples for Case 51847 are scheduled with a 21-day TAT, but the COC lists a 14-day TAT.

Issue 3: SDGs E2946, E2947, ME2946 and ME2947 require Laboratory QC for soil samples, but a sample was not designated on the COC. The laboratory selected samples E2947 and ME2947 for Laboratory QC for ARO, PEST, TCLP VOA, TCLP SVOA, ICP-MS, ICP-AES, Hg, TCLP ICP-AES, TCLP Hg analysis. The laboratory confirmed these samples are not blank, rinsate or PT samples.



**284 Sheffield Street
Mountainside, NJ 07092**

E. Corrective Action taken for above:

Resolution 1 : To maintain COC integrity, ASB requests no changes to the Sample IDs. The laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

Resolution 2: Per Region 5, the correct Case number is 51900. Please note the issue in the SDG Narrative and proceed with the analysis of the samples.

Resolution 3: Per SOW, SFAM01.1 Exhibit A, Section 5.5.4.1, the laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

F. Analytical Techniques:

All analyses were based on CLP Methodology by method SFAM01.1.

Inter Element correction factors (IECs) are determined annually and correction factor are applied during ICP-AES analysis.

G. Calculation:

Calculation for ICP-AES Soil Sample:

Conversion of Results from mg/L or ppm to mg/kg (Dry Weight Basis):

$$\text{Concentration (mg/kg)} = C \times \frac{V_f}{W \times S} \times DF$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Example Calculation For Sample ME2946 For Aluminum:

If C = 68.79401 ppm

Vf = 100 ml

W = 1.39 g

S = 0.908 (90.8/100)

DF = 1

$$\text{Concentration (mg/kg)} = 68.79401 \times \frac{100}{1.39 \times 0.908} \times 1$$



**284 Sheffield Street
Mountainside, NJ 07092**

$$= 5450.6710 \text{ mg/kg}$$

$$= 5500 \text{ mg/kg (Reported Result with Signification)}$$

Calculation for ICP-MS Soil Sample:

Conversion of Results from $\mu\text{g/L}$ or ppb to mg/kg :

$$\text{Concentration (mg/kg)} = C \times \frac{V_f}{W \times S} \times \text{DF} / 1000$$

Where,

C = Instrument value in ppb (The average of all replicate integrations)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Example Calculation For Sample ME2946 For Arsenic:

If C = 17.89 ppb

Vf = 500 ml

W = 1.16 g

S = 0.908 (90.8/100)

DF = 1

$$\text{Concentration (mg/kg)} = 17.89 \times \frac{500}{1.16 \times 0.908} \times 1 / 1000$$

$$= 8.4925 \text{ mg/kg}$$

$$= 8.5 \text{ mg/kg (Reported Result with Signification)}$$

Calculation for Hg Soil Sample:

Conversion of Results from $\mu\text{g/L}$ or ppb to mg/kg :

$$\text{Concentration (mg/kg)} = C \times \frac{V_f}{W \times S} \times \text{DF} / 1000$$

Where,

C = Instrument response in $\mu\text{g/L}$ from the calibration curve.

Vf = Final prepared (absorbing solution) volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor



**284 Sheffield Street
Mountainside, NJ 07092**

Example Calculation For Sample ME2946 :

If C = 1.1373 ppb
Vf = 100 mL
W = 0.51g
S = 0.908 (90.8/100)
DF = 1

$$\text{Concentration (mg/kg)} = \frac{1.1373 \times 100}{0.51 \times 0.908} \times 1 / 1000$$

$$= 0.24559 \text{ mg/kg}$$

$$= 0.25 \text{ mg/kg (Reported Result with Signification)}$$

H. QA/ QC

Calibrations met requirements. Interference check met requirements. Blank analyses did not indicate any presence of contamination. Laboratory Control sample was within control limits. Spike sample did meet requirements except for Selenium, Zinc. Duplicate sample did meet requirements. Serial Dilution did meet requirements.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

Internal Standard Association for ICP-MS analysis.

Target Analyte	Associated Internal Standard
Antimony	159Tb
Arsenic	89Y
Barium	159Tb
Beryllium	6Li
Cadmium	159Tb
Chromium	45Sc
Cobalt	45Sc
Copper	45Sc



**284 Sheffield Street
Mountainside, NJ 07092**

Lead	209Bi
Manganese	45Sc
Nickel	45Sc
Selenium	89Y
Silver	159Tb
Thallium	209Bi
Vanadium	45Sc
Zinc	45Sc

I certify that the data package is in compliance with the terms and conditions of the contract both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature.

Signature_____

Name: Nimisha Pandya

Date _____

Title: Document Control Officer