

ATTN: GUEST JOHN FLOON

45 LBS

1 OF 50

415-469-5525
TOWN PLACE SUITES
1440 N DIXIE HWY
MONROE MI 48162

SHIP TO:
ALLIANCE TECHNICAL GROUP LLC


908.7898900

ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1

MOUNTAINSIDE NJ 07092

2325 1018 1-87


NJ 078 9-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 3239 4881



BILLING: P/P

Reference No.1: 108413.003.010.001.000


XOL 25/01/06 NV/S 3.04 01/2025*



TM

ATTN: GUEST: JOHN E. LOON 45 LBS 2 OF 50
2153846992
TOWN PLACE SUITES
1440 N DIXIE HWY
MONROE MI 48162

SHIP TO:
ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092




NJ 0789-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 3161 4297

1



BILLING: P/P

Reference No. 1: 108413.003.010.001.000

XCL 29J01.00 NV45 3.0A DT/2025*




TM

ATTN: GUEST JOHN FLEDMAN
215346932
TOWN PLACE SUITES
1440 N DIXIE HWY
MONROE MI 48162

45 LBS

3 OF 30

SHIP TO:
ALLIANCE TECHNICAL GROUP LLC
908.7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092




NJ 078 9-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 2821 8909

1



BILLING: P/P

Reference No. 1: 106413.003.010.001.000

NOI 21 01 06

NY/IS 3.0A 01/2025*



TM

ATTN: GUEST, JOHN FL OON
2159846932
TOWN PLACE SUITES,
1440 N Dixie Hwy,
Monroe MI 48162

45 LBS

4 OF 50

SHIP TO:


ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

1-23-25

1018

2.1.1

NJ 0789-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 2475 2713

1



BILLING: P/P

Reference No. 1: 108413.003.010.001.000

XOL 25.01.06

NV45 3.0A 01/2025*



TM

ATTN: GUEST: JOHN FLEON
2153846932
TOWN PLACE SUITES
1440 N Dixie Hwy
MONROE MI 48162

45 LBS

OF 50


SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

1-23-25

1018

1.9.6



NJ 0789-41




UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 3943 9721

1

BILLING: P/P



Reference No. 1: 108413.003.010.001.000

XOL 25.01.06 NVAS 1.0A 01/20/05



TM

ATTN: GUEST: JOHN FILOON
2153846932
TOWN PLACE SUITES
1440 N DIXIE HWY
MONROE MI 48162


45 LBS

6 OF 50

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST # 1
MOUNTAIN SIDE NJ 07092

CR
1-23-25
10:18
2-3-4




NJ 078 9-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 3578 3937

1



BILLING: P/P

Reference No. 1: 108413.003.010.001.000

XOL 25.01.06

NV45 3.0A 01/2025



ATTN GUEST: JOHN FLOON
4153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162


45 LBS

7 OF 50

SHIP TO:
ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

123125 1015


NJ 0789-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 2416 9345



BILLING: P/P

Reference No. 1: 108413.003.010.001.000

XOL 25.01.06

NV45 3.0A 01/2025*



TM

ATTN GUEST: JOHN FILOON
2153846932
TOWN PLACE SUITES,
1440 N DDIE HWY
MONROE MI 48162

45 LBS

8 OF 50

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

Q-
1-23-25
1019
2.0.4




NJ 078 9-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 3545 9958

1



BILLING: P/P

Reference No.1: 108413.003.010.001.000



XOL 25.01.06 NV45 3.0A 01/2025*

ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST

MOUNTAINSIDE NJ 07092

ATTN GUEST: JOHN FLEGGON
2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162

45 LBS

10 OF 50

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900

ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1


MOUNTAINSIDE NJ 07092

CR

1-24-25

10:20

2-1-C



NJ 078 9-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 3821 2771

1



BILLING: P/P

Reference No.1: 108413.003.010.001.000

XPL 25.01.06

NV45 3.0A 01/2025*



TM

ATTN GUEST: JOHN FLOON


45 LBS

OF 50

2152945932
TOWN PLACE SUITES
1440 N DIXIE HWY
ROSELAND, NJ 07068

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
308 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092




NJ 0789-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 2420 2987

1



BILLING: P/P

Reference No. 1: 108413.003.010.001.000

XOL 25 01 06 NV/AS 3.0A 01/2025



Login Summary Report

Order ID :	Q1176	Order Date :	1/24/2025 10:20:00 AM	Project Mgr :	Deepak
Client :	USEPA CLP SMO	Project :	51900	Report Type :	USEPA CLP
Contact :	Anita Kapadia	Receive Date :	1/24/2025 10:20:00 AM	EDD Type :	EPA CLP
Date Sign Off :	1/24/2025 12:35:06 PM				

Sample ID	Client ID	Matrix	Sampling Date	Test	Test Group	Method	TAT Days	Fax Due Date	HC Due Date
Q1176-01	ME2931	Water	01/20/2025						
				Cyanide		SFAM_CN	15	02/14/2025	02/14/2025
				Hardness, Total		SFAM_MS	15	02/14/2025	02/14/2025
				Mercury		SFAM_HG	15	02/14/2025	02/14/2025
				Metals CLP MS		SFAM_MS	15	02/14/2025	02/14/2025
Q1176-02	ME2933	Water	01/20/2025						
				Cyanide		SFAM_CN	15	02/14/2025	02/14/2025
				Hardness, Total		SFAM_MS	15	02/14/2025	02/14/2025
				Mercury		SFAM_HG	15	02/14/2025	02/14/2025
				Metals CLP MS		SFAM_MS	15	02/14/2025	02/14/2025
Q1176-03	ME2937	Water	01/20/2025						
				Cyanide		SFAM_CN	15	02/14/2025	02/14/2025
				Hardness, Total		SFAM_MS	15	02/14/2025	02/14/2025
				Mercury		SFAM_HG	15	02/14/2025	02/14/2025
				Metals CLP MS		SFAM_MS	15	02/14/2025	02/14/2025
Q1176-04	ME2945	Water	01/21/2025						
				Cyanide		SFAM_CN	15	02/14/2025	02/14/2025
				Hardness, Total		SFAM_MS	15	02/14/2025	02/14/2025
				Mercury		SFAM_HG	15	02/14/2025	02/14/2025
				Metals CLP MS		SFAM_MS	15	02/14/2025	02/14/2025
Q1176-05	ME2942	Water	01/21/2025						
				Cyanide		SFAM_CN	15	02/14/2025	02/14/2025
				Hardness, Total		SFAM_MS	15	02/14/2025	02/14/2025
				Mercury		SFAM_HG	15	02/14/2025	02/14/2025
				Metals CLP MS		SFAM_MS	15	02/14/2025	02/14/2025
Q1176-06	ME2943	Water	01/21/2025						
				Cyanide		SFAM_CN	15	02/14/2025	02/14/2025
				Hardness, Total		SFAM_MS	15	02/14/2025	02/14/2025
				Mercury		SFAM_HG	15	02/14/2025	02/14/2025
				Metals CLP MS		SFAM_MS	15	02/14/2025	02/14/2025

Q1176-07	ME2940	Water	01/21/2025		
				Cyanide	SFAM_CN 15 02/14/2025 02/14/2025
				Hardness, Total	SFAM_MS 15 02/14/2025 02/14/2025
				Mercury	SFAM_HG 15 02/14/2025 02/14/2025
				Metals CLP MS	SFAM_MS 15 02/14/2025 02/14/2025
Q1176-08	ME2941	Water	01/21/2025		
				Cyanide	SFAM_CN 15 02/14/2025 02/14/2025
				Hardness, Total	SFAM_MS 15 02/14/2025 02/14/2025
				Mercury	SFAM_HG 15 02/14/2025 02/14/2025
				Metals CLP MS	SFAM_MS 15 02/14/2025 02/14/2025
Q1176-09	ME2944	Water	01/21/2025		
				Cyanide	SFAM_CN 15 02/14/2025 02/14/2025
				Hardness, Total	SFAM_MS 15 02/14/2025 02/14/2025
				Mercury	SFAM_HG 15 02/14/2025 02/14/2025
				Metals CLP MS	SFAM_MS 15 02/14/2025 02/14/2025
Q1176-10	ME2944D	Water	01/21/2025		
				Cyanide	SFAM_CN 15 02/14/2025 02/14/2025
				Hardness, Total	SFAM_MS 15 02/14/2025 02/14/2025
				Mercury	SFAM_HG 15 02/14/2025 02/14/2025
				Metals CLP MS	SFAM_MS 15 02/14/2025 02/14/2025
Q1176-11	ME2944S	Water	01/21/2025		
				Cyanide	SFAM_CN 15 02/14/2025 02/14/2025
				Hardness, Total	SFAM_MS 15 02/14/2025 02/14/2025
				Mercury	SFAM_HG 15 02/14/2025 02/14/2025
				Metals CLP MS	SFAM_MS 15 02/14/2025 02/14/2025
Q1176-12	ME2938	Water	01/21/2025		
				Cyanide	SFAM_CN 15 02/14/2025 02/14/2025
				Hardness, Total	SFAM_MS 15 02/14/2025 02/14/2025
				Mercury	SFAM_HG 15 02/14/2025 02/14/2025
				Metals CLP MS	SFAM_MS 15 02/14/2025 02/14/2025
Q1176-13	ME2939	Water	01/21/2025		
				Cyanide	SFAM_CN 15 02/14/2025 02/14/2025
				Hardness, Total	SFAM_MS 15 02/14/2025 02/14/2025
				Mercury	SFAM_HG 15 02/14/2025 02/14/2025
				Metals CLP MS	SFAM_MS 15 02/14/2025 02/14/2025
Q1176-14	ME2932	Water	01/20/2025		
				Cyanide	SFAM_CN 15 02/14/2025 02/14/2025
				Hardness, Total	SFAM_MS 15 02/14/2025 02/14/2025
				Mercury	SFAM_HG 15 02/14/2025 02/14/2025
				Metals CLP MS	SFAM_MS 15 02/14/2025 02/14/2025
Q1176-15	ME2936	Water	01/20/2025		

					Cyanide	SFAM_CN	15	02/14/2025	02/14/2025
					Hardness, Total	SFAM_MS	15	02/14/2025	02/14/2025
					Mercury	SFAM_HG	15	02/14/2025	02/14/2025
					Metals CLP MS	SFAM_MS	15	02/14/2025	02/14/2025
Q1176-16	ME2934	Water	01/20/2025						
					Cyanide	SFAM_CN	15	02/14/2025	02/14/2025
					Hardness, Total	SFAM_MS	15	02/14/2025	02/14/2025
					Mercury	SFAM_HG	15	02/14/2025	02/14/2025
					Metals CLP MS	SFAM_MS	15	02/14/2025	02/14/2025
Q1176-17	ME2935	Water	01/20/2025						
					Cyanide	SFAM_CN	15	02/14/2025	02/14/2025
					Hardness, Total	SFAM_MS	15	02/14/2025	02/14/2025
					Mercury	SFAM_HG	15	02/14/2025	02/14/2025
					Metals CLP MS	SFAM_MS	15	02/14/2025	02/14/2025
Q1176-18	ME2950	Water	01/22/2025						
					Cyanide	SFAM_CN	15	02/14/2025	02/14/2025
					Hardness, Total	SFAM_MS	15	02/14/2025	02/14/2025
					Mercury	SFAM_HG	15	02/14/2025	02/14/2025
					Metals CLP MS	SFAM_MS	15	02/14/2025	02/14/2025
Q1176-19	ME2951	Water	01/22/2025						
					Cyanide	SFAM_CN	15	02/14/2025	02/14/2025
					Hardness, Total	SFAM_MS	15	02/14/2025	02/14/2025
					Mercury	SFAM_HG	15	02/14/2025	02/14/2025
					Metals CLP MS	SFAM_MS	15	02/14/2025	02/14/2025
Q1176-20	ME2953	Water	01/22/2025						
					Cyanide	SFAM_CN	15	02/14/2025	02/14/2025
					Hardness, Total	SFAM_MS	15	02/14/2025	02/14/2025
					Mercury	SFAM_HG	15	02/14/2025	02/14/2025
					Metals CLP MS	SFAM_MS	15	02/14/2025	02/14/2025
Q1176-21	ME2954	Water	01/22/2025						
					Cyanide	SFAM_CN	15	02/14/2025	02/14/2025
					Hardness, Total	SFAM_MS	15	02/14/2025	02/14/2025
					Mercury	SFAM_HG	15	02/14/2025	02/14/2025
					Metals CLP MS	SFAM_MS	15	02/14/2025	02/14/2025

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PB166238

WorkList ID : 187145

Department : Digestion

Date : 01-24-2025 14:35:52

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1176-01	ME2931	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_MS
Q1176-02	ME2933	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_MS
Q1176-03	ME2937	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_MS
Q1176-04	ME2945	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_MS
Q1176-05	ME2942	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_MS
Q1176-06	ME2943	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_MS
Q1176-07	ME2940	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_MS
Q1176-08	ME2941	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_MS
Q1176-09	ME2944	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_MS
Q1176-10	ME2944D	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_MS
Q1176-11	ME2944S	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_MS
Q1176-12	ME2938	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_MS
Q1176-13	ME2939	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_MS
Q1176-14	ME2932	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_MS
Q1176-15	ME2936	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_MS
Q1176-16	ME2934	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_MS
Q1176-17	ME2935	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_MS
Q1176-18	ME2950	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/22/2025	SFAM_MS
Q1176-19	ME2951	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/22/2025	SFAM_MS
Q1176-20	ME2953	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/22/2025	SFAM_MS
Q1176-21	ME2954	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/22/2025	SFAM_MS

Date/Time 01/24/25 16:05

Raw Sample Received by: SPB.mctd13

Raw Sample Relinquished by: ETCsm

Date/Time 01/24/25 16:30

Raw Sample Received by: ETCsm

Raw Sample Relinquished by: SPB.mctd13

WORKLIST(Hardcopy Internal Chain)

WorkList Name : M1176_HgW WorkList ID : 187541 Department : Digestion Date : 02-06-2025 14:30:48

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1135-09	YE8H7	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q31	01/17/2025	SFAM_HG
Q1176-01	ME2931	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_HG
Q1176-02	ME2933	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_HG
Q1176-03	ME2937	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_HG
Q1176-04	ME2945	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_HG
Q1176-05	ME2942	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_HG
Q1176-18	ME2950	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_HG
Q1176-19	ME2951	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/22/2025	SFAM_HG
Q1176-20	ME2953	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/22/2025	SFAM_HG
Q1176-21	ME2954	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/22/2025	SFAM_HG
Q1176-12	ME2938	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/22/2025	SFAM_HG
Q1176-13	ME2939	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_HG
Q1176-14	ME2932	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_HG
Q1176-15	ME2936	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_HG
Q1176-16	ME2934	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_HG
Q1176-17	ME2935	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_HG
Q1176-06	ME2943	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/20/2025	SFAM_HG
Q1176-07	ME2940	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_HG
Q1176-08	ME2941	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_HG
Q1176-09	ME2944	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_HG
Q1176-10	ME2944D	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_HG

Date/Time 216125 015:10 Date/Time 216125 16:00
 Raw Sample Received by: AB-1119-LAS Raw Sample Received by: AB-1119-LAS
 Raw Sample Relinquished by: AB-1119-LAS Raw Sample Relinquished by: AB-1119-LAS

WORKLIST(Hardcopy Internal Chain)

WorkList Name : M1176_HgW

WorkList ID : 187541

Department : Digestion

Date : 02-06-2025 14:30:48

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1176-11	ME2944S	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/21/2025	SFAM_HG

Date/Time 2/6/25 15:16

Raw Sample Received by: MS-Dig Lab

Raw Sample Relinquished by: MS-Dig Lab

Date/Time 2/6/25 16:02

Raw Sample Received by: MS-Dig Lab

Raw Sample Relinquished by: MS-Dig Lab

WORKLIST(Hardcopy Internal Chain)

WorkList Name : cn q1176

WorkList ID : 187146

Department : Distillation

Date : 01-24-2025 14:43:54

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1176-01 B	ME2931	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/20/2025	SFAM_CN
Q1176-02 B	ME2933	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/20/2025	SFAM_CN
Q1176-03 B	ME2937	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/20/2025	SFAM_CN
Q1176-04 B	ME2945	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/21/2025	SFAM_CN
Q1176-05 B	ME2942	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/21/2025	SFAM_CN
Q1176-06 B	ME2943	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/21/2025	SFAM_CN
Q1176-07 B	ME2940	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/21/2025	SFAM_CN
Q1176-08 B	ME2941	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/21/2025	SFAM_CN
Q1176-09 B	ME2944	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/21/2025	SFAM_CN
Q1176-10	ME2944D	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/21/2025	SFAM_CN
Q1176-11	ME2944S	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/21/2025	SFAM_CN
Q1176-12 B	ME2938	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/21/2025	SFAM_CN
Q1176-13 B	ME2939	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/21/2025	SFAM_CN
Q1176-14 B	ME2932	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/21/2025	SFAM_CN
Q1176-15 B	ME2936	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/20/2025	SFAM_CN
Q1176-16 B	ME2934	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/20/2025	SFAM_CN
Q1176-17 B	ME2935	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/20/2025	SFAM_CN
Q1176-18 B	ME2950	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/20/2025	SFAM_CN
Q1176-19 B	ME2951	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/22/2025	SFAM_CN
Q1176-20 B	ME2953	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/22/2025	SFAM_CN
Q1176-21 B	ME2954	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/22/2025	SFAM_CN

Date/Time 01-28-2025 , 08:30

Raw Sample Received by: 20 WOC

Raw Sample Relinquished by: J.C (SUN)

Date/Time

01-28-2025

15:00

Raw Sample Received by:

J.C (SUN)

Raw Sample Relinquished by:

20 WOC