



**284 Sheffield Street  
Mountainside, NJ 07092**

## **SDG NARRATIVE**

**USEPA**

**SDG # MBHH97**

**CASE # 51974**

**CONTRACT # 68HERH20D0011**

**SOW# SFAM01.1**

**LAB NAME: Alliance Technical Group, LLC**

**LAB CODE: ACE**

**LAB ORDER ID # Q1182**

### **A. Number of Samples and Date of Receipt**

04 Soil sample were delivered to the laboratory intact on 01/24/2025.

### **B. Parameters**

Test requested for TCLP ICP Metals = Arsenic, Barium, Cadmium, Chromium, Lead, Selenium, Silver.

### **C. Cooler Temp**

Indicator Bottle: **Presence**/Absence

Cooler: 2.6°C

### **D. Detail Documentation (related to Sample Handling Shipping, Analytical Problem, Temp of Cooler etc):**

Issue 1: A "P" or "M" prefix was listed at the beginning of a CLP sample ID.

Issue 2: Laboratory QC is scheduled for soil ICP-AES and TCLP ICP-AES analyses; however, no sample was designated on the COC for QC analysis. The laboratory would like to use sample MBHH99 for ICP-AES and TCLP ICP-AES Laboratory QC. These samples are not blanks, rinsates or PE samples.

### **E. Corrective Action taken for above:**

Resolution 1: To maintain COC integrity, ASB requests no changes to the Sample IDs. The laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

Resolution 2: Per SOW SFAM01.1 Exhibit A, Section 5.5.4.1., the laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.



**284 Sheffield Street  
Mountainside, NJ 07092**

#### **F. Analytical Techniques:**

All analyses were based on CLP Methodology by method SFAM01.1.

Inter Element correction factors (IECs) are determined annually and correction factor are applied during ICP-AES analysis.

#### **G. Calculation:**

##### **Calculation for ICP-AES Water Sample:**

$$\text{Concentration or Result } (\mu\text{g/L}) = C \times \frac{V_f}{V_i} \times \text{DF} \times 1000$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

V<sub>f</sub> = Final digestion volume (mL)

V<sub>i</sub> = Initial aliquot amount (mL) (Sample amount taken in prep)

DF = Dilution Factor

##### **Example Calculation For Sample MBHH96 For Barium:**

If C = 2.003843 ppm

V<sub>f</sub> = 50 ml

V<sub>i</sub> = 50 ml

DF = 1

$$\text{Concentration or Result } (\mu\text{g/L}) = 2.003843 \times \frac{50}{50} \times 1 \times 1000$$

$$= 2003.843 \mu\text{g/L}$$

$$= 2000 \mu\text{g/L (Reported Result with Signification)}$$

#### **H. QA/ QC**

Calibrations met requirements. Interference check met requirements. Blank analyses did not indicate any presence of contamination. Laboratory Control sample was within control limits. Spike sample did meet requirements. Duplicate sample did meet requirements. Serial Dilution did meet requirements.

I certify that the data package is in compliance with the terms and conditions of the contract both technically and for completeness, for other than the conditions detailed above. Release of the data



**284 Sheffield Street  
Mountainside, NJ 07092**

contained in this hard copy data package has been authorized by the Laboratory Director or his designee,  
as verified by the following signature.

Signature \_\_\_\_\_

Name: Nimisha Pandya

Date \_\_\_\_\_

Title: Document Control Officer