

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012925\
 Data File : BF141294.D
 Acq On : 29 Jan 2025 15:45
 Operator : RC/JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040

Quant Time: Jan 29 16:29:58 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 16:24:35 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.798	152	136511	20.000	ng	0.00
21) Naphthalene-d8	8.081	136	533326	20.000	ng	0.00
39) Acenaphthene-d10	9.839	164	282995	20.000	ng	0.00
64) Phenanthrene-d10	11.327	188	458392	20.000	ng	0.00
76) Chrysene-d12	13.968	240	260600	20.000	ng	0.00
86) Perylene-d12	15.439	264	279417	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.404	112	655671	74.279	ng	0.00
7) Phenol-d6	6.428	99	829746	73.753	ng	0.00
23) Nitrobenzene-d5	7.363	82	755539	74.958	ng	0.00
42) 2,4,6-Tribromophenol	10.627	330	195693	75.888	ng	0.00
45) 2-Fluorobiphenyl	9.157	172	1339709	73.029	ng	0.00
79) Terphenyl-d14	12.916	244	1232977	72.802	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.487	88	146751	37.453	ng	100
3) Pyridine	3.216	79	360381	38.457	ng	100
4) n-Nitrosodimethylamine	3.169	42	205026	38.203	ng	100
6) Aniline	6.463	93	371145	39.471	ng	100
8) 2-Chlorophenol	6.581	128	354141	37.357	ng	100
9) Benzaldehyde	6.345	77	244365	37.402	ng	100
10) Phenol	6.439	94	448441	37.678	ng	100
11) bis(2-Chloroethyl)ether	6.534	93	336429	36.754	ng	100
12) 1,3-Dichlorobenzene	6.739	146	390276	37.328	ng	100
13) 1,4-Dichlorobenzene	6.816	146	390834	37.119	ng	100
14) 1,2-Dichlorobenzene	6.969	146	365173	37.114	ng	100
15) Benzyl Alcohol	6.939	79	295478	38.445	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.075	45	597590	37.578	ng	100
17) 2-Methylphenol	7.051	107	284578	37.077	ng	100
18) Hexachloroethane	7.310	117	144619	37.124	ng	100
19) n-Nitroso-di-n-propyla...	7.210	70	244379	36.524	ng	100
20) 3+4-Methylphenols	7.204	107	351248	37.222	ng	100
22) Acetophenone	7.210	105	465165	36.793	ng	100
24) Nitrobenzene	7.381	77	396149	37.893	ng	100
25) Isophorone	7.622	82	651994	37.429	ng	100
26) 2-Nitrophenol	7.698	139	188435	38.483	ng	100
27) 2,4-Dimethylphenol	7.733	122	239376	38.255	ng	100
28) bis(2-Chloroethoxy)met...	7.833	93	414781	37.367	ng	100
29) 2,4-Dichlorophenol	7.939	162	288763	37.768	ng	100
30) 1,2,4-Trichlorobenzene	8.022	180	323865	36.932	ng	100
31) Naphthalene	8.104	128	1041107	37.116	ng	100
32) Benzoic acid	7.845	122	235596	41.459	ng	100
33) 4-Chloroaniline	8.151	127	361001	38.313	ng	100
34) Hexachlorobutadiene	8.222	225	190772	37.169	ng	100
35) Caprolactam	8.516	113	94819	38.342	ng	100
36) 4-Chloro-3-methylphenol	8.633	107	305768	37.262	ng	100
37) 2-Methylnaphthalene	8.792	142	666038	37.286	ng	100
38) 1-Methylnaphthalene	8.892	142	646346	36.938	ng	100
40) 1,2,4,5-Tetrachloroben...	8.957	216	302471	37.591	ng	100
41) Hexachlorocyclopentadiene	8.945	237	97299	40.295	ng	100
43) 2,4,6-Trichlorophenol	9.069	196	205797	39.181	ng	100


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012925\
 Data File : BF141294.D
 Acq On : 29 Jan 2025 15:45
 Operator : RC/JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040

Quant Time: Jan 29 16:29:58 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 16:24:35 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.110	196	213401	37.346	ng	100
46) 1,1'-Biphenyl	9.257	154	823004	37.278	ng	100
47) 2-Chloronaphthalene	9.280	162	634814	37.020	ng	100
48) 2-Nitroaniline	9.380	65	205997	38.089	ng	100
49) Acenaphthylene	9.698	152	902715	37.483	ng	100
50) Dimethylphthalate	9.563	163	701107	36.945	ng	100
51) 2,6-Dinitrotoluene	9.622	165	167409	37.909	ng	100
52) Acenaphthene	9.869	154	638597	37.266	ng	100
53) 3-Nitroaniline	9.792	138	171409	39.240	ng	100
54) 2,4-Dinitrophenol	9.898	184	83282	40.011	ng	100
55) Dibenzofuran	10.045	168	859175	37.490	ng	100
56) 4-Nitrophenol	9.945	139	126536	40.349	ng	100
57) 2,4-Dinitrotoluene	10.027	165	218627	38.382	ng	100
58) Fluorene	10.386	166	660612	37.076	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.163	232	172174	38.138	ng	100
60) Diethylphthalate	10.263	149	693066	37.710	ng	100
61) 4-Chlorophenyl-phenyle...	10.380	204	321112	36.929	ng	100
62) 4-Nitroaniline	10.404	138	164154	39.120	ng	100
63) Azobenzene	10.539	77	693050	37.621	ng	100
65) 4,6-Dinitro-2-methylph...	10.433	198	114735	41.914	ng	100
66) n-Nitrosodiphenylamine	10.498	169	573712	38.602	ng	100
67) 4-Bromophenyl-phenylether	10.869	248	198895	38.815	ng	100
68) Hexachlorobenzene	10.933	284	209735	38.586	ng	100
69) Atrazine	11.027	200	195062	39.131	ng	100
70) Pentachlorophenol	11.127	266	131295	41.196	ng	100
71) Phenanthrene	11.351	178	940021	38.175	ng	100
72) Anthracene	11.404	178	925244	38.521	ng	100
73) Carbazole	11.557	167	824095	38.735	ng	100
74) Di-n-butylphthalate	11.892	149	995172	38.805	ng	100
75) Fluoranthene	12.539	202	928946	38.650	ng	100
77) Benzidine	12.663	184	380623	48.034	ng	100
78) Pyrene	12.768	202	914205	36.333	ng	100
80) Butylbenzylphthalate	13.392	149	326158	37.532	ng	100
81) Benzo(a)anthracene	13.957	228	661997	37.062	ng	100
82) 3,3'-Dichlorobenzidine	13.921	252	217856	38.953	ng	100
83) Chrysene	13.998	228	591939	35.738	ng	100
84) Bis(2-ethylhexyl)phtha...	13.957	149	409365	37.540	ng	100
85) Di-n-octyl phthalate	14.586	149	640977	37.578	ng	100
87) Indeno(1,2,3-cd)pyrene	16.886	276	702692	38.503	ng	100
88) Benzo(b)fluoranthene	15.015	252	625758	36.061	ng	100
89) Benzo(k)fluoranthene	15.045	252	605401	38.959	ng	100
90) Benzo(a)pyrene	15.374	252	564975	38.096	ng	100
91) Dibenzo(a,h)anthracene	16.909	278	567762	38.812	ng	100
92) Benzo(g,h,i)perylene	17.327	276	582768	37.870	ng	100





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.798 min Scan# 800
 Delta R.T. 0.000 min
 Lab File: BF141294.D
 Acq: 29 Jan 2025 15:45




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC040


Tgt Ion:152 Resp: 136511
 Ion Ratio Lower Upper
 152 100
 150 157.4 125.9 188.9
 115 62.1 49.7 74.5



#2
 1,4-Dioxane
 Concen: 37.453 ng
 RT: 2.487 min Scan# 67
 Delta R.T. 0.000 min
 Lab File: BF141294.D
 Acq: 29 Jan 2025 15:45

Tgt Ion: 88 Resp: 146751
 Ion Ratio Lower Upper
 88 100
 58 87.8 70.2 105.4
 43 34.5 27.6 41.4





#3

Pyridine

Concen: 38.457 ng

RT: 3.216 min Scan# 191

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion: 79 Resp: 360381

Ion Ratio Lower Upper

79 100

52 87.9 70.3 105.5

51 42.9 34.3 51.5



#4

n-Nitrosodimethylamine

Concen: 38.203 ng

RT: 3.169 min Scan# 183

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45




Tgt Ion: 42 Resp: 205026


Ion Ratio Lower Upper

42 100

74 112.9 90.3 135.5

44 7.1 5.7 8.5









#5
2-Fluorophenol
Concen: 74.279 ng
RT: 5.404 min Scan# 50
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:112 Resp: 655671
Ion Ratio Lower Upper
112 100
64 62.3 49.8 74.8
63 32.6 26.1 39.1



#6
Aniline
Concen: 39.471 ng
RT: 6.463 min Scan# 743
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion: 93 Resp: 371145
Ion Ratio Lower Upper
93 100
66 40.6 32.5 48.7
65 21.3 17.0 25.6









#7
Phenol-d6
Concen: 73.753 ng
RT: 6.428 min Scan# 711
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion: 99 Resp: 829746
Ion Ratio Lower Upper
99 100
42 21.4 17.1 25.7
71 33.6 26.9 40.3



#8
2-Chlorophenol
Concen: 37.357 ng
RT: 6.581 min Scan# 763
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:128 Resp: 354141
Ion Ratio Lower Upper
128 100
130 32.5 12.5 52.5
64 52.9 32.9 72.9









#9
Benzaldehyde
Concen: 37.402 ng
RT: 6.345 min Scan# 723
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion: 77 Resp: 244365
Ion Ratio Lower Upper
77 100
105 99.4 79.4 119.4
106 94.6 74.6 114.6



#10
Phenol
Concen: 37.678 ng
RT: 6.439 min Scan# 739
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion: 94 Resp: 448441
Ion Ratio Lower Upper
94 100
65 30.8 10.8 50.8
66 43.3 23.3 63.3









#11
bis(2-Chloroethyl)ether
Concen: 36.754 ng
RT: 6.534 min Scan# 755
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion: 93 Resp: 336429
Ion Ratio Lower Upper
93 100
63 85.0 65.0 105.0
95 32.4 12.4 52.4



#12
1,3-Dichlorobenzene
Concen: 37.328 ng
RT: 6.739 min Scan# 790
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion: 146 Resp: 390276
Ion Ratio Lower Upper
146 100
148 64.0 51.2 76.8
75 32.8 26.2 39.4





#13

1,4-Dichlorobenzene

Concen: 37.119 ng

RT: 6.816 min Scan# 803

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:146 Resp: 390834

Ion Ratio Lower Upper

146 100

148 64.0 51.2 76.8

111 43.7 35.0 52.4



#14

1,2-Dichlorobenzene

Concen: 37.114 ng

RT: 6.969 min Scan# 829

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45




Tgt Ion:146 Resp: 365173


Ion Ratio Lower Upper

146 100

148 63.1 50.5 75.7

111 45.8 36.6 55.0









#15
Benzyl Alcohol
Concen: 38.445 ng
RT: 6.939 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion: 79 Resp: 295478
Ion Ratio Lower Upper
79 100
108 76.7 61.4 92.0
77 62.4 49.9 74.9



#16
2,2'-oxybis(1-chloropropane)
Concen: 37.578 ng
RT: 7.075 min Scan# 847
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion: 45 Resp: 597590
Ion Ratio Lower Upper
45 100
77 11.8 0.0 31.8
79 9.1 0.0 29.1









#17
2-Methylphenol
Concen: 37.077 ng
RT: 7.051 min Scan# 843
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:	107	Resp:	284578
Ion	Ratio	Lower	Upper
107	100		
108	113.5	90.8	136.2
77	45.3	36.2	54.4
79	44.6	35.7	53.5



#18
Hexachloroethane
Concen: 37.124 ng
RT: 7.310 min Scan# 887
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:	117	Resp:	144619
Ion	Ratio	Lower	Upper
117	100		
119	95.7	76.6	114.8
201	93.5	74.8	112.2









#19
n-Nitroso-di-n-propylamine
Concen: 36.524 ng
RT: 7.210 min Scan# 870
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion: 70 Resp: 244379
Ion Ratio Lower Upper
70 100
42 71.0 56.8 85.2
101 9.6 7.7 11.5
130 21.0 16.8 25.2



#20
3+4-Methylphenols
Concen: 37.222 ng
RT: 7.204 min Scan# 869
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion: 107 Resp: 351248
Ion Ratio Lower Upper
107 100
108 90.9 70.9 110.9
77 118.5 98.5 138.5
79 29.5 9.5 49.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.081 min Scan# 1018
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:	136	Resp:	533326
Ion Ratio	Lower	Upper	
136	100		
137	10.8	8.6	13.0
54	9.8	7.8	11.8
68	6.1	4.9	7.3



#22
Acetophenone
Concen: 36.793 ng
RT: 7.210 min Scan# 870
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:	105	Resp:	465165
Ion Ratio	Lower	Upper	
105	100		
71	8.5	6.8	10.2
51	40.8	32.6	49.0
120	21.7	17.4	26.0









#23
Nitrobenzene-d5
Concen: 74.958 ng
RT: 7.363 min Scan# 896
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion: 82 Resp: 755539
Ion Ratio Lower Upper
82 100
128 44.6 35.7 53.5
54 58.9 47.1 70.7



#24
Nitrobenzene
Concen: 37.893 ng
RT: 7.381 min Scan# 899
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion: 77 Resp: 396149
Ion Ratio Lower Upper
77 100
123 46.6 37.3 55.9
65 14.7 11.8 17.6









#25
Isophorone
Concen: 37.429 ng
RT: 7.622 min Scan# 940
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion: 82 Resp: 651994
Ion Ratio Lower Upper
82 100
95 7.2 5.8 8.6
138 18.4 14.7 22.1



#26
2-Nitrophenol
Concen: 38.483 ng
RT: 7.698 min Scan# 953
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:139 Resp: 188435
Ion Ratio Lower Upper
139 100
109 29.7 23.8 35.6
65 52.8 42.2 63.4





#27

2,4-Dimethylphenol

Concen: 38.255 ng

RT: 7.733 min Scan# 91

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:122 Resp: 239376

Ion Ratio Lower Upper

122 100

107 112.4 89.9 134.9

121 57.6 46.1 69.1



#28

bis(2-Chloroethoxy)methane

Concen: 37.367 ng

RT: 7.833 min Scan# 976

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45




Tgt Ion: 93 Resp: 414781


Ion Ratio Lower Upper

93 100

95 32.7 26.2 39.2

123 12.8 10.2 15.4





#29

2,4-Dichlorophenol

Concen: 37.768 ng

RT: 7.939 min Scan# 994

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:162 Resp: 288763

Ion Ratio Lower Upper

162 100

164 64.2 44.2 84.2

98 38.2 18.2 58.2



#30

1,2,4-Trichlorobenzene

Concen: 36.932 ng

RT: 8.022 min Scan# 1008

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45




Tgt Ion:180 Resp: 323865


Ion Ratio Lower Upper

180 100

182 95.5 76.4 114.6

145 31.1 24.9 37.3









#31
Naphthalene
Concen: 37.116 ng
RT: 8.104 min Scan# 1022
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:128 Resp: 1041107
Ion Ratio Lower Upper
128 100
129 11.1 8.9 13.3
127 13.2 10.6 15.8



#32
Benzoic acid
Concen: 41.459 ng
RT: 7.845 min Scan# 978
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:122 Resp: 235596
Ion Ratio Lower Upper
122 100
105 123.4 103.4 143.4
77 90.9 70.9 110.9





#33

4-Chloroaniline

Concen: 38.313 ng

RT: 8.151 min Scan# 1030

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040

Tgt Ion:127 Resp: 361001





Ion Ratio Lower Upper

127 100

129 32.1 25.7 38.5

65 33.0 26.4 39.6

92 18.9 15.1 22.7



#34

Hexachlorobutadiene

Concen: 37.169 ng

RT: 8.222 min Scan# 1042

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45




Tgt Ion:225 Resp: 190772


Ion Ratio Lower Upper

225 100

223 63.0 50.4 75.6

227 64.1 51.3 76.9









#35
 Caprolactam
 Concen: 38.342 ng
 RT: 8.516 min Scan# 1092
 Delta R.T. 0.000 min
 Lab File: BF141294.D
 Acq: 29 Jan 2025 15:45




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040


Tgt Ion:113 Resp: 94819
 Ion Ratio Lower Upper
 113 100
 55 202.9 182.9 222.9
 56 147.9 127.9 167.9



#36
 4-Chloro-3-methylphenol
 Concen: 37.262 ng
 RT: 8.633 min Scan# 1112
 Delta R.T. 0.000 min
 Lab File: BF141294.D
 Acq: 29 Jan 2025 15:45

Tgt Ion:107 Resp: 305768
 Ion Ratio Lower Upper
 107 100
 144 25.9 20.7 31.1
 142 79.8 63.8 95.8









#37
2-Methylnaphthalene
Concen: 37.286 ng
RT: 8.792 min Scan# 1139
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:142 Resp: 666038
Ion Ratio Lower Upper
142 100
141 89.1 71.3 106.9



#38
1-Methylnaphthalene
Concen: 36.938 ng
RT: 8.892 min Scan# 1156
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:142 Resp: 646346
Ion Ratio Lower Upper
142 100
141 91.5 73.2 109.8









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.839 min Scan# 1167
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:164 Resp: 282995
Ion Ratio Lower Upper
164 100
162 100.8 80.6 121.0
160 44.7 35.8 53.6



#40
1,2,4,5-Tetrachlorobenzene
Concen: 37.591 ng
RT: 8.957 min Scan# 1167
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:216 Resp: 302471
Ion Ratio Lower Upper
216 100
214 79.0 63.2 94.8
179 22.3 17.8 26.8
108 18.8 15.0 22.6









#41
Hexachlorocyclopentadiene
Concen: 40.295 ng
RT: 8.945 min Scan# 1165
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:237 Resp: 97299
Ion Ratio Lower Upper
237 100
235 62.9 42.9 82.9
272 12.8 0.0 32.8



#42
2,4,6-Tribromophenol
Concen: 75.888 ng
RT: 10.627 min Scan# 1451
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:330 Resp: 195693
Ion Ratio Lower Upper
330 100
332 95.1 76.1 114.1
141 36.0 28.8 43.2





#43

2,4,6-Trichlorophenol

Concen: 39.181 ng

RT: 9.069 min Scan# 1186

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:196 Resp: 205797

Ion Ratio Lower Upper

196 100

198 102.2 81.8 122.6

200 32.9 26.3 39.5



#44

2,4,5-Trichlorophenol

Concen: 37.346 ng

RT: 9.110 min Scan# 1193

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45

Tgt Ion:196 Resp: 213401




Ion Ratio Lower Upper


196 100

198 100.6 80.5 120.7

97 53.5 42.8 64.2

132 29.4 23.5 35.3









#45
2-Fluorobiphenyl
Concen: 73.029 ng
RT: 9.157 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:172 Resp: 1339709
Ion Ratio Lower Upper
172 100
171 36.0 28.8 43.2
170 23.8 19.0 28.6



#46
1,1'-Biphenyl
Concen: 37.278 ng
RT: 9.257 min Scan# 1218
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:154 Resp: 823004
Ion Ratio Lower Upper
154 100
153 40.0 20.0 60.0
76 12.8 0.0 32.8









#47
2-Chloronaphthalene
Concen: 37.020 ng
RT: 9.280 min Scan# 1222
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:162 Resp: 634814
Ion Ratio Lower Upper
162 100
127 42.1 33.7 50.5
164 32.4 25.9 38.9



#48
2-Nitroaniline
Concen: 38.089 ng
RT: 9.380 min Scan# 1239
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion: 65 Resp: 205997
Ion Ratio Lower Upper
65 100
92 66.6 53.3 79.9
138 104.5 83.6 125.4









#49
Acenaphthylene
Concen: 37.483 ng
RT: 9.698 min Scan# 1293
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:152 Resp: 902715
Ion Ratio Lower Upper
152 100
151 20.2 16.2 24.2
153 13.8 11.0 16.6



#50
Dimethylphthalate
Concen: 36.945 ng
RT: 9.563 min Scan# 1270
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:163 Resp: 701107
Ion Ratio Lower Upper
163 100
194 3.8 3.0 4.6
164 10.0 8.0 12.0









#51
2,6-Dinitrotoluene
Concen: 37.909 ng
RT: 9.622 min Scan# 1280
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:165 Resp: 167409
Ion Ratio Lower Upper
165 100
63 60.1 48.1 72.1
89 56.1 44.9 67.3



#52
Acenaphthene
Concen: 37.266 ng
RT: 9.869 min Scan# 1322
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:154 Resp: 638597
Ion Ratio Lower Upper
154 100
153 111.2 89.0 133.4
152 50.3 40.2 60.4









#53
3-Nitroaniline
Concen: 39.240 ng
RT: 9.792 min Scan# 1309
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:138 Resp: 171409
Ion Ratio Lower Upper
138 100
108 10.7 8.6 12.8
92 113.8 91.0 136.6



#54
2,4-Dinitrophenol
Concen: 40.011 ng
RT: 9.898 min Scan# 1327
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:184 Resp: 83282
Ion Ratio Lower Upper
184 100
63 67.6 54.1 81.1
154 63.4 50.7 76.1









#55
Dibenzenofuran
Concen: 37.490 ng
RT: 10.045 min Scan# 1352
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:168	Resp: 859175
Ion Ratio	Lower Upper
168 100	
139 38.3	30.6 46.0
169 13.5	10.8 16.2



#56
4-Nitrophenol
Concen: 40.349 ng
RT: 9.945 min Scan# 1335
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:139	Resp: 126536
Ion Ratio	Lower Upper
139 100	
109 70.2	50.2 90.2
65 100.6	80.6 120.6









#57
2,4-Dinitrotoluene
Concen: 38.382 ng
RT: 10.027 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:165 Resp: 218627
Ion Ratio Lower Upper
165 100
63 49.0 39.2 58.8
89 71.1 56.9 85.3
182 2.7 2.2 3.2



#58
Fluorene
Concen: 37.076 ng
RT: 10.386 min Scan# 1410
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:166 Resp: 660612
Ion Ratio Lower Upper
166 100
165 96.9 77.5 116.3
167 13.6 10.9 16.3









#59
2,3,4,6-Tetrachlorophenol
Concen: 38.138 ng
RT: 10.163 min Scan# 1372
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:232 Resp: 172174
Ion Ratio Lower Upper
232 100
131 45.5 36.4 54.6
130 2.4 1.9 2.9
166 30.1 24.1 36.1



#60
Diethylphthalate
Concen: 37.710 ng
RT: 10.263 min Scan# 1389
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:149 Resp: 693066
Ion Ratio Lower Upper
149 100
177 23.1 18.5 27.7
150 12.5 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 36.929 ng
RT: 10.380 min Scan# 1409
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:204 Resp: 321112
Ion Ratio Lower Upper
204 100
206 32.4 25.9 38.9
141 61.9 49.5 74.3



#62
4-Nitroaniline
Concen: 39.120 ng
RT: 10.404 min Scan# 1413
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:138 Resp: 164154
Ion Ratio Lower Upper
138 100
92 50.1 30.1 70.1
108 73.1 53.1 93.1









#63
Azobenzene
Concen: 37.621 ng
RT: 10.539 min Scan# 1436
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:	77	Resp:	693050
Ion Ratio	Lower	Upper	
77	100		
182	25.1	5.1	45.1
105	21.8	1.8	41.8
51	34.0	14.0	54.0



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.327 min Scan# 1570
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:	188	Resp:	458392
Ion Ratio	Lower	Upper	
188	100		
94	9.7	7.8	11.6
80	10.3	8.2	12.4









#65
4,6-Dinitro-2-methylphenol
Concen: 41.914 ng
RT: 10.433 min Scan# 1418
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:198 Resp: 114735
Ion Ratio Lower Upper
198 100
51 53.4 33.4 73.4
105 44.4 24.4 64.4



#66
n-Nitrosodiphenylamine
Concen: 38.602 ng
RT: 10.498 min Scan# 1429
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:169 Resp: 573712
Ion Ratio Lower Upper
169 100
168 66.2 53.0 79.4
167 36.0 28.8 43.2









#67
4-Bromophenyl-phenylether
Concen: 38.815 ng
RT: 10.869 min Scan# 1492
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:248 Resp: 198895
Ion Ratio Lower Upper
248 100
250 98.7 79.0 118.4
141 79.6 63.7 95.5



#68
Hexachlorobenzene
Concen: 38.586 ng
RT: 10.933 min Scan# 1503
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:284 Resp: 209735
Ion Ratio Lower Upper
284 100
142 36.9 29.5 44.3
249 31.8 25.4 38.2





#69

Atrazine

Concen: 39.131 ng

RT: 11.027 min Scan# 1519

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:200 Resp: 195062

Ion Ratio Lower Upper

200 100

173 25.9 5.9 45.9

215 45.2 25.2 65.2



#70

Pentachlorophenol

Concen: 41.196 ng

RT: 11.127 min Scan# 1536

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45




Tgt Ion:266 Resp: 131295


Ion Ratio Lower Upper

266 100

268 62.4 49.9 74.9

264 63.7 51.0 76.4





#71

Phenanthrene

Concen: 38.175 ng

RT: 11.351 min Scan# 1574

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:178 Resp: 940021

Ion Ratio Lower Upper

178 100

176 19.1 15.3 22.9

179 15.6 12.5 18.7



#72

Anthracene

Concen: 38.521 ng

RT: 11.404 min Scan# 1583

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45




Tgt Ion:178 Resp: 925244


Ion Ratio Lower Upper

178 100

176 18.8 15.0 22.6

179 15.4 12.3 18.5









#73
 Carbazole
 Concen: 38.735 ng
 RT: 11.557 min Scan# 1609
 Delta R.T. 0.000 min
 Lab File: BF141294.D
 Acq: 29 Jan 2025 15:45




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC040


Tgt Ion:167 Resp: 824095
 Ion Ratio Lower Upper
 167 100
 166 21.3 17.0 25.6
 139 13.3 10.6 16.0



#74
 Di-n-butylphthalate
 Concen: 38.805 ng
 RT: 11.892 min Scan# 1666
 Delta R.T. 0.000 min
 Lab File: BF141294.D
 Acq: 29 Jan 2025 15:45

Tgt Ion:149 Resp: 995172
 Ion Ratio Lower Upper
 149 100
 150 9.3 7.4 11.2
 104 4.9 3.9 5.9









#75
Fluoranthene
Concen: 38.650 ng
RT: 12.539 min Scan# 1776
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:202 Resp: 928946
Ion Ratio Lower Upper
202 100
101 11.7 0.0 31.7
203 17.5 0.0 37.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.968 min Scan# 2019
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:240 Resp: 260600
Ion Ratio Lower Upper
240 100
120 12.5 10.0 15.0
236 24.6 19.7 29.5





#77

Benzidine

Concen: 48.034 ng

RT: 12.663 min Scan# 1797

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:184 Resp: 380623

Ion Ratio Lower Upper

184 100

185 14.9 11.9 17.9

183 11.9 9.5 14.3



#78

Pyrene

Concen: 36.333 ng

RT: 12.768 min Scan# 1815

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45




Tgt Ion:202 Resp: 914205


Ion Ratio Lower Upper

202 100

200 21.2 17.0 25.4

203 17.9 14.3 21.5





#79

Terphenyl-d14

Concen: 72.802 ng

RT: 12.916 min Scan# 1840

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:244 Resp: 1232977

Ion Ratio Lower Upper

244 100

212 6.7 5.4 8.0

122 11.0 8.8 13.2



#80

Butylbenzylphthalate

Concen: 37.532 ng

RT: 13.392 min Scan# 1921

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45




Tgt Ion:149 Resp: 326158


Ion Ratio Lower Upper

149 100

91 73.2 58.6 87.8

206 20.9 16.7 25.1









#81
Benzo(a)anthracene
Concen: 37.062 ng
RT: 13.957 min Scan# 2017
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:228 Resp: 661997
Ion Ratio Lower Upper
228 100
226 26.8 21.4 32.2
229 19.4 15.5 23.3



#82
3,3'-Dichlorobenzidine
Concen: 38.953 ng
RT: 13.921 min Scan# 2011
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:252 Resp: 217856
Ion Ratio Lower Upper
252 100
254 64.1 51.3 76.9
126 12.5 10.0 15.0





#83

Chrysene

Concen: 35.738 ng

RT: 13.998 min Scan# 2024

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:228 Resp: 591939

Ion Ratio Lower Upper

228 100

226 30.1 24.1 36.1

229 19.5 15.6 23.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 37.540 ng

RT: 13.957 min Scan# 2017

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45




Tgt Ion:149 Resp: 409365


Ion Ratio Lower Upper

149 100

167 27.3 21.8 32.8

279 4.1 3.3 4.9









#85
Di-n-octyl phthalate
Concen: 37.578 ng
RT: 14.586 min Scan# 2124
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:149 Resp: 640977
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 12.3 9.8 14.8



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.439 min Scan# 2269
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:264 Resp: 279417
Ion Ratio Lower Upper
264 100
260 23.2 18.6 27.8
265 20.9 16.7 25.1









#87
Indeno(1,2,3-cd)pyrene
Concen: 38.503 ng
RT: 16.886 min Scan# 2115
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:276 Resp: 702692
Ion Ratio Lower Upper
276 100
138 27.1 21.7 32.5
277 25.4 20.3 30.5



#88
Benzo(b)fluoranthene
Concen: 36.061 ng
RT: 15.015 min Scan# 2197
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:252 Resp: 625758
Ion Ratio Lower Upper
252 100
253 21.8 17.4 26.2
125 10.7 8.6 12.8





#89

Benzo(k)fluoranthene

Concen: 38.959 ng

RT: 15.045 min Scan# 21

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:252 Resp: 605401

Ion Ratio Lower Upper

252 100

253 22.0 17.6 26.4

125 10.5 8.4 12.6



#90

Benzo(a)pyrene

Concen: 38.096 ng

RT: 15.374 min Scan# 2258

Delta R.T. 0.000 min

Lab File: BF141294.D

Acq: 29 Jan 2025 15:45




Tgt Ion:252 Resp: 564975


Ion Ratio Lower Upper

252 100

253 21.5 17.2 25.8

125 11.8 9.4 14.2









#91
Dibenzo(a,h)anthracene
Concen: 38.812 ng
RT: 16.909 min Scan# 2519
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:278 Resp: 567762
Ion Ratio Lower Upper
278 100
139 17.4 13.9 20.9
279 23.5 18.8 28.2



#92
Benzo(g,h,i)perylene
Concen: 37.870 ng
RT: 17.327 min Scan# 2590
Delta R.T. 0.000 min
Lab File: BF141294.D
Acq: 29 Jan 2025 15:45

Tgt Ion:276 Resp: 582768
Ion Ratio Lower Upper
276 100
277 24.0 19.2 28.8
138 23.7 19.0 28.4

