



1-27-25 1030 3.25

SHIP TO: ATTN GUEST: JOHN FILOON 2153846932 TOWN PLACE SUITES, 1440 N DIXIE HWY, MONROE MI 48162	
ALLIANCE TECHNICAL GROUP LLC 908 7898900 ALLIANCE TECHNICAL GROUP LLC 284 SHEFFIELD ST # 1 MOUNTAINSIDE NJ 07092	
NJ 078 9-41	
	UPS NEXT DAY AIR
TRACKING #: 1Z 939 47Y 01 3716 9446	
	
BILLING: P/P	
Reference No.1: 108413.003.010.001.000	
 TM	
XOL 28/01/06 NV45 3.0A 01/2025	

17 OF 50

45 LBS

ATTN GUEST: JOHN FLOON
2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162

45 LBS

24 OF 50

SHIP TO:


ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

[Signature]

1/29/25

1012

22.c




NJ 0789-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 3912 0912

1



BILLING: P/P

Reference No.1: 108413.003.010.001.000

XOL 25.01.06 NV45 3.0A 01/2025*




ATTN GUEST: JOHN FLOON
2153846932
TOWN PLACE SUITES,
1440 N. DIXIE HWY
MOUNTAIN ROE, MI 48162

45 LBS

25 OF 50

SHIP TO:
ALLIANCE TECHNICAL GROUP LLC
908 78989900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

[Signature]
1-29-25
10:12
2.8°C




NJ 0789-41



UPS NEXT DAY AIR 1

TRACKING #: 1Z 939 47Y 01 2711 1927



BILLING: P/P

Reference No.1: 108413.003.010.001.000

XOL 25.01.06 NV4/S 3.0A 01/2025*



ATTN GUEST: JOHN FLOON
2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162

45 LBS

26 OF 50

SHIP TO:
ALLIANCE TECHNICAL GROUP LLC

908 7898900

ALLIANCE TECHNICAL GROUP LLC

284 SHEFFIELD ST # 1


MOUNTAINSIDE NJ 07092

Handwritten signature

1-29-25

10:12

2-1-C




NJ 0789-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 3964 0137



BILLING: P/P

Reference No.1: 108413.003.010.001.000

XOL 25.01.06

NV45 3.0A 01/2025*



ATTN GUEST: JOHN FLOON
2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162

45 LBS

28 OF 50

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900

ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1


MOUNTAINSIDE NJ 07092

[Signature]

1/26/25

1012

1.9⁰⁰




NJ 0789-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 2672 4151



BILLING: P/P

Reference No.1: 108413.003.010.001.000

XOL 25.01.06 NV45 3.0A 01/2025*



ATTN GUEST: JOHN FLOON
2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE, MA 0162

45 LBS

30 OF 50

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900


ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1

MOUNTAINSIDE NJ 07092

1-30-25

10:13

2.4~




NJ 0789-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 2760 4976

1



BILLING: P/P

Reference No. 1: 108413.003,010,001,000

XOL 25.01.06 NV/IS 3.0A 01/2025*



ATTN GUEST: JOHN FLOON
2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162

45 LBS

31 OF 50

SHIP TO:


ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

cf

1-30-25

10:18

3-1




NJ 0789-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 2817 9185



BILLING: P/P

Reference No.1: 108413.003,010,001,000

XOL 25.01.06 NVAS 3.0A 01/2025*



ATTN GUEST: JOHN FLOON
2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONTROE, MI 48162

45 LBS

32 OF 50


SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST # 1
MOUNTAINSIDE NJ 07092

1-30-25

10:13

2.1-c




NJ 0789-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 3639 4598

1



BILLING: P/P

Reference No.1: 108413.003.010.001.000

XOL 25/01/06

NV/AS 3.0A 01/2025*



ATTN GUEST: JOHN FLOON
2153846932
TOWN PLACE SUITES,
1440 N Dixie Hwy
Monroe MI 48162


45 LBS

34 OF 50

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

Handwritten:
1-31-25
~~10-28~~ 10:29
3:2
MN




NJ 078 9-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 3328 5014

1



BILLING: P/P

Reference No.1: 108413.003.010.001.000

XOL 25.01.06 NV45 3.0A 01/2025*



ATTN: GUEST: JOHN ELDOON
2153846932
1000 N PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162

45 LBS

35 OF 50

RM


SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

10:23

1/31/25

2.10




NJ 078 9-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 2352 8020

1



BILLING: P/P

Reference No. 1: 108413.003.010.001.000

XOL 25.01.08

NV45 3.0M 01/2025M



TM

Login Summary Report

Order ID :	Q1200	Order Date :	1/31/2025 10:23:00 AM	Project Mgr :	Deepak
Client :	USEPA CLP SMO	Project :	51900	Report Type :	USEPA CLP
Contact :	Anita Kapadia	Receive Date :	1/31/2025 10:23:00 AM	EDD Type :	EPA CLP
Date Sign Off :	1/31/2025 1:59:08 PM				

Sample ID	Client ID	Matrix	Sampling Date	Test	Test Group	Method	TAT Days	Fax Due Date	HC Due Date
Q1200-01	ME2964	Water	01/24/2025						
				Cyanide		SFAM_CN	15	02/21/2025	02/21/2025
				Hardness, Total		SFAM_MS	15	02/21/2025	02/21/2025
				Mercury		SFAM_HG	15	02/21/2025	02/21/2025
				Metals CLP MS		SFAM_MS	15	02/21/2025	02/21/2025
Q1200-02	ME2964D	Water	01/24/2025						
				Cyanide		SFAM_CN	15	02/21/2025	02/21/2025
				Hardness, Total		SFAM_MS	15	02/21/2025	02/21/2025
				Mercury		SFAM_HG	15	02/21/2025	02/21/2025
				Metals CLP MS		SFAM_MS	15	02/21/2025	02/21/2025
Q1200-03	ME2964S	Water	01/24/2025						
				Cyanide		SFAM_CN	15	02/21/2025	02/21/2025
				Hardness, Total		SFAM_MS	15	02/21/2025	02/21/2025
				Mercury		SFAM_HG	15	02/21/2025	02/21/2025
				Metals CLP MS		SFAM_MS	15	02/21/2025	02/21/2025
Q1200-04	ME2981	Water	01/27/2025						
				Cyanide		SFAM_CN	15	02/21/2025	02/21/2025
				Hardness, Total		SFAM_MS	15	02/21/2025	02/21/2025
				Mercury		SFAM_HG	15	02/21/2025	02/21/2025
				Metals CLP MS		SFAM_MS	15	02/21/2025	02/21/2025
Q1200-05	ME2982	Water	01/28/2025						
				Cyanide		SFAM_CN	15	02/21/2025	02/21/2025
				Hardness, Total		SFAM_MS	15	02/21/2025	02/21/2025
				Mercury		SFAM_HG	15	02/21/2025	02/21/2025
				Metals CLP MS		SFAM_MS	15	02/21/2025	02/21/2025
Q1200-06	ME2983	Water	01/28/2025						
				Cyanide		SFAM_CN	15	02/21/2025	02/21/2025
				Hardness, Total		SFAM_MS	15	02/21/2025	02/21/2025
				Mercury		SFAM_HG	15	02/21/2025	02/21/2025
				Metals CLP MS		SFAM_MS	15	02/21/2025	02/21/2025

Q1200-07	ME2984	Water	01/28/2025		
				Cyanide	SFAM_CN 15 02/21/2025 02/21/2025
				Hardness, Total	SFAM_MS 15 02/21/2025 02/21/2025
				Mercury	SFAM_HG 15 02/21/2025 02/21/2025
				Metals CLP MS	SFAM_MS 15 02/21/2025 02/21/2025
Q1200-08	ME2985	Water	01/28/2025		
				Cyanide	SFAM_CN 15 02/21/2025 02/21/2025
				Hardness, Total	SFAM_MS 15 02/21/2025 02/21/2025
				Mercury	SFAM_HG 15 02/21/2025 02/21/2025
				Metals CLP MS	SFAM_MS 15 02/21/2025 02/21/2025
Q1200-09	ME2986	Water	01/28/2025		
				Cyanide	SFAM_CN 15 02/21/2025 02/21/2025
				Hardness, Total	SFAM_MS 15 02/21/2025 02/21/2025
				Mercury	SFAM_HG 15 02/21/2025 02/21/2025
				Metals CLP MS	SFAM_MS 15 02/21/2025 02/21/2025
Q1200-10	ME2987	Water	01/28/2025		
				Cyanide	SFAM_CN 15 02/21/2025 02/21/2025
				Hardness, Total	SFAM_MS 15 02/21/2025 02/21/2025
				Mercury	SFAM_HG 15 02/21/2025 02/21/2025
				Metals CLP MS	SFAM_MS 15 02/21/2025 02/21/2025
Q1200-11	ME2988	Water	01/28/2025		
				Cyanide	SFAM_CN 15 02/21/2025 02/21/2025
				Hardness, Total	SFAM_MS 15 02/21/2025 02/21/2025
				Mercury	SFAM_HG 15 02/21/2025 02/21/2025
				Metals CLP MS	SFAM_MS 15 02/21/2025 02/21/2025
Q1200-12	ME2992	Water	01/29/2025		
				Cyanide	SFAM_CN 15 02/21/2025 02/21/2025
				Hardness, Total	SFAM_MS 15 02/21/2025 02/21/2025
				Mercury	SFAM_HG 15 02/21/2025 02/21/2025
				Metals CLP MS	SFAM_MS 15 02/21/2025 02/21/2025
Q1200-13	ME2994	Water	01/29/2025		
				Cyanide	SFAM_CN 15 02/21/2025 02/21/2025
				Hardness, Total	SFAM_MS 15 02/21/2025 02/21/2025
				Mercury	SFAM_HG 15 02/21/2025 02/21/2025
				Metals CLP MS	SFAM_MS 15 02/21/2025 02/21/2025
Q1200-14	ME2995	Water	01/29/2025		
				Cyanide	SFAM_CN 15 02/21/2025 02/21/2025
				Hardness, Total	SFAM_MS 15 02/21/2025 02/21/2025
				Mercury	SFAM_HG 15 02/21/2025 02/21/2025
				Metals CLP MS	SFAM_MS 15 02/21/2025 02/21/2025
Q1200-15	ME2999	Water	01/29/2025		

					Cyanide	SFAM_CN	15	02/21/2025	02/21/2025
					Hardness, Total	SFAM_MS	15	02/21/2025	02/21/2025
					Mercury	SFAM_HG	15	02/21/2025	02/21/2025
					Metals CLP MS	SFAM_MS	15	02/21/2025	02/21/2025
Q1200-16	ME2997	Water	01/29/2025						
					Cyanide	SFAM_CN	15	02/21/2025	02/21/2025
					Hardness, Total	SFAM_MS	15	02/21/2025	02/21/2025
					Mercury	SFAM_HG	15	02/21/2025	02/21/2025
					Metals CLP MS	SFAM_MS	15	02/21/2025	02/21/2025
Q1200-17	ME2998	Water	01/29/2025						
					Cyanide	SFAM_CN	15	02/21/2025	02/21/2025
					Hardness, Total	SFAM_MS	15	02/21/2025	02/21/2025
					Mercury	SFAM_HG	15	02/21/2025	02/21/2025
					Metals CLP MS	SFAM_MS	15	02/21/2025	02/21/2025
Q1200-18	ME29A0	Water	01/30/2025						
					Cyanide	SFAM_CN	15	02/21/2025	02/21/2025
					Hardness, Total	SFAM_MS	15	02/21/2025	02/21/2025
					Mercury	SFAM_HG	15	02/21/2025	02/21/2025
					Metals CLP MS	SFAM_MS	15	02/21/2025	02/21/2025
Q1200-19	ME29A1	Water	01/30/2025						
					Cyanide	SFAM_CN	15	02/21/2025	02/21/2025
					Hardness, Total	SFAM_MS	15	02/21/2025	02/21/2025
					Mercury	SFAM_HG	15	02/21/2025	02/21/2025
					Metals CLP MS	SFAM_MS	15	02/21/2025	02/21/2025
Q1200-20	ME29A2	Water	01/30/2025						
					Cyanide	SFAM_CN	15	02/21/2025	02/21/2025
					Hardness, Total	SFAM_MS	15	02/21/2025	02/21/2025
					Mercury	SFAM_HG	15	02/21/2025	02/21/2025
					Metals CLP MS	SFAM_MS	15	02/21/2025	02/21/2025
Q1200-21	ME29A3	Water	01/30/2025						
					Hardness, Total	SFAM_MS	15	02/21/2025	02/21/2025
					Mercury	SFAM_HG	15	02/21/2025	02/21/2025
					Metals CLP MS	SFAM_MS	15	02/21/2025	02/21/2025

WORKLIST(Hardcopy Internal Chain)

Worklist Name : PB166435

Worklist ID : 187367

Department : Digestion

Date : 01-31-2025 14:36:25

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1200-01	ME2964	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/24/2025	SFAM_MS
Q1200-02	ME2964D	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/24/2025	SFAM_MS
Q1200-03	ME2964S	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/24/2025	SFAM_MS
Q1200-04	ME2981	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_MS
Q1200-05	ME2982	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_MS
Q1200-06	ME2983	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_MS
Q1200-07	ME2984	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_MS
Q1200-08	ME2985	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_MS
Q1200-09	ME2986	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_MS
Q1200-10	ME2987	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_MS
Q1200-11	ME2988	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_MS
Q1200-12	ME2992	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_MS
Q1200-13	ME2994	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_MS
Q1200-14	ME2995	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_MS
Q1200-15	ME2999	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_MS
Q1200-16	ME2997	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_MS
Q1200-17	ME2998	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_MS
Q1200-18	ME29A0	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_MS
Q1200-19	ME29A1	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_MS
Q1200-20	ME29A2	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_MS
Q1200-21	ME29A3	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_MS

Date/Time 01/30/25 14:55

Raw Sample Received by: Sbs. met dr

Raw Sample Relinquished by: SP cm

Date/Time 01/30/25 15:55

Raw Sample Received by: SP cm

Raw Sample Relinquished by: Sbs. met dr

WORKLIST(Hardcopy Internal Chain)

WorkList Name : Q1200_HgW

WorkList ID : 187744

Department : Digestion

Date : 02-18-2025 10:19:56

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1200-01	ME2964	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/24/2025	SFAM_HG
Q1200-02	ME2964D	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/24/2025	SFAM_HG
Q1200-03	ME2964S	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/24/2025	SFAM_HG
Q1200-04	ME2981	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_HG
Q1200-05	ME2982	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_HG
Q1200-06	ME2983	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_HG
Q1200-07	ME2984	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_HG
Q1200-08	ME2985	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_HG
Q1200-09	ME2986	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_HG
Q1200-10	ME2987	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_HG
Q1200-11	ME2988	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/28/2025	SFAM_HG
Q1200-12	ME2992	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1200-13	ME2994	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1200-14	ME2995	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1200-15	ME2999	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1200-16	ME2997	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1200-17	ME2998	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1200-18	ME29A0	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_HG
Q1200-19	ME29A1	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_HG
Q1200-20	ME29A2	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_HG
Q1200-21	ME29A3	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_HG

Date/Time 2/18/25 @ 10:15
 Raw Sample Received by: BBB, D19, LAG
 Raw Sample Relinquished by: BBB - D19, LAG

Date/Time 2/18/25 @ 10:15
 Raw Sample Received by: BBB, D19, LAG
 Raw Sample Relinquished by: BBB - D19, LAG

WORKLIST(Hardcopy Internal Chain)

WorkList Name : Q1200_HgW

WorkList ID : 187744

Department : Digestion

Date : 02-18-2025 10:19:56

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1223-17	A6310	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C21	01/27/2025	SFAM_HG

Date/Time 2/18/25 @ 10:15
Raw Sample Received by: AS - 1119-208
Raw Sample Relinquished by: AS - 1119-207

Date/Time 2/18/25 @ 16:55
Raw Sample Received by: AS - 1119-208
Raw Sample Relinquished by: AS - 1119-207

WORKLIST(Hardcopy Internal Chain)

WorkList Name : cn q1200 w-1

WorkList ID : 187365

Department : Distillation

Date : 01-31-2025 14:15:08

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1200-01 β	ME2964	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/24/2025	SFAM_CN
Q1200-02	ME2964D	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/24/2025	SFAM_CN
Q1200-03	ME2964S	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/24/2025	SFAM_CN
Q1200-04 β	ME2981	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/27/2025	SFAM_CN
Q1200-05 β	ME2982	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/28/2025	SFAM_CN
Q1200-06 β	ME2983	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/28/2025	SFAM_CN
Q1200-07 β	ME2984	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/28/2025	SFAM_CN
Q1200-08 β	ME2985	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/28/2025	SFAM_CN
Q1200-09 β	ME2986	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/28/2025	SFAM_CN
Q1200-10 β	ME2987	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/28/2025	SFAM_CN
Q1200-11 β	ME2988	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/28/2025	SFAM_CN
Q1200-12 β	ME2992	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/28/2025	SFAM_CN
Q1200-13 β	ME2994	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/29/2025	SFAM_CN
Q1200-14 β	ME2995	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/29/2025	SFAM_CN
Q1200-15 β	ME2999	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/29/2025	SFAM_CN
Q1200-16 β	ME2997	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/29/2025	SFAM_CN
Q1200-17 β	ME2998	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/29/2025	SFAM_CN
Q1200-18 β	ME29A0	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/28/2025	SFAM_CN
Q1200-19 β	ME29A1	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/30/2025	SFAM_CN
Q1200-20 β	ME29A2	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/30/2025	SFAM_CN

Date/Time 02.05.2025, 09:00

Raw Sample Received by: TR WWC

Raw Sample Relinquished by: [Signature]

Date/Time 02.05.2025, 15:30

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]