

ATTN GUEST: JOHN FLOON
2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162


45 LBS

21 OF 50

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST # 1**
MOUNTAINSIDE NJ 07092

[Handwritten signature]
11/20/25
1010
3.5c




NJ 078 9-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 2813 1083



BILLING: P/P



Reference No. 1: 108413.003.010.001.000


XOL 25.01.06 NV/45 3.0A 01/2025*

ATTN: GUEST, JOHN FILOON 45 LBS 22 OF 50
2153846952
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162

SHIP TO:
ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

11/28/25
1010
2-9c

NJ 078 9-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 3361 4499



BILLING: P/P



Reference No.1: 108413.003.010.001.000

XOL 25.01.06 NV45 3.0A 01/2025*

ATTN GUEST: JOHN FILOON
2153846592
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162

45 LBS

27 OF 50

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC

908 7898900

ALLIANCE TECHNICAL GROUP LLC


284 SHEFFIELD ST #1

MOUNTAINSIDE NJ 07092


1-30-25

10:18

3.3




NJ 078 9-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 2068 9540



BILLING: P/P

Reference No. 1: 108413.003.010.001.000

XGL 23.01.06 NV45 3.0A 01/2025*



TM

ATTN: GUEST, JOHN FILOON
2153846932
TOWN PLACE SUITES,
1440 N. DIXIE HWY
MONROE MI 48162


45 LBS

36 OF 50

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

1-31-25
10-23
3.6




NJ 078 9-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 3174 8232



BILLING: P/P

Reference No.1: 108413.003.010.001.000

XOL 25.01.06 NV45 3.DA 01/2025*



ATTN: GUEST: JOHN FLOON

45 LBS

37 OF 50

2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162

R.M

10:23

2:28

1-31-25

SHIP TO:


ALLIANCE TECHNICAL GROUP LLC

908 7898900


ALLIANCE TECHNICAL GROUP LLC

284 SHEFFIELD ST #1

MOUNTAINSIDE NJ 07092




NJ 078 9-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 3872 9642



BILLING: P/P

Reference No.1: 108413.003.010.001.000

XOL 25-01-06 NV45 3.0A 01/2025*



ATTN GUEST: JOHN FILOON
2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162

45 LBS

1 OF 5

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC


908 7898900

ALLIANCE TECHNICAL GROUP LLC

284 SHEFFIELD ST #1

MOUNTAINSIDE NJ 07092

Don
2/1/25
10:10
1.8"




NJ 078 9-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 44 3662 8282

1S



BILLING: P/P

Reference No.1: 108413.003.010.001.000

XOL 25.01.30

NV4S 5.0A 01/2025*



TM

ATTN GUEST: JOHN FILOON
2153846932
TOWN PLACE SUITES,
1440 N Dixie Hwy
MONROE MI 48162

45 LBS

2 OF 5


Pen 2/11/25

SHIP TO:


ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST # 1
MOUNTAINSIDE NJ 07092

10:10

1.3^c




NJ 078 9-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 44 3729 5694

1S



BILLING: P/P

Reference No.1: 108413.003.010.001.000

XOL 25.01.30

NV45 5.0A 01/2025*



TM

ATTN GUEST: JOHN FILOON
2153846932
TOWN PLACE SUITES,
1440 N DDIE HWY
MONROE MI 48162

45 LBS

3 OF 5


SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

Devin

2/1/25

2:10:10




NJ 078 9-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 44 2590 8302

1S



BILLING: P/P

Reference No.1: 108413.003.010.001.000

XOL 25.01.30

NV4S 5.0A 01/2025*



TM

ATTN: GUEST: JOHN FLOON
2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162


45 LBS

38 OF 50

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST # 1
MOUNTAINSIDE NJ 07092

2/4/25
1028
2.3.2




NJ 078 9-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 3373 6250



BILLING: P/P



Reference No. 1: 108413.003.010.001.000

XOL 25.01.06 NV45 3.0A 01/2025*

ATTN: GUEST: JOHN FLOON 45 LBS 39 OF 50

2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC

908 7898900

ALLIANCE TECHNICAL GROUP LLC


284 SHEFFIELD ST #1

MOUNTAINSIDE NJ 07092


2-4-25

10:28

2.8




NJ 078 9-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 2011 2064



BILLING: P/P

Reference No.1: 108413.003.010.001.000

XOL 25.01.06 NV45 3.0A 01/2025*



Login Summary Report

Order ID :	Q1204	Order Date :	2/4/2025 10:28:00 AM	Project Mgr :	Deepak
Client :	USEPA CLP SMO	Project :	51900	Report Type :	USEPA CLP
Contact :	Anita Kapadia	Receive Date :	2/4/2025 10:28:00 AM	EDD Type :	EPA CLP
Date Sign Off :	2/4/2025 2:08:25 PM				

Sample ID	Client ID	Matrix	Sampling Date	Test	Test Group	Method	TAT Days	Fax Due Date	HC Due Date
Q1204-01	ME2975	Water	01/27/2025						
				Cyanide		SFAM_CN	15	02/25/2025	02/25/2025
				Hardness, Total		SFAM_MS	15	02/25/2025	02/25/2025
				Mercury		SFAM_HG	15	02/25/2025	02/25/2025
				Metals CLP MS		SFAM_MS	15	02/25/2025	02/25/2025
Q1204-02	ME2975D	Water	01/27/2025						
				Cyanide		SFAM_CN	15	02/25/2025	02/25/2025
				Hardness, Total		SFAM_MS	15	02/25/2025	02/25/2025
				Mercury		SFAM_HG	15	02/25/2025	02/25/2025
				Metals CLP MS		SFAM_MS	15	02/25/2025	02/25/2025
Q1204-03	ME2975S	Water	01/27/2025						
				Cyanide		SFAM_CN	15	02/25/2025	02/25/2025
				Hardness, Total		SFAM_MS	15	02/25/2025	02/25/2025
				Mercury		SFAM_HG	15	02/25/2025	02/25/2025
				Metals CLP MS		SFAM_MS	15	02/25/2025	02/25/2025
Q1204-04	ME2978	Water	01/27/2025						
				Cyanide		SFAM_CN	15	02/25/2025	02/25/2025
				Hardness, Total		SFAM_MS	15	02/25/2025	02/25/2025
				Mercury		SFAM_HG	15	02/25/2025	02/25/2025
				Metals CLP MS		SFAM_MS	15	02/25/2025	02/25/2025
Q1204-05	ME2979	Water	01/27/2025						
				Cyanide		SFAM_CN	15	02/25/2025	02/25/2025
				Hardness, Total		SFAM_MS	15	02/25/2025	02/25/2025
				Mercury		SFAM_HG	15	02/25/2025	02/25/2025
				Metals CLP MS		SFAM_MS	15	02/25/2025	02/25/2025
Q1204-06	ME2989	Water	01/29/2025						
				Hardness, Total		SFAM_MS	15	02/25/2025	02/25/2025
				Mercury		SFAM_HG	15	02/25/2025	02/25/2025
				Metals CLP MS		SFAM_MS	15	02/25/2025	02/25/2025
Q1204-07	ME2991	Water	01/29/2025						

					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-08	ME2996	Water	01/29/2025						
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-09	ME29A4	Water	01/30/2025						
					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-10	ME29A5	Water	01/30/2025						
					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-11	ME29A7	Water	01/30/2025						
					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-12	ME29A8	Water	01/30/2025						
					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-13	ME29B0	Water	01/31/2025						
					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-14	ME29B1	Water	01/31/2025						
					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-15	ME29A9	Water	01/30/2025						
					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025

					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-16	ME29B2	Water	01/31/2025						
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-17	ME29B3	Water	01/31/2025						
					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-18	ME29B4	Water	01/31/2025						
					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-19	ME29B5	Water	01/31/2025						
					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-20	ME29B8	Water	02/03/2025						
					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-21	ME29B9	Water	02/03/2025						
					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025
Q1204-22	ME29C0	Water	02/03/2025						
					Cyanide	SFAM_CN	15	02/25/2025	02/25/2025
					Hardness, Total	SFAM_MS	15	02/25/2025	02/25/2025
					Mercury	SFAM_HG	15	02/25/2025	02/25/2025
					Metals CLP MS	SFAM_MS	15	02/25/2025	02/25/2025

WORKLIST(Hardcopy Internal Chain)

Worklist Name : PB166569

Worklist ID : 187496

Department : Digestion

Date : 02-05-2025 09:41:23

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1204-01	ME2975	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_MS
Q1204-02	ME2975D	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_MS
Q1204-03	ME2975S	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_MS
Q1204-04	ME2978	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_MS
Q1204-05	ME2979	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_MS
Q1204-06	ME2989	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_MS
Q1204-07	ME2991	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_MS
Q1204-08	ME2996	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_MS
Q1204-09	ME29A4	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_MS
Q1204-10	ME29A5	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_MS
Q1204-11	ME29A7	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_MS
Q1204-12	ME29A8	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_MS
Q1204-13	ME29B0	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_MS
Q1204-14	ME29B1	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/31/2025	SFAM_MS
Q1204-15	ME29A9	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/31/2025	SFAM_MS
Q1204-16	ME29B2	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_MS
Q1204-17	ME29B3	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/31/2025	SFAM_MS
Q1204-18	ME29B4	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/31/2025	SFAM_MS
Q1204-19	ME29B5	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	01/31/2025	SFAM_MS
Q1204-20	ME29B8	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	02/03/2025	SFAM_MS
Q1204-21	ME29B9	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	02/03/2025	SFAM_MS

Date/Time

02/05/25 10:15

Raw Sample Received by: SLD.mct.dg.

Raw Sample Relinquished by:

SLD

Date/Time

02/05/25 11:15

Raw Sample Received by:

Raw Sample Relinquished by: SLD.mct.dg.

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PB166569

WorkList ID : 187496

Department : Digestion

Date : 02-05-2025 09:41:23

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1204-22	ME29C0	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	02/03/2025	SFAM_MS

Date/Time 02/05/25 10:15

Raw Sample Received by: S100.mct.d19

Raw Sample Relinquished by: CFS

Date/Time 02/05/25 11:15

Raw Sample Received by: S100.mct.d19

Raw Sample Relinquished by: S100.mct.d19

WORKLIST(Hardcopy Internal Chain)

WorkList Name : Q1204_HgW

WorkList ID : 187745

Department : Digestion

Date : 02-18-2025 10:20:02

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1204-01	ME2975	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_HG
Q1204-02	ME2975D	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_HG
Q1204-03	ME2975S	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_HG
Q1204-04	ME2978	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_HG
Q1204-05	ME2979	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_HG
Q1204-06	ME2989	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/27/2025	SFAM_HG
Q1204-19	ME29B5	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1204-20	ME29B8	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/31/2025	SFAM_HG
Q1204-21	ME29B9	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	02/03/2025	SFAM_HG
Q1204-22	ME29C0	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	02/03/2025	SFAM_HG
Q1204-13	ME29B0	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	02/03/2025	SFAM_HG
Q1204-14	ME29B1	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/31/2025	SFAM_HG
Q1204-15	ME29A9	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/31/2025	SFAM_HG
Q1204-16	ME29B2	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_HG
Q1204-17	ME29B3	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/31/2025	SFAM_HG
Q1204-18	ME29B4	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/31/2025	SFAM_HG
Q1204-07	ME2991	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/31/2025	SFAM_HG
Q1204-08	ME2996	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1204-09	ME29A4	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1204-10	ME29A5	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_HG
Q1204-11	ME29A7	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_HG

Date/Time 2/18/25 10:15

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

WORKLIST(Hardcopy Internal Chain)

WorkList Name : Q1204_HgW

WorkList ID : 187745

Department : Digestion

Date : 02-18-2025 10:20:02

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1204-12	ME29A8	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_HG

Date/Time 2/18/25 @ 10:15
Raw Sample Received by: 003 ~ 019.68
Raw Sample Relinquished by: 003 ~ 019.68

Date/Time 2/18/25 @ 11:05
Raw Sample Received by: 003 ~ 019.68
Raw Sample Relinquished by: 003 ~ 019.68

WORKLIST(Hardcopy Internal Chain)

WorkList Name : cn q1204 w

WorkList ID : 187462

Department : Distillation

Date : 02-04-2025 12:57:46

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1204-01 ☒	ME2975	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/27/2025	SFAM_CN
Q1204-02	ME2975D	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/27/2025	SFAM_CN
Q1204-03	ME2975S	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/27/2025	SFAM_CN
Q1204-04 ☒	ME2978	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/27/2025	SFAM_CN
Q1204-05 ☒	ME2979	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/27/2025	SFAM_CN
Q1204-07 ☒	ME2991	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/27/2025	SFAM_CN
Q1204-09 ☒	ME29A4	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/29/2025	SFAM_CN
Q1204-10 ☒	ME29A5	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/30/2025	SFAM_CN
Q1204-11 ☒	ME29A7	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/30/2025	SFAM_CN
Q1204-12 ☒	ME29A8	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/30/2025	SFAM_CN
Q1204-13 ☒	ME29B0	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/30/2025	SFAM_CN
Q1204-14 ☒	ME29B1	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/31/2025	SFAM_CN
Q1204-15 ☒	ME29A9	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/31/2025	SFAM_CN
Q1204-17 ☒	ME29B3	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/30/2025	SFAM_CN
Q1204-18 ☒	ME29B4	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/31/2025	SFAM_CN
Q1204-19 ☒	ME29B5	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/31/2025	SFAM_CN
Q1204-20 ☒	ME29B8	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	01/31/2025	SFAM_CN
Q1204-21 ☒	ME29B9	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	02/03/2025	SFAM_CN
Q1204-22 ☒	ME29C0	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	02/03/2025	SFAM_CN
							02/04/2025	SFAM_CN

Date/Time 02.05.2025 , 11:00

Raw Sample Received by: JR Gole

Raw Sample Relinquished by: JR Gole

Date/Time

02.05.2025 , 15:30

Raw Sample Received by:

Raw Sample Relinquished by: