



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2b -

CRDL STANDARD FOR AA & ICP

Client: RU2 Engineering, LLC **SDG No.:** Q1206
Contract: RUTW01 **Lab Code:** CHEM **Case No.:** Q1206 **SAS No.:** Q1206
Initial Calibration Source: _____
Continuing Calibration Source: _____

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CRA	Mercury	0.17	0.2	85	40 - 160	CV	01/30/2025	07:35	LB134478
CRI01	Aluminum	84.9	100	85	40 - 160	P	01/30/2025	12:05	LB134493
	Antimony	47.1	50.0	94	40 - 160	P	01/30/2025	12:05	LB134493
	Arsenic	21.5	20.0	107	40 - 160	P	01/30/2025	12:05	LB134493
	Barium	90.1	100	90	40 - 160	P	01/30/2025	12:05	LB134493
	Beryllium	5.61	6.0	93	40 - 160	P	01/30/2025	12:05	LB134493
	Cadmium	5.56	6.0	93	40 - 160	P	01/30/2025	12:05	LB134493
	Calcium	1880	2000	94	40 - 160	P	01/30/2025	12:05	LB134493
	Chromium	9.97	10.0	100	40 - 160	P	01/30/2025	12:05	LB134493
	Cobalt	28.5	30.0	95	40 - 160	P	01/30/2025	12:05	LB134493
	Copper	21.8	20.0	109	40 - 160	P	01/30/2025	12:05	LB134493
	Iron	81.5	100	82	40 - 160	P	01/30/2025	12:05	LB134493
	Lead	10.9	12.0	91	40 - 160	P	01/30/2025	12:05	LB134493
	Magnesium	2010	2000	101	40 - 160	P	01/30/2025	12:05	LB134493
	Manganese	18.2	20.0	91	40 - 160	P	01/30/2025	12:05	LB134493
	Nickel	38.1	40.0	95	40 - 160	P	01/30/2025	12:05	LB134493
	Potassium	2030	2000	101	40 - 160	P	01/30/2025	12:05	LB134493
	Selenium	18.4	20.0	92	40 - 160	P	01/30/2025	12:05	LB134493
	Silver	11.1	10.0	111	40 - 160	P	01/30/2025	12:05	LB134493
	Sodium	2020	2000	101	40 - 160	P	01/30/2025	12:05	LB134493
	Thallium	40.0	40.0	100	40 - 160	P	01/30/2025	12:05	LB134493
	Vanadium	34.7	40.0	87	40 - 160	P	01/30/2025	12:05	LB134493
	Zinc	39.3	40.0	98	40 - 160	P	01/30/2025	12:05	LB134493