

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB012925\
Data File : FB031367.D
Signal(s) : FID2B.CH
Acq On : 29 Jan 2025 14:07
Sample : BSF0129S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 12 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011525.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.724	4.571	4.942	BV	13545	1001266	81.80%	14.316%
2	7.426	7.206	7.640	PV	13076	1157468	94.56%	16.549%
3	7.757	7.640	7.826	VV	6586	373517	30.52%	5.340%
4	7.895	7.826	8.091	VV	8109	443455	36.23%	6.340%
5	8.795	8.581	9.007	BV	7347	419889	34.30%	6.003%
6	10.624	10.510	10.933	VV	23537	1223997	100.00%	17.500%
7	13.061	12.882	13.121	BV	7470	350256	28.62%	5.008%
8	13.194	13.121	13.410	VV	14689	754055	61.61%	10.781%
9	13.922	13.719	14.056	PV	14123	713461	58.29%	10.201%
10	16.199	16.063	16.403	PBA	12631	556785	45.49%	7.961%

Sum of corrected areas: 6994147

FB011525.M Thu Jan 30 01:18:15 2025