

Analytical Sequence

Client: RU2 Engineering, LLC	SDG No.: Q1206
Project: NYCDDC SANTWOBR Brooklyn Bridge BI	Instrument ID: ECD_S
GC Column: RTX-CLP	ID: 0.32 (mm) Inst. Calib. Date(s): 01/14/2025 01/14/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
LBLK	LBLK	01/14/2025	10:07	PS028900.D	7.20	0.00
HSTDICC200	HSTDICC200	01/14/2025	10:31	PS028901.D	7.20	0.00
HSTDICC500	HSTDICC500	01/14/2025	10:55	PS028902.D	7.20	0.00
HSTDICC750	HSTDICC750	01/14/2025	11:19	PS028903.D	7.20	0.00
HSTDICC1000	HSTDICC1000	01/14/2025	11:43	PS028904.D	7.20	0.00
HSTDICC1500	HSTDICC1500	01/14/2025	12:07	PS028905.D	7.20	0.00
LBLK	LBLK	01/30/2025	12:56	PS028988.D	7.19	0.00
HSTDCCC750	HSTDCCC750	01/30/2025	13:20	PS028989.D	7.19	0.00
PB166382BL	PB166382BL	01/30/2025	13:44	PS028990.D	7.19	0.00
PB166382BS	PB166382BS	01/30/2025	14:08	PS028991.D	7.19	0.00
PB166318TB	PB166318TB	01/30/2025	14:32	PS028992.D	7.19	0.00
JPP-20.1-012725	Q1206-04	01/30/2025	14:56	PS028993.D	7.19	0.00
JPP-20.1-012725MS	Q1206-04MS	01/30/2025	15:20	PS028994.D	7.19	0.00
JPP-20.1-012725MSD	Q1206-04MSD	01/30/2025	15:43	PS028995.D	7.19	0.00
JPP-16.3-012725	Q1206-08	01/30/2025	16:07	PS028996.D	7.19	0.00
LBLK	LBLK	01/30/2025	16:31	PS028997.D	7.19	0.00
HSTDCCC750	HSTDCCC750	01/30/2025	16:55	PS028998.D	7.19	0.00

Analytical Sequence

Client: RU2 Engineering, LLC	SDG No.: Q1206
Project: NYCDDC SANTWOBR Brooklyn Bridge BI	Instrument ID: ECD_S
GC Column: RTX-CLP2	ID: 0.32 (mm) Inst. Calib. Date(s): 01/14/2025 01/14/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
LBLK	LBLK	01/14/2025	10:07	PS028900.D	7.68	0.00
HSTDICC200	HSTDICC200	01/14/2025	10:31	PS028901.D	7.68	0.00
HSTDICC500	HSTDICC500	01/14/2025	10:55	PS028902.D	7.68	0.00
HSTDICC750	HSTDICC750	01/14/2025	11:19	PS028903.D	7.68	0.00
HSTDICC1000	HSTDICC1000	01/14/2025	11:43	PS028904.D	7.68	0.00
HSTDICC1500	HSTDICC1500	01/14/2025	12:07	PS028905.D	7.68	0.00
LBLK	LBLK	01/30/2025	12:56	PS028988.D	7.67	0.00
HSTDCCC750	HSTDCCC750	01/30/2025	13:20	PS028989.D	7.67	0.00
PB166382BL	PB166382BL	01/30/2025	13:44	PS028990.D	7.67	0.00
PB166382BS	PB166382BS	01/30/2025	14:08	PS028991.D	7.67	0.00
PB166318TB	PB166318TB	01/30/2025	14:32	PS028992.D	7.67	0.00
JPP-20.1-012725	Q1206-04	01/30/2025	14:56	PS028993.D	7.67	0.00
JPP-20.1-012725MS	Q1206-04MS	01/30/2025	15:20	PS028994.D	7.67	0.00
JPP-20.1-012725MSD	Q1206-04MSD	01/30/2025	15:43	PS028995.D	7.67	0.00
JPP-16.3-012725	Q1206-08	01/30/2025	16:07	PS028996.D	7.67	0.00
LBLK	LBLK	01/30/2025	16:31	PS028997.D	7.67	0.00
HSTDCCC750	HSTDCCC750	01/30/2025	16:55	PS028998.D	7.67	0.00