

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	
Client Sample ID:	PB166354BS	SDG No.:	Q1206
Lab Sample ID:	PB166354BS	Matrix:	TCLP
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141445.D	1	01/29/25 12:35	02/05/25 14:24	PB166354

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	38.6		1.60	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	46.7		0.84	5.00	ug/L
95-48-7	2-Methylphenol	45.8		1.10	5.00	ug/L
65794-96-9	3+4-Methylphenols	48.2		1.20	10.0	ug/L
67-72-1	Hexachloroethane	48.9		1.00	5.00	ug/L
98-95-3	Nitrobenzene	47.0		1.30	5.00	ug/L
87-68-3	Hexachlorobutadiene	49.7		1.30	5.00	ug/L
88-06-2	2,4,6-Trichlorophenol	50.3		0.89	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	49.8		1.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	52.3		1.50	5.00	ug/L
118-74-1	Hexachlorobenzene	49.8		1.10	5.00	ug/L
87-86-5	Pentachlorophenol	100	E	1.90	10.0	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	135		10 - 139	90%	SPK: 150
13127-88-3	Phenol-d6	128		10 - 134	85%	SPK: 150
4165-60-0	Nitrobenzene-d5	96.9		49 - 133	97%	SPK: 100
321-60-8	2-Fluorobiphenyl	96.5		52 - 132	96%	SPK: 100
118-79-6	2,4,6-Tribromophenol	159		44 - 137	106%	SPK: 150
1718-51-0	Terphenyl-d14	95.9		48 - 125	96%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	68600		6.787		
1146-65-2	Naphthalene-d8	267000		8.075		
15067-26-2	Acenaphthene-d10	146000		9.828		
1517-22-2	Phenanthrene-d10	256000		11.316		
1719-03-5	Chrysene-d12	181000		13.963		
1520-96-3	Perylene-d12	152000		15.427		

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	
Client Sample ID:	PB166354BS	SDG No.:	Q1206
Lab Sample ID:	PB166354BS	Matrix:	TCLP
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141445.D	1	01/29/25 12:35	02/05/25 14:24	PB166354

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products