

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	01/28/25
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	01/28/25
Client Sample ID:	VNJ-236MSD	SDG No.:	Q1206
Lab Sample ID:	Q1205-02MSD	Matrix:	TCLP
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141348.D	1	01/29/25 12:35	01/31/25 22:43	PB166354

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	360		15.5	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	360		8.40	50.0	ug/L
95-48-7	2-Methylphenol	370		11.3	50.0	ug/L
65794-96-9	3+4-Methylphenols	400		11.5	100	ug/L
67-72-1	Hexachloroethane	360		10.1	50.0	ug/L
98-95-3	Nitrobenzene	360		12.7	50.0	ug/L
87-68-3	Hexachlorobutadiene	360		12.7	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	390		8.90	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	380		10.1	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	370		15.2	50.0	ug/L
118-74-1	Hexachlorobenzene	410		11.4	50.0	ug/L
87-86-5	Pentachlorophenol	770		18.5	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	112		10 - 139	75%	SPK: 150
13127-88-3	Phenol-d6	103		10 - 134	69%	SPK: 150
4165-60-0	Nitrobenzene-d5	85.5		49 - 133	86%	SPK: 100
321-60-8	2-Fluorobiphenyl	80.9		52 - 132	81%	SPK: 100
118-79-6	2,4,6-Tribromophenol	119		44 - 137	79%	SPK: 150
1718-51-0	Terphenyl-d14	69.4		48 - 125	69%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	154000	6.798			
1146-65-2	Naphthalene-d8	606000	8.081			
15067-26-2	Acenaphthene-d10	316000	9.839			
1517-22-2	Phenanthrene-d10	462000	11.327			
1719-03-5	Chrysene-d12	295000	13.968			
1520-96-3	Perylene-d12	279000	15.421			

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	01/28/25
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	01/28/25
Client Sample ID:	VNJ-236MSD	SDG No.:	Q1206
Lab Sample ID:	Q1205-02MSD	Matrix:	TCLP
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141348.D	1	01/29/25 12:35	01/31/25 22:43	PB166354

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products