

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012925\
 Data File : BF141291.D
 Acq On : 29 Jan 2025 10:56
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005

Quant Time: Jan 29 16:26:46 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 16:24:35 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.799	152	134200	20.000	ng	0.00
21) Naphthalene-d8	8.081	136	531551	20.000	ng	0.00
39) Acenaphthene-d10	9.834	164	281034	20.000	ng	0.00
64) Phenanthrene-d10	11.322	188	497368	20.000	ng	0.00
76) Chrysene-d12	13.963	240	288657	20.000	ng	0.00
86) Perylene-d12	15.427	264	273117	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.404	112	95839	11.044	ng	0.00
7) Phenol-d6	6.416	99	123556	11.172	ng	-0.01
23) Nitrobenzene-d5	7.357	82	107680	10.719	ng	0.00
42) 2,4,6-Tribromophenol	10.622	330	27799	10.855	ng	0.00
45) 2-Fluorobiphenyl	9.151	172	224446	12.320	ng	0.00
79) Terphenyl-d14	12.910	244	222747	11.874	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.487	88	20141	5.229	ng	99
3) Pyridine	3.234	79	45762	4.967	ng	97
4) n-Nitrosodimethylamine	3.158	42	25819	4.894	ng	# 96
6) Aniline	6.457	93	49669	5.373	ng	99
8) 2-Chlorophenol	6.581	128	51505	5.527	ng	96
9) Benzaldehyde	6.346	77	39117	6.090	ng	97
10) Phenol	6.434	94	65035	5.558	ng	93
11) bis(2-Chloroethyl)ether	6.528	93	49579	5.510	ng	98
12) 1,3-Dichlorobenzene	6.740	146	56929	5.539	ng	99
13) 1,4-Dichlorobenzene	6.816	146	57684	5.573	ng	99
14) 1,2-Dichlorobenzene	6.969	146	54653	5.650	ng	98
15) Benzyl Alcohol	6.934	79	38176	5.053	ng	94
16) 2,2'-oxybis(1-Chloropr...	7.075	45	84988	5.436	ng	100
17) 2-Methylphenol	7.046	107	41498	5.500	ng	99
18) Hexachloroethane	7.310	117	20418	5.332	ng	95
19) n-Nitroso-di-n-propyla...	7.198	70	35278	5.363	ng	100
20) 3+4-Methylphenols	7.198	107	52364	5.645	ng	# 90
22) Acetophenone	7.204	105	72756	5.774	ng	98
24) Nitrobenzene	7.375	77	55610	5.337	ng	99
25) Isophorone	7.610	82	92818	5.346	ng	98
26) 2-Nitrophenol	7.693	139	23372	4.789	ng	97
27) 2,4-Dimethylphenol	7.728	122	32462	5.205	ng	99
28) bis(2-Chloroethoxy)met...	7.828	93	60286	5.449	ng	98
29) 2,4-Dichlorophenol	7.934	162	40847	5.360	ng	99
30) 1,2,4-Trichlorobenzene	8.022	180	49479	5.661	ng	96
31) Naphthalene	8.098	128	158560	5.672	ng	99
32) Benzoic acid	7.793	122	18585	3.281	ng	93
33) 4-Chloroaniline	8.151	127	50760	5.405	ng	97
34) Hexachlorobutadiene	8.222	225	27720	5.419	ng	99
35) Caprolactam	8.475	113	12827	5.204	ng	94
36) 4-Chloro-3-methylphenol	8.622	107	43627	5.334	ng	97
37) 2-Methylnaphthalene	8.793	142	100305	5.634	ng	98
38) 1-Methylnaphthalene	8.893	142	100569	5.767	ng	99
40) 1,2,4,5-Tetrachloroben...	8.957	216	43228	5.410	ng	97
41) Hexachlorocyclopentadiene	8.945	237	9555	3.985	ng	98
43) 2,4,6-Trichlorophenol	9.069	196	26790	5.136	ng	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012925\
 Data File : BF141291.D
 Acq On : 29 Jan 2025 10:56
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005


Quant Time: Jan 29 16:26:46 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 16:24:35 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.104	196	30127	5.309	ng	98
46) 1,1'-Biphenyl	9.257	154	127187	5.801	ng	99
47) 2-Chloronaphthalene	9.281	162	98081	5.760	ng	97
48) 2-Nitroaniline	9.375	65	27154	5.056	ng	99
49) Acenaphthylene	9.692	152	134958	5.643	ng	99
50) Dimethylphthalate	9.551	163	105240	5.584	ng	99
51) 2,6-Dinitrotoluene	9.616	165	23372	5.329	ng	95
52) Acenaphthene	9.869	154	95591	5.617	ng	100
53) 3-Nitroaniline	9.781	138	22582	5.206	ng	91
55) Dibenzofuran	10.039	168	131288	5.769	ng	98
56) 4-Nitrophenol	9.945	139	13160	4.226	ng	89
57) 2,4-Dinitrotoluene	10.016	165	29799	5.268	ng	98
58) Fluorene	10.381	166	106198	6.002	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.157	232	22818	5.090	ng	96
60) Diethylphthalate	10.251	149	103307	5.660	ng	98
61) 4-Chlorophenyl-phenyle...	10.375	204	51875	6.007	ng	98
62) 4-Nitroaniline	10.387	138	20870	5.008	ng	95
63) Azobenzene	10.534	77	102878	5.623	ng	98
65) 4,6-Dinitro-2-methylph...	10.422	198	9960	3.353	ng	92
66) n-Nitrosodiphenylamine	10.492	169	89060	5.523	ng	99
67) 4-Bromophenyl-phenylether	10.869	248	29160	5.245	ng	94
68) Hexachlorobenzene	10.928	284	31990	5.424	ng	98
69) Atrazine	11.016	200	26258	4.855	ng	97
70) Pentachlorophenol	11.128	266	13924	4.027	ng	96
71) Phenanthrene	11.345	178	153320	5.738	ng	99
72) Anthracene	11.398	178	146593	5.625	ng	99
73) Carbazole	11.551	167	126760	5.491	ng	99
74) Di-n-butylphthalate	11.886	149	154718	5.560	ng	100
75) Fluoranthene	12.533	202	148553	5.696	ng	99
77) Benzidine	12.663	184	63661	7.253	ng	98
78) Pyrene	12.763	202	157175	5.639	ng	99
80) Butylbenzylphthalate	13.386	149	49477	5.140	ng	99
81) Benzo(a)anthracene	13.951	228	110559	5.588	ng	99
82) 3,3'-Dichlorobenzidine	13.922	252	29754	4.803	ng	100
83) Chrysene	13.992	228	96099	5.238	ng	99
84) Bis(2-ethylhexyl)phtha...	13.951	149	63638	5.269	ng	98
85) Di-n-octyl phthalate	14.574	149	86163	4.560	ng	98
87) Indeno(1,2,3-cd)pyrene	16.863	276	83074	4.657	ng	99
88) Benzo(b)fluoranthene	14.998	252	92690	5.465	ng	99
89) Benzo(k)fluoranthene	15.027	252	79701	5.247	ng	99
90) Benzo(a)pyrene	15.363	252	76368	5.268	ng	99
91) Dibenzo(a,h)anthracene	16.886	278	65991	4.615	ng	99
92) Benzo(g,h,i)perylene	17.298	276	69049	4.591	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Jan 29 16:26:46 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 29 16:24:35 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.799 min Scan# 80
 Delta R.T. 0.001 min
 Lab File: BF141291.D
 Acq: 29 Jan 2025 10:56




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005


Tgt Ion:152 Resp: 134200
 Ion Ratio Lower Upper
 152 100
 150 155.3 125.9 188.9
 115 62.2 49.7 74.5



#2
 1,4-Dioxane
 Concen: 5.229 ng
 RT: 2.487 min Scan# 67
 Delta R.T. 0.000 min
 Lab File: BF141291.D
 Acq: 29 Jan 2025 10:56

Tgt Ion: 88 Resp: 20141
 Ion Ratio Lower Upper
 88 100
 58 87.4 70.2 105.4
 43 36.8 27.6 41.4





#3

Pyridine

Concen: 4.967 ng

RT: 3.234 min Scan# 194

Delta R.T. 0.018 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion: 79 Resp: 45762

Ion Ratio Lower Upper

79 100

52 91.8 70.3 105.5

51 43.9 34.3 51.5



#4

n-Nitrosodimethylamine

Concen: 4.894 ng

RT: 3.158 min Scan# 181

Delta R.T. -0.011 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion: 42 Resp: 25819


Ion Ratio Lower Upper

42 100

74 109.3 90.3 135.5

44 9.1 5.7 8.5









#5
2-Fluorophenol
Concen: 11.044 ng
RT: 5.404 min Scan# 50
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:112 Resp: 95839
Ion Ratio Lower Upper
112 100
64 59.5 49.8 74.8
63 30.2 26.1 39.1



#6
Aniline
Concen: 5.373 ng
RT: 6.457 min Scan# 742
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion: 93 Resp: 49669
Ion Ratio Lower Upper
93 100
66 41.4 32.5 48.7
65 20.9 17.0 25.6









#7
Phenol-d6
Concen: 11.172 ng
RT: 6.416 min Scan# 711
Delta R.T. -0.011 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 99 Resp: 123556
Ion Ratio Lower Upper
99 100
42 21.0 17.1 25.7
71 31.8 26.9 40.3



#8
2-Chlorophenol
Concen: 5.527 ng
RT: 6.581 min Scan# 763
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion: 128 Resp: 51505
Ion Ratio Lower Upper
128 100
130 32.5 12.5 52.5
64 48.5 32.9 72.9









#9
Benzaldehyde
Concen: 6.090 ng
RT: 6.346 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 77 Resp: 39117
Ion Ratio Lower Upper
77 100
105 100.9 79.4 119.4
106 98.1 74.6 114.6



#10
Phenol
Concen: 5.558 ng
RT: 6.434 min Scan# 738
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion: 94 Resp: 65035
Ion Ratio Lower Upper
94 100
65 28.6 10.8 50.8
66 37.4 23.3 63.3









#11
bis(2-Chloroethyl)ether
Concen: 5.510 ng
RT: 6.528 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 93 Resp: 49579
Ion Ratio Lower Upper
93 100
63 82.6 65.0 105.0
95 31.7 12.4 52.4



#12
1,3-Dichlorobenzene
Concen: 5.539 ng
RT: 6.740 min Scan# 790
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion: 146 Resp: 56929
Ion Ratio Lower Upper
146 100
148 64.4 51.2 76.8
75 30.9 26.2 39.4





#13

1,4-Dichlorobenzene

Concen: 5.573 ng

RT: 6.816 min Scan# 803

Delta R.T. 0.000 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:146 Resp: 57684

Ion Ratio Lower Upper

146 100

148 65.0 51.2 76.8

111 43.2 35.0 52.4



#14

1,2-Dichlorobenzene

Concen: 5.650 ng

RT: 6.969 min Scan# 829

Delta R.T. 0.000 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion:146 Resp: 54653


Ion Ratio Lower Upper

146 100

148 64.7 50.5 75.7

111 44.7 36.6 55.0









#15
Benzyl Alcohol
Concen: 5.053 ng
RT: 6.934 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 79 Resp: 38176
Ion Ratio Lower Upper
79 100
108 83.6 61.4 92.0
77 64.8 49.9 74.9



#16
2,2'-oxybis(1-Chloropropane)
Concen: 5.436 ng
RT: 7.075 min Scan# 847
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion: 45 Resp: 84988
Ion Ratio Lower Upper
45 100
77 11.9 0.0 31.8
79 9.0 0.0 29.1









#17
2-Methylphenol
Concen: 5.500 ng
RT: 7.046 min Scan# 84
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDIC005


Tgt Ion:107	Resp:	41498
Ion	Ratio	Lower Upper
107	100	
108	113.4	90.8 136.2
77	44.0	36.2 54.4
79	42.3	35.7 53.5



#18
Hexachloroethane
Concen: 5.332 ng
RT: 7.310 min Scan# 887
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:117	Resp:	20418
Ion	Ratio	Lower Upper
117	100	
119	98.1	76.6 114.8
201	101.4	74.8 112.2





#19

n-Nitroso-di-n-propylamine

Concen: 5.363 ng

RT: 7.198 min Scan# 8

Delta R.T. -0.012 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005

Tgt Ion: 70 Resp: 35278





Ion Ratio Lower Upper

70 100

42 71.1 56.8 85.2

101 9.9 7.7 11.5

130 21.0 16.8 25.2



#20

3+4-Methylphenols

Concen: 5.645 ng

RT: 7.198 min Scan# 868

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Tgt Ion:107 Resp: 52364




Ion Ratio Lower Upper


107 100

108 91.3 70.9 110.9

77 140.5 98.5 138.5

79 29.2 9.5 49.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.081 min Scan# 1018
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:136 Resp: 531551




Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	13.0
54	9.5	7.8	11.8
68	5.9	4.9	7.3




#22
Acetophenone
Concen: 5.774 ng
RT: 7.204 min Scan# 869
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:105 Resp: 72756

Ion	Ratio	Lower	Upper
105	100		
71	8.2	6.8	10.2
51	38.9	32.6	49.0
120	21.4	17.4	26.0





#23

Nitrobenzene-d5

Concen: 10.719 ng

RT: 7.357 min Scan# 895

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :





BNA_F

ClientSampleId :

SSTDICC005

Tgt Ion: 82 Resp: 107680

Ion	Ratio	Lower	Upper
82	100		
128	43.2	35.7	53.5
54	57.4	47.1	70.7



#24

Nitrobenzene

Concen: 5.337 ng

RT: 7.375 min Scan# 898




Delta R.T. -0.006 min


Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Tgt Ion: 77 Resp: 55610

Ion	Ratio	Lower	Upper
77	100		
123	46.9	37.3	55.9
65	13.9	11.8	17.6









#25
Isophorone
Concen: 5.346 ng
RT: 7.610 min Scan# 91
Delta R.T. -0.011 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 82 Resp: 92818
Ion Ratio Lower Upper
82 100
95 6.7 5.8 8.6
138 17.2 14.7 22.1



#26
2-Nitrophenol
Concen: 4.789 ng
RT: 7.693 min Scan# 952
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:139 Resp: 23372
Ion Ratio Lower Upper
139 100
109 30.7 23.8 35.6
65 55.8 42.2 63.4





#27

2,4-Dimethylphenol

Concen: 5.205 ng

RT: 7.728 min Scan# 91

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:122 Resp: 32462

Ion Ratio Lower Upper

122 100

107 114.4 89.9 134.9

121 57.1 46.1 69.1



#28

bis(2-Chloroethoxy)methane

Concen: 5.449 ng

RT: 7.828 min Scan# 975

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion: 93 Resp: 60286


Ion Ratio Lower Upper

93 100

95 31.9 26.2 39.2

123 11.3 10.2 15.4









#29
2,4-Dichlorophenol
Concen: 5.360 ng
RT: 7.934 min Scan# 994
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:162 Resp: 40847
Ion Ratio Lower Upper
162 100
164 63.9 44.2 84.2
98 37.0 18.2 58.2



#30
1,2,4-Trichlorobenzene
Concen: 5.661 ng
RT: 8.022 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:180 Resp: 49479
Ion Ratio Lower Upper
180 100
182 90.2 76.4 114.6
145 30.3 24.9 37.3









#31
Naphthalene
Concen: 5.672 ng
RT: 8.098 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:128 Resp: 158560
Ion Ratio Lower Upper
128 100
129 11.0 8.9 13.3
127 12.6 10.6 15.8



#32
Benzoic acid
Concen: 3.281 ng
RT: 7.793 min Scan# 969
Delta R.T. -0.053 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:122 Resp: 18585
Ion Ratio Lower Upper
122 100
105 130.7 103.4 143.4
77 98.2 70.9 110.9









#33
4-Chloroaniline
Concen: 5.405 ng
RT: 8.151 min Scan# 1030
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:	127	Resp:	50760
Ion Ratio	Lower	Upper	
127	100		
129	31.2	25.7	38.5
65	30.1	26.4	39.6
92	18.3	15.1	22.7



#34
Hexachlorobutadiene
Concen: 5.419 ng
RT: 8.222 min Scan# 1042
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:	225	Resp:	27720
Ion Ratio	Lower	Upper	
225	100		
223	61.7	50.4	75.6
227	63.2	51.3	76.9









#35
 Caprolactam
 Concen: 5.204 ng
 RT: 8.475 min Scan# 1108
 Delta R.T. -0.041 min
 Lab File: BF141291.D
 Acq: 29 Jan 2025 10:56




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005


Tgt Ion:113 Resp: 12827
 Ion Ratio Lower Upper
 113 100
 55 190.7 182.9 222.9
 56 143.6 127.9 167.9



#36
 4-Chloro-3-methylphenol
 Concen: 5.334 ng
 RT: 8.622 min Scan# 1110
 Delta R.T. -0.011 min
 Lab File: BF141291.D
 Acq: 29 Jan 2025 10:56

Tgt Ion:107 Resp: 43627
 Ion Ratio Lower Upper
 107 100
 144 24.5 20.7 31.1
 142 76.6 63.8 95.8









#37
2-Methylnaphthalene
Concen: 5.634 ng
RT: 8.793 min Scan# 1139
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:142 Resp: 100305
Ion Ratio Lower Upper
142 100
141 86.9 71.3 106.9



#38
1-Methylnaphthalene
Concen: 5.767 ng
RT: 8.893 min Scan# 1156
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:142 Resp: 100569
Ion Ratio Lower Upper
142 100
141 90.8 73.2 109.8









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.834 min Scan# 1167
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:164 Resp: 281034
Ion Ratio Lower Upper
164 100
162 103.1 80.6 121.0
160 46.2 35.8 53.6



#40
1,2,4,5-Tetrachlorobenzene
Concen: 5.410 ng
RT: 8.957 min Scan# 1167
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:216 Resp: 43228
Ion Ratio Lower Upper
216 100
214 81.4 63.2 94.8
179 22.9 17.8 26.8
108 17.5 15.0 22.6









#41
Hexachlorocyclopentadiene
Concen: 3.985 ng
RT: 8.945 min Scan# 1165
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDIC005


Tgt Ion:	237	Resp:	9555
Ion Ratio	Lower	Upper	
237	100		
235	64.3	42.9	82.9
272	12.5	0.0	32.8



#42
2,4,6-Tribromophenol
Concen: 10.855 ng
RT: 10.622 min Scan# 1450
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:	330	Resp:	27799
Ion Ratio	Lower	Upper	
330	100		
332	94.8	76.1	114.1
141	36.2	28.8	43.2





#43

2,4,6-Trichlorophenol

Concen: 5.136 ng

RT: 9.069 min Scan# 1186

Delta R.T. 0.000 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:196 Resp: 26790

Ion Ratio Lower Upper

196 100

198 105.1 81.8 122.6

200 33.8 26.3 39.5



#44

2,4,5-Trichlorophenol

Concen: 5.309 ng

RT: 9.104 min Scan# 1192

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Tgt Ion:196 Resp: 30127




Ion Ratio Lower Upper


196 100

198 100.0 80.5 120.7

97 56.8 42.8 64.2

132 28.6 23.5 35.3





#45

2-Fluorobiphenyl

Concen: 12.320 ng

RT: 9.151 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:172 Resp: 224446

Ion Ratio Lower Upper

172 100

171 34.6 28.8 43.2

170 23.1 19.0 28.6



#46

1,1'-Biphenyl

Concen: 5.801 ng

RT: 9.257 min Scan# 1218

Delta R.T. 0.000 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion:154 Resp: 127187


Ion Ratio Lower Upper

154 100

153 40.1 20.0 60.0

76 12.0 0.0 32.8









#47
2-Chloronaphthalene
Concen: 5.760 ng
RT: 9.281 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:162 Resp: 98081
Ion Ratio Lower Upper
162 100
127 38.8 33.7 50.5
164 32.6 25.9 38.9



#48
2-Nitroaniline
Concen: 5.056 ng
RT: 9.375 min Scan# 1238
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion: 65 Resp: 27154
Ion Ratio Lower Upper
65 100
92 66.6 53.3 79.9
138 103.3 83.6 125.4









#49
Acenaphthylene
Concen: 5.643 ng
RT: 9.692 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:152 Resp: 134958
Ion Ratio Lower Upper
152 100
151 19.6 16.2 24.2
153 13.7 11.0 16.6



#50
Dimethylphthalate
Concen: 5.584 ng
RT: 9.551 min Scan# 1268
Delta R.T. -0.011 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:163 Resp: 105240
Ion Ratio Lower Upper
163 100
194 3.9 3.0 4.6
164 10.5 8.0 12.0









#51
2,6-Dinitrotoluene
Concen: 5.329 ng
RT: 9.616 min Scan# 1279
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:165 Resp: 23372
Ion Ratio Lower Upper
165 100
63 57.7 48.1 72.1
89 51.3 44.9 67.3



#52
Acenaphthene
Concen: 5.617 ng
RT: 9.869 min Scan# 1322
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:154 Resp: 95591
Ion Ratio Lower Upper
154 100
153 110.8 89.0 133.4
152 50.6 40.2 60.4





#53

3-Nitroaniline

Concen: 5.206 ng

RT: 9.781 min Scan# 1

Delta R.T. -0.011 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:138 Resp: 22582

Ion Ratio Lower Upper

138 100

108 11.1 8.6 12.8

92 123.7 91.0 136.6



#55

Dibenzofuran

Concen: 5.769 ng

RT: 10.039 min Scan# 1351

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion:168 Resp: 131288


Ion Ratio Lower Upper

168 100

139 37.3 30.6 46.0

169 13.1 10.8 16.2









#56
4-Nitrophenol
Concen: 4.226 ng
RT: 9.945 min Scan# 1335
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:139 Resp: 13160
Ion Ratio Lower Upper
139 100
109 62.7 50.2 90.2
65 88.2 80.6 120.6



#57
2,4-Dinitrotoluene
Concen: 5.268 ng
RT: 10.016 min Scan# 1347
Delta R.T. -0.011 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:165 Resp: 29799
Ion Ratio Lower Upper
165 100
63 47.1 39.2 58.8
89 72.7 56.9 85.3
182 2.7 2.2 3.2





#58

Fluorene

Concen: 6.002 ng

RT: 10.381 min Scan# 1410

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:166 Resp: 106198

Ion Ratio Lower Upper

166 100

165 96.0 77.5 116.3

167 13.0 10.9 16.3



#59

2,3,4,6-Tetrachlorophenol

Concen: 5.090 ng

RT: 10.157 min Scan# 1371

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Tgt Ion:232 Resp: 22818




Ion Ratio Lower Upper


232 100

131 48.3 36.4 54.6

130 2.1 1.9 2.9

166 31.7 24.1 36.1









#60
Diethylphthalate
Concen: 5.660 ng
RT: 10.251 min Scan# 11
Delta R.T. -0.011 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:149 Resp: 103307
Ion Ratio Lower Upper
149 100
177 22.1 18.5 27.7
150 12.3 10.0 15.0



#61
4-Chlorophenyl-phenylether
Concen: 6.007 ng
RT: 10.375 min Scan# 1408
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:204 Resp: 51875
Ion Ratio Lower Upper
204 100
206 32.3 25.9 38.9
141 59.9 49.5 74.3









#62
4-Nitroaniline
Concen: 5.008 ng
RT: 10.387 min Scan# 1410
Delta R.T. -0.017 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:138 Resp: 20870
Ion Ratio Lower Upper
138 100
92 57.0 30.1 70.1
108 71.5 53.1 93.1



#63
Azobenzene
Concen: 5.623 ng
RT: 10.534 min Scan# 1435
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion: 77 Resp: 102878
Ion Ratio Lower Upper
77 100
182 23.9 5.1 45.1
105 21.5 1.8 41.8
51 32.9 14.0 54.0





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.322 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:188 Resp: 497368

Ion Ratio Lower Upper

188 100

94 10.3 7.8 11.6

80 11.0 8.2 12.4



#65

4,6-Dinitro-2-methylphenol

Concen: 3.353 ng

RT: 10.422 min Scan# 1416

Delta R.T. -0.011 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion:198 Resp: 9960


Ion Ratio Lower Upper

198 100

51 57.8 33.4 73.4

105 50.6 24.4 64.4









#66
n-Nitrosodiphenylamine
Concen: 5.523 ng
RT: 10.492 min Scan# 1428
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDIC005


Tgt Ion:169 Resp: 89060
Ion Ratio Lower Upper
169 100
168 65.8 53.0 79.4
167 34.7 28.8 43.2



#67
4-Bromophenyl-phenylether
Concen: 5.245 ng
RT: 10.869 min Scan# 1492
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:248 Resp: 29160
Ion Ratio Lower Upper
248 100
250 102.5 79.0 118.4
141 71.9 63.7 95.5









#68
Hexachlorobenzene
Concen: 5.424 ng
RT: 10.928 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:284 Resp: 31990
Ion Ratio Lower Upper
284 100
142 38.5 29.5 44.3
249 32.8 25.4 38.2



#69
Atrazine
Concen: 4.855 ng
RT: 11.016 min Scan# 1517
Delta R.T. -0.011 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:200 Resp: 26258
Ion Ratio Lower Upper
200 100
173 27.0 5.9 45.9
215 47.0 25.2 65.2





#70

Pentachlorophenol

Concen: 4.027 ng

RT: 11.128 min Scan# 1536

Delta R.T. 0.000 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:266 Resp: 13924

Ion Ratio Lower Upper

266 100

268 65.7 49.9 74.9

264 61.1 51.0 76.4



#71

Phenanthrene

Concen: 5.738 ng

RT: 11.345 min Scan# 1573

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion:178 Resp: 153320


Ion Ratio Lower Upper

178 100

176 18.5 15.3 22.9

179 15.0 12.5 18.7





#72

Anthracene

Concen: 5.625 ng

RT: 11.398 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:178 Resp: 146593

Ion Ratio Lower Upper

178 100

176 18.6 15.0 22.6

179 15.1 12.3 18.5



#73

Carbazole

Concen: 5.491 ng

RT: 11.551 min Scan# 1608

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion:167 Resp: 126760


Ion Ratio Lower Upper

167 100

166 21.0 17.0 25.6

139 12.6 10.6 16.0





#74

Di-n-butylphthalate

Concen: 5.560 ng

RT: 11.886 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:149 Resp: 154718

Ion Ratio Lower Upper

149 100

150 9.2 7.4 11.2

104 4.9 3.9 5.9



#75

Fluoranthene

Concen: 5.696 ng

RT: 12.533 min Scan# 1775

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion:202 Resp: 148553


Ion Ratio Lower Upper

202 100

101 12.4 0.0 31.7

203 17.6 0.0 37.5









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.963 min Scan# 20
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:240 Resp: 288657
Ion Ratio Lower Upper
240 100
120 12.6 10.0 15.0
236 25.7 19.7 29.5



#77
Benzidine
Concen: 7.253 ng
RT: 12.663 min Scan# 1797
Delta R.T. 0.000 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:184 Resp: 63661
Ion Ratio Lower Upper
184 100
185 14.1 11.9 17.9
183 12.4 9.5 14.3









#78
Pyrene
Concen: 5.639 ng
RT: 12.763 min Scan# 1814
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56




Instrument :
BNA_F
ClientSampleId :
SSTDIC005


Tgt Ion:202 Resp: 157175
Ion Ratio Lower Upper
202 100
200 20.4 17.0 25.4
203 17.6 14.3 21.5



#79
Terphenyl-d14
Concen: 11.874 ng
RT: 12.910 min Scan# 1839
Delta R.T. -0.006 min
Lab File: BF141291.D
Acq: 29 Jan 2025 10:56

Tgt Ion:244 Resp: 222747
Ion Ratio Lower Upper
244 100
212 6.3 5.4 8.0
122 10.9 8.8 13.2





#80

Butylbenzylphthalate

Concen: 5.140 ng

RT: 13.386 min Scan# 1921

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:149 Resp: 49477

Ion Ratio Lower Upper

149 100

91 73.9 58.6 87.8

206 19.9 16.7 25.1



#81

Benzo(a)anthracene

Concen: 5.588 ng

RT: 13.951 min Scan# 2016

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion:228 Resp: 110559


Ion Ratio Lower Upper

228 100

226 25.6 21.4 32.2

229 19.3 15.5 23.3





#82

3,3'-Dichlorobenzidine

Concen: 4.803 ng

RT: 13.922 min Scan# 20

Delta R.T. 0.000 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:252 Resp: 29754

Ion Ratio Lower Upper

252 100

254 63.9 51.3 76.9

126 13.0 10.0 15.0



#83

Chrysene

Concen: 5.238 ng

RT: 13.992 min Scan# 2023

Delta R.T. -0.006 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion:228 Resp: 96099


Ion Ratio Lower Upper

228 100

226 29.5 24.1 36.1

229 19.9 15.6 23.4









#84
 Bis(2-ethylhexyl)phthalate
 Concen: 5.269 ng
 RT: 13.951 min Scan# 2016
 Delta R.T. -0.006 min
 Lab File: BF141291.D
 Acq: 29 Jan 2025 10:56




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005


Tgt Ion:149 Resp: 63638
 Ion Ratio Lower Upper
 149 100
 167 26.1 21.8 32.8
 279 3.9 3.3 4.9



#85
 Di-n-octyl phthalate
 Concen: 4.560 ng
 RT: 14.574 min Scan# 2122
 Delta R.T. -0.011 min
 Lab File: BF141291.D
 Acq: 29 Jan 2025 10:56

Tgt Ion:149 Resp: 86163
 Ion Ratio Lower Upper
 149 100
 167 1.5 1.3 1.9
 43 13.3 9.8 14.8





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.427 min Scan# 21

Delta R.T. -0.011 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:264 Resp: 273117

Ion Ratio Lower Upper

264 100

260 23.6 18.6 27.8

265 20.7 16.7 25.1



#87

Indeno(1,2,3-cd)pyrene

Concen: 4.657 ng

RT: 16.863 min Scan# 2511

Delta R.T. -0.023 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion:276 Resp: 83074


Ion Ratio Lower Upper

276 100

138 27.3 21.7 32.5

277 24.7 20.3 30.5





#88

Benzo(b)fluoranthene

Concen: 5.465 ng

RT: 14.998 min Scan# 2194

Delta R.T. -0.017 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:252 Resp: 92690

Ion Ratio Lower Upper

252 100

253 21.4 17.4 26.2

125 10.8 8.6 12.8



#89

Benzo(k)fluoranthene

Concen: 5.247 ng

RT: 15.027 min Scan# 2199

Delta R.T. -0.017 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion:252 Resp: 79701


Ion Ratio Lower Upper

252 100

253 21.1 17.6 26.4

125 10.6 8.4 12.6





#90

Benzo(a)pyrene

Concen: 5.268 ng

RT: 15.363 min Scan# 21

Delta R.T. -0.012 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:252 Resp: 76368

Ion Ratio Lower Upper

252 100

253 20.9 17.2 25.8

125 11.3 9.4 14.2



#91

Dibenzo(a,h)anthracene

Concen: 4.615 ng

RT: 16.886 min Scan# 2515

Delta R.T. -0.023 min

Lab File: BF141291.D

Acq: 29 Jan 2025 10:56




Tgt Ion:278 Resp: 65991


Ion Ratio Lower Upper

278 100

139 17.7 13.9 20.9


279 24.0 18.8 28.2





#92
 Benzo(g,h,i)perylene
 Concen: 4.591 ng
 RT: 17.298 min Scan# 21
 Delta R.T. -0.029 min
 Lab File: BF141291.D
 Acq: 29 Jan 2025 10:56

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005



Tgt Ion:276 Resp: 69049
 Ion Ratio Lower Upper
 276 100
 277 23.7 19.2 28.8
 138 26.2 19.0 28.4

