

SOP ID : M1311-TCLP-15
SDG No : N/A
Weigh By : JP
Balance ID : WC SC-7
pH Meter ID : WC PH METER-1
Extraction By : JP
Filter By : JP
Pipette ID : WC
Tumbler ID : ZHE-1
TCLP Filter ID : 50223706

Start Prep Date : 01/28/2025 Time : 16:30
End Prep Date : 01/29/2025 Time : 09:20
Combination Ratio : 20
ZHE Cleaning Batch : ~~N/A~~ VN012925
Initial Room Temperature: 23 °C
Final Room Temperature: 22 °C
TCLP Technician Signature : *JP*
Supervisor By : *12*

Standard Name	MLS USED	STD REF. # FROM LOG
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE U	Lot Number
TCLP-FLUID-1	N/A	WP110801
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
40ml VOA Vials	23237	N/A

Extraction Conformance/Non-Conformance Comments:

ALL ZHE samples are extracted and given as vial A & B. Leak checked after 10 mintues of tumbling. TUMBLER
ZHE-1 checked,30 rpm.

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
01/29/25 11:00	<i>JP</i> <i>1111D Room</i>	<i>JP</i> <i>100C Lab</i>
01/29/25	Preparation Group	Analysis Group

Sample ID	ClientID	ZHE Vessel ID	Sample Wt (g)	Volume Extraction Fluid #1 (mL)	Multi phasic	Phase Miscible	Phases Combined	Final Leachate PH	Metals Leachate Adj. PH	Prep Pos
PB166319TB	LEB319	11	N/A	500	N/A	N/A	N/A	4.94	N/A	ZHE-1
Q1205-02	VNJ-236	01	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q1206-02	JPP-20.1-012725	02	25.01	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q1206-06	JPP-16.3-012725	03	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q1207-02	JPP-2.1-012725	04	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q1207-06	JPP-5.1-012725	05	25.05	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q1207-10	JPP-4.5-012725	06	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q1207-14	JPP-16.2-012725	07	25.04	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q1207-18	JPP-20.2-012725	08	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q1209-04	WC-4	09	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q1209-08	WC-5	10	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1

SampleID	ClientID	Sample Weight (g)	Filter Weight (g)	Filtrate (mL)	Filter + Solid (After 100°C)	% solids	% Dry Solids
PB166319TB	LEB319	N/A	N/A	N/A	N/A	N/A	N/A
Q1205-02	VNJ-236	N/A	N/A	N/A	N/A	100	N/A
Q1206-02	JPP-20.1-012725	N/A	N/A	N/A	N/A	100	N/A
Q1206-06	JPP-16.3-012725	N/A	N/A	N/A	N/A	100	N/A
Q1207-02	JPP-2.1-012725	N/A	N/A	N/A	N/A	100	N/A
Q1207-06	JPP-5.1-012725	N/A	N/A	N/A	N/A	100	N/A
Q1207-10	JPP-4.5-012725	N/A	N/A	N/A	N/A	100	N/A
Q1207-14	JPP-16.2-012725	N/A	N/A	N/A	N/A	100	N/A
Q1207-18	JPP-20.2-012725	N/A	N/A	N/A	N/A	100	N/A
Q1209-04	WC-4	N/A	N/A	N/A	N/A	100	N/A
Q1209-08	WC-5	N/A	N/A	N/A	N/A	100	N/A