

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	01/29/25
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	01/29/25
Client Sample ID:	BELL-25-002MS	SDG No.:	Q1215
Lab Sample ID:	Q1218-02MS	Matrix:	TCLP
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141339.D	1	01/31/25 10:29	01/31/25 18:44	PB166426

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	210		15.5	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	360		8.40	50.0	ug/L
95-48-7	2-Methylphenol	360		11.3	50.0	ug/L
65794-96-9	3+4-Methylphenols	350		11.5	100	ug/L
67-72-1	Hexachloroethane	380		10.1	50.0	ug/L
98-95-3	Nitrobenzene	480		12.7	50.0	ug/L
87-68-3	Hexachlorobutadiene	340		12.7	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	460		8.90	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	420		10.1	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	380		15.2	50.0	ug/L
118-74-1	Hexachlorobenzene	440		11.4	50.0	ug/L
87-86-5	Pentachlorophenol	980	E	18.5	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	117		10 - 139	78%	SPK: 150
13127-88-3	Phenol-d6	108		10 - 134	72%	SPK: 150
4165-60-0	Nitrobenzene-d5	92.8		49 - 133	93%	SPK: 100
321-60-8	2-Fluorobiphenyl	92.6		52 - 132	93%	SPK: 100
118-79-6	2,4,6-Tribromophenol	120		44 - 137	80%	SPK: 150
1718-51-0	Terphenyl-d14	63.3		48 - 125	63%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	132000		6.804		
1146-65-2	Naphthalene-d8	434000		8.081		
15067-26-2	Acenaphthene-d10	209000		9.839		
1517-22-2	Phenanthrene-d10	316000		11.322		
1719-03-5	Chrysene-d12	287000		13.968		
1520-96-3	Perylene-d12	324000		15.427		

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	01/29/25
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	01/29/25
Client Sample ID:	BELL-25-002MS	SDG No.:	Q1215
Lab Sample ID:	Q1218-02MS	Matrix:	TCLP
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141339.D	1	01/31/25 10:29	01/31/25 18:44	PB166426

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products