

Report of Analysis

Client:	RU2 Engineering, LLC		Date Collected:	
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR		Date Received:	
Client Sample ID:	VY0203SBS01		SDG No.:	Q1215
Lab Sample ID:	VY0203SBS01		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021029.D	1		02/03/25 14:55	VY020325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	18.1		1.70	5.00	ug/Kg
74-87-3	Chloromethane	18.2		1.20	5.00	ug/Kg
75-01-4	Vinyl Chloride	17.8		0.77	5.00	ug/Kg
74-83-9	Bromomethane	18.3		1.00	5.00	ug/Kg
75-00-3	Chloroethane	17.5		1.00	5.00	ug/Kg
75-69-4	Trichlorofluoromethane	18.1		0.91	5.00	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	18.5		1.10	5.00	ug/Kg
75-65-0	Tert butyl alcohol	91.7		15.6	25.0	ug/Kg
75-35-4	1,1-Dichloroethene	18.0		0.78	5.00	ug/Kg
67-64-1	Acetone	83.7		6.20	25.0	ug/Kg
75-15-0	Carbon Disulfide	17.7		1.30	5.00	ug/Kg
1634-04-4	Methyl tert-butyl Ether	16.1		0.67	5.00	ug/Kg
79-20-9	Methyl Acetate	15.4		1.80	5.00	ug/Kg
75-09-2	Methylene Chloride	17.1		3.40	10.0	ug/Kg
156-60-5	trans-1,2-Dichloroethene	17.9		0.84	5.00	ug/Kg
75-34-3	1,1-Dichloroethane	17.6		0.63	5.00	ug/Kg
110-82-7	Cyclohexane	17.8		0.69	5.00	ug/Kg
78-93-3	2-Butanone	78.6		5.70	25.0	ug/Kg
56-23-5	Carbon Tetrachloride	18.0		0.87	5.00	ug/Kg
156-59-2	cis-1,2-Dichloroethene	17.4		0.61	5.00	ug/Kg
74-97-5	Bromochloromethane	16.4		2.40	5.00	ug/Kg
67-66-3	Chloroform	17.5		0.67	5.00	ug/Kg
71-55-6	1,1,1-Trichloroethane	18.1		0.78	5.00	ug/Kg
108-87-2	Methylcyclohexane	18.5		0.87	5.00	ug/Kg
71-43-2	Benzene	18.1		0.72	5.00	ug/Kg
107-06-2	1,2-Dichloroethane	16.9		0.61	5.00	ug/Kg
79-01-6	Trichloroethene	18.1		0.75	5.00	ug/Kg
78-87-5	1,2-Dichloropropane	17.6		0.66	5.00	ug/Kg
75-27-4	Bromodichloromethane	17.2		0.56	5.00	ug/Kg
108-10-1	4-Methyl-2-Pentanone	79.4		4.40	25.0	ug/Kg

Report of Analysis

Client:	RU2 Engineering, LLC		Date Collected:	
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR		Date Received:	
Client Sample ID:	VY0203SBS01		SDG No.:	Q1215
Lab Sample ID:	VY0203SBS01		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021029.D	1		02/03/25 14:55	VY020325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
108-88-3	Toluene	18.1		0.67	5.00	ug/Kg
10061-02-6	t-1,3-Dichloropropene	17.1		0.60	5.00	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	17.5		0.57	5.00	ug/Kg
79-00-5	1,1,2-Trichloroethane	16.7		0.84	5.00	ug/Kg
591-78-6	2-Hexanone	76.7		4.80	25.0	ug/Kg
124-48-1	Dibromochloromethane	16.5		0.65	5.00	ug/Kg
106-93-4	1,2-Dibromoethane	16.7		0.79	5.00	ug/Kg
127-18-4	Tetrachloroethene	18.7		0.89	5.00	ug/Kg
108-90-7	Chlorobenzene	17.7		0.74	5.00	ug/Kg
100-41-4	Ethyl Benzene	18.5		0.62	5.00	ug/Kg
179601-23-1	m/p-Xylenes	37.2		1.40	10.0	ug/Kg
95-47-6	o-Xylene	18.2		0.70	5.00	ug/Kg
100-42-5	Styrene	18.2		0.60	5.00	ug/Kg
75-25-2	Bromoform	17.0		0.81	5.00	ug/Kg
98-82-8	Isopropylbenzene	18.7		0.67	5.00	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	16.4		1.10	5.00	ug/Kg
541-73-1	1,3-Dichlorobenzene	18.2		0.74	5.00	ug/Kg
106-46-7	1,4-Dichlorobenzene	17.9		0.80	5.00	ug/Kg
95-50-1	1,2-Dichlorobenzene	17.5		0.59	5.00	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	16.6		1.60	5.00	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	17.5		0.79	5.00	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	17.3		0.78	5.00	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	45.9		50 - 163	92%	SPK: 50
1868-53-7	Dibromofluoromethane	48.8		54 - 147	98%	SPK: 50
2037-26-5	Toluene-d8	50.2		58 - 134	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.7		29 - 146	99%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	208000	7.713			
540-36-3	1,4-Difluorobenzene	315000	8.622			
3114-55-4	Chlorobenzene-d5	265000	11.42			
3855-82-1	1,4-Dichlorobenzene-d4	128000	13.352			

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	
Client Sample ID:	VY0203SBS01	SDG No.:	Q1215
Lab Sample ID:	VY0203SBS01	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	100
Sample Wt/Vol:	5 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021029.D	1		02/03/25 14:55	VY020325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products