

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	01/28/25
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	01/29/25
Client Sample ID:	JPP-26.1-012825	SDG No.:	Q1216
Lab Sample ID:	Q1216-15	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	82.8
Sample Wt/Vol:	30.06	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PCB
GPC Factor :	1.0	Injection Volume :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO109285.D	1	01/30/25 08:30	01/30/25 14:38	PB166358

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	20.5	U	4.10	20.5	ug/kg
11104-28-2	Aroclor-1221	20.5	U	7.70	20.5	ug/kg
11141-16-5	Aroclor-1232	20.5	U	4.10	20.5	ug/kg
53469-21-9	Aroclor-1242	20.5	U	4.10	20.5	ug/kg
12672-29-6	Aroclor-1248	20.5	U	9.50	20.5	ug/kg
11097-69-1	Aroclor-1254	20.5	U	3.30	20.5	ug/kg
37324-23-5	Aroclor-1262	20.5	U	5.50	20.5	ug/kg
11100-14-4	Aroclor-1268	20.5	U	4.10	20.5	ug/kg
11096-82-5	Aroclor-1260	20.5	U	3.50	20.5	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.0		32 - 144	90%	SPK: 20
2051-24-3	Decachlorobiphenyl	13.0		32 - 175	65%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit