

Report of Analysis

| | | | |
|--------------------|---------------------------------------|--------------------|----------------|
| Client: | RU2 Engineering, LLC | Date Collected: | 02/03/25 |
| Project: | NYCDDC SANTWOBR Brooklyn Bridge BBMCR | Date Received: | 02/03/25 |
| Client Sample ID: | PIBLK-PL093999.D | SDG No.: | Q1216 |
| Lab Sample ID: | I.BLK-PL093999.D | Matrix: | TCLP |
| Analytical Method: | SW8081 | % Solid: | 0 |
| Sample Wt/Vol: | 1000 | Units: | mL |
| Soil Aliquot Vol: | | | uL |
| Extraction Type: | | Test: | TCLP Pesticide |
| GPC Factor : | 1.0 | PH : | |
| Prep Method : | 3510C | Injection Volume : | |

| | | | | |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PL093999.D | 1 | | 02/03/25 | pl020325 |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|-------------------|----------------------|-------|-----------|----------|------------|---------|
| TARGETS | | | | | | |
| 58-89-9 | gamma-BHC (Lindane) | 0.050 | U | 0.0049 | 0.050 | ug/L |
| 76-44-8 | Heptachlor | 0.050 | U | 0.0054 | 0.050 | ug/L |
| 1024-57-3 | Heptachlor epoxide | 0.050 | U | 0.0090 | 0.050 | ug/L |
| 72-20-8 | Endrin | 0.050 | U | 0.0043 | 0.050 | ug/L |
| 72-43-5 | Methoxychlor | 0.050 | U | 0.011 | 0.050 | ug/L |
| 8001-35-2 | Toxaphene | 1.00 | U | 0.15 | 1.00 | ug/L |
| 57-74-9 | Chlordane | 0.50 | U | 0.082 | 0.50 | ug/L |
| SURROGATES | | | | | | |
| 2051-24-3 | Decachlorobiphenyl | 28.1 | | 43 - 140 | 140% | SPK: 20 |
| 877-09-8 | Tetrachloro-m-xylene | 21.1 | | 77 - 126 | 106% | SPK: 20 |

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit