

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020625\
 Data File : BF141473.D
 Acq On : 06 Feb 2025 11:34
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005

Quant Time: Feb 06 16:00:09 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 15:49:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.787	152	89396	20.000	ng	0.00
21) Naphthalene-d8	8.069	136	358966	20.000	ng	0.00
39) Acenaphthene-d10	9.822	164	199514	20.000	ng	-0.01
64) Phenanthrene-d10	11.310	188	351213	20.000	ng	0.00
76) Chrysene-d12	13.951	240	295087	20.000	ng	-0.01
86) Perylene-d12	15.410	264	233325	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.410	112	55200	9.680	ng	0.00
7) Phenol-d6	6.422	99	72376	10.042	ng	-0.02
23) Nitrobenzene-d5	7.345	82	68257	9.918	ng	-0.02
42) 2,4,6-Tribromophenol	10.610	330	20060	10.009	ng	-0.02
45) 2-Fluorobiphenyl	9.145	172	136925	10.573	ng	0.00
79) Terphenyl-d14	12.892	244	166601	9.531	ng	-0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.487	88	11419	4.976	ng	95
3) Pyridine	3.228	79	23540	4.310	ng	97
4) n-Nitrosodimethylamine	3.152	42	16481	4.558	ng	# 96
6) Aniline	6.445	93	32993	4.880	ng	97
8) 2-Chlorophenol	6.575	128	31263	5.074	ng	99
9) Benzaldehyde	6.334	77	19944	5.207	ng	94
10) Phenol	6.440	94	37833	5.044	ng	97
11) bis(2-Chloroethyl)ether	6.522	93	28203	5.006	ng	97
12) 1,3-Dichlorobenzene	6.728	146	32913	5.060	ng	99
13) 1,4-Dichlorobenzene	6.804	146	34555	5.199	ng	97
14) 1,2-Dichlorobenzene	6.957	146	31141	5.049	ng	96
15) Benzyl Alcohol	6.928	79	26612	4.815	ng	96
16) 2,2'-oxybis(1-Chloropr...	7.063	45	49667	5.150	ng	99
17) 2-Methylphenol	7.045	107	24939	5.173	ng	96
18) Hexachloroethane	7.298	117	12043	4.896	ng	98
19) n-Nitroso-di-n-propyla...	7.192	70	21865	5.072	ng	97
20) 3+4-Methylphenols	7.198	107	32221	5.258	ng	94
22) Acetophenone	7.192	105	46441	5.201	ng	95
24) Nitrobenzene	7.363	77	33173	4.943	ng	99
25) Isophorone	7.604	82	54796	4.993	ng	99
26) 2-Nitrophenol	7.687	139	15331	4.592	ng	97
27) 2,4-Dimethylphenol	7.728	122	18659	4.784	ng	99
28) bis(2-Chloroethoxy)met...	7.816	93	34469	4.902	ng	100
29) 2,4-Dichlorophenol	7.934	162	25667	4.870	ng	97
30) 1,2,4-Trichlorobenzene	8.010	180	29321	5.109	ng	96
31) Naphthalene	8.092	128	95730	5.123	ng	99
33) 4-Chloroaniline	8.145	127	31729	4.864	ng	98
34) Hexachlorobutadiene	8.210	225	17323	5.028	ng	98
35) Caprolactam	8.475	113	7437	4.635	ng	94
36) 4-Chloro-3-methylphenol	8.628	107	27818	4.765	ng	98
37) 2-Methylnaphthalene	8.781	142	61742	5.078	ng	97
38) 1-Methylnaphthalene	8.881	142	61026	5.182	ng	98
40) 1,2,4,5-Tetrachloroben...	8.945	216	29023	5.028	ng	98
43) 2,4,6-Trichlorophenol	9.063	196	18144	4.863	ng	99
44) 2,4,5-Trichlorophenol	9.110	196	19204	4.750	ng	98
46) 1,1'-Biphenyl	9.245	154	78931	5.103	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020625\
 Data File : BF141473.D
 Acq On : 06 Feb 2025 11:34
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005

Quant Time: Feb 06 16:00:09 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 15:49:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) 2-Chloronaphthalene	9.269	162	58201	5.088	ng	100
48) 2-Nitroaniline	9.369	65	18494	4.818	ng	98
49) Acenaphthylene	9.681	152	86721	5.097	ng	100
50) Dimethylphthalate	9.539	163	68921	5.088	ng	99
51) 2,6-Dinitrotoluene	9.604	165	14394	4.861	ng	94
52) Acenaphthene	9.857	154	59139	5.171	ng	99
53) 3-Nitroaniline	9.775	138	15563	4.884	ng	98
55) Dibenzofuran	10.028	168	88178	5.252	ng	99
56) 4-Nitrophenol	9.963	139	9482	4.008	ng	94
57) 2,4-Dinitrotoluene	10.010	165	19087	4.842	ng	# 96
58) Fluorene	10.369	166	67764	5.220	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.151	232	16570	4.760	ng	99
60) Diethylphthalate	10.239	149	69845	5.241	ng	99
61) 4-Chlorophenyl-phenyle...	10.363	204	32951	5.277	ng	99
62) 4-Nitroaniline	10.381	138	15711	4.855	ng	95
63) Azobenzene	10.522	77	67256	5.077	ng	99
66) n-Nitrosodiphenylamine	10.481	169	57063	5.076	ng	98
67) 4-Bromophenyl-phenylether	10.857	248	20012	5.098	ng	99
68) Hexachlorobenzene	10.922	284	20138	4.982	ng	98
69) Atrazine	11.010	200	17519	5.194	ng	93
70) Pentachlorophenol	11.122	266	10151	3.928	ng	98
71) Phenanthrene	11.333	178	100202	5.183	ng	100
72) Anthracene	11.386	178	102596	5.279	ng	98
73) Carbazole	11.545	167	89721	5.131	ng	100
74) Di-n-butylphthalate	11.875	149	102296	5.066	ng	100
75) Fluoranthene	12.522	202	109883	5.361	ng	98
77) Benzidine	12.651	184	34946	5.370	ng	99
78) Pyrene	12.751	202	112700	4.486	ng	100
80) Butylbenzylphthalate	13.374	149	38714	4.449	ng	98
81) Benzo(a)anthracene	13.939	228	101861	5.193	ng	99
82) 3,3'-Dichlorobenzidine	13.910	252	29306	5.216	ng	98
83) Chrysene	13.980	228	87555	4.834	ng	100
84) Bis(2-ethylhexyl)phtha...	13.933	149	43735	4.457	ng	98
85) Di-n-octyl phthalate	14.557	149	59200	4.229	ng	100
87) Indeno(1,2,3-cd)pyrene	16.839	276	57572	3.993	ng	99
88) Benzo(b)fluoranthene	14.986	252	75033	4.789	ng	99
89) Benzo(k)fluoranthene	15.016	252	64919	4.853	ng	98
90) Benzo(a)pyrene	15.345	252	63295	4.993	ng	98
91) Dibenzo(a,h)anthracene	16.857	278	46421	3.974	ng	98
92) Benzo(g,h,i)perylene	17.274	276	46952	3.841	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :

BNA F

ClientSampleId :

SSTDICC005


Quant Time: Feb 06 16:00:09 2025

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Thu Feb 06 15:49:10 2025

Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.787 min Scan# 79
 Delta R.T. -0.005 min
 Lab File: BF141473.D
 Acq: 06 Feb 2025 11:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005


Tgt Ion:152 Resp: 89396
 Ion Ratio Lower Upper
 152 100
 150 154.8 125.0 187.4
 115 65.4 53.6 80.4



#2
 1,4-Dioxane
 Concen: 4.976 ng
 RT: 2.487 min Scan# 67
 Delta R.T. 0.006 min
 Lab File: BF141473.D
 Acq: 06 Feb 2025 11:34

Tgt Ion: 88 Resp: 11419
 Ion Ratio Lower Upper
 88 100
 58 84.3 71.1 106.7
 43 41.7 30.6 46.0





#3

Pyridine

Concen: 4.310 ng

RT: 3.228 min Scan# 190

Delta R.T. 0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion: 79 Resp: 23540

Ion Ratio Lower Upper

79 100

52 92.5 73.7 110.5

51 51.5 37.5 56.3



#4

n-Nitrosodimethylamine

Concen: 4.558 ng

RT: 3.152 min Scan# 180

Delta R.T. -0.035 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion: 42 Resp: 16481

Ion Ratio Lower Upper

42 100

74 100.5 78.0 117.0

44 11.4 5.4 8.2#









#5
2-Fluorophenol
Concen: 9.680 ng
RT: 5.410 min Scan# 50
Delta R.T. 0.000 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:112 Resp: 55200
Ion Ratio Lower Upper
112 100
64 61.8 51.1 76.7
63 35.1 28.4 42.6



#6
Aniline
Concen: 4.880 ng
RT: 6.445 min Scan# 740
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion: 93 Resp: 32993
Ion Ratio Lower Upper
93 100
66 75.0 62.6 94.0
65 47.4 38.3 57.5








#7
Phenol-d6
Concen: 10.042 ng
RT: 6.422 min Scan# 71
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 99 Resp: 72376
Ion Ratio Lower Upper
99 100
42 23.0 19.1 28.7
71 37.7 31.1 46.7



#8
2-Chlorophenol
Concen: 5.074 ng
RT: 6.575 min Scan# 762
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:128 Resp: 31263
Ion Ratio Lower Upper
128 100
130 32.3 12.7 52.7
64 49.0 28.3 68.3





#9

Benzaldehyde

Concen: 5.207 ng

RT: 6.334 min Scan# 71

Delta R.T. -0.005 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion: 77 Resp: 19944

Ion Ratio Lower Upper

77 100

105 106.6 79.4 119.4

106 99.2 75.1 115.1



#10

Phenol

Concen: 5.044 ng

RT: 6.440 min Scan# 739

Delta R.T. -0.017 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion: 94 Resp: 37833


Ion Ratio Lower Upper

94 100

65 46.1 23.7 63.7

66 71.1 49.3 89.3








#11
bis(2-Chloroethyl)ether
Concen: 5.006 ng
RT: 6.522 min Scan# 754
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 93 Resp: 28203
Ion Ratio Lower Upper
93 100
63 78.7 62.0 102.0
95 31.9 12.6 52.6



#12
1,3-Dichlorobenzene
Concen: 5.060 ng
RT: 6.728 min Scan# 788
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:146 Resp: 32913
Ion Ratio Lower Upper
146 100
148 65.3 51.9 77.9
75 34.3 28.2 42.2








#13
1,4-Dichlorobenzene
Concen: 5.199 ng
RT: 6.804 min Scan# 801
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDIC005


Tgt Ion:146 Resp: 34555
Ion Ratio Lower Upper
146 100
148 61.7 50.9 76.3
111 42.4 35.9 53.9



#14
1,2-Dichlorobenzene
Concen: 5.049 ng
RT: 6.957 min Scan# 827
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:146 Resp: 31141
Ion Ratio Lower Upper
146 100
148 67.4 51.8 77.6
111 48.8 37.0 55.4









#15
Benzyl Alcohol
Concen: 4.815 ng
RT: 6.928 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 79 Resp: 26612
Ion Ratio Lower Upper
79 100
108 70.0 57.4 86.2
77 68.2 50.9 76.3



#16
2,2'-oxybis(1-Chloropropane)
Concen: 5.150 ng
RT: 7.063 min Scan# 845
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion: 45 Resp: 49667
Ion Ratio Lower Upper
45 100
77 15.7 0.0 35.8
79 13.4 0.0 32.7









#17
2-Methylphenol
Concen: 5.173 ng
RT: 7.045 min Scan# 842
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:	107	Resp:	24939
Ion	Ratio	Lower	Upper
107	100		
108	107.0	90.6	136.0
77	53.5	44.4	66.6
79	51.0	42.3	63.5



#18
Hexachloroethane
Concen: 4.896 ng
RT: 7.298 min Scan# 885
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:	117	Resp:	12043
Ion	Ratio	Lower	Upper
117	100		
119	96.0	76.5	114.7
201	98.5	76.7	115.1








#19
n-Nitroso-di-n-propylamine
Concen: 5.072 ng
RT: 7.192 min Scan# 867
Delta R.T. -0.023 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:	70	Resp:	21865
Ion	Ratio	Lower	Upper
70	100		
42	74.5	57.4	86.2
101	10.5	8.0	12.0
130	21.6	16.9	25.3



#20
3+4-Methylphenols
Concen: 5.258 ng
RT: 7.198 min Scan# 868
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:	107	Resp:	32221
Ion	Ratio	Lower	Upper
107	100		
108	87.6	68.5	108.5
77	148.7	116.5	156.5
79	31.0	12.0	52.0








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.069 min Scan# 1016
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:136 Resp: 358966
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 9.0 7.2 10.8
68 4.9 3.7 5.5



#22
Acetophenone
Concen: 5.201 ng
RT: 7.192 min Scan# 867
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:105 Resp: 46441
Ion Ratio Lower Upper
105 100
71 8.3 5.7 8.5
51 37.4 33.7 50.5
120 20.5 17.0 25.6





#23
Nitrobenzene-d5
Concen: 9.918 ng
RT: 7.345 min Scan# 895
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34





Instrument :

BNA_F

ClientSampleId :




SSTDICC005


Tgt Ion: 82 Resp: 68257
Ion Ratio Lower Upper
82 100
128 41.4 34.8 52.2
54 60.0 48.2 72.4



#24
Nitrobenzene
Concen: 4.943 ng
RT: 7.363 min Scan# 896
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion: 77 Resp: 33173
Ion Ratio Lower Upper
77 100
123 45.1 36.9 55.3
65 14.8 11.9 17.9








#25
Isophorone
Concen: 4.993 ng
RT: 7.604 min Scan# 91
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDIC005


Tgt Ion: 82 Resp: 54796
Ion Ratio Lower Upper
82 100
95 7.6 6.4 9.6
138 17.5 13.9 20.9



#26
2-Nitrophenol
Concen: 4.592 ng
RT: 7.687 min Scan# 951
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:139 Resp: 15331
Ion Ratio Lower Upper
139 100
109 37.1 27.0 40.6
65 57.7 47.1 70.7








#27
2,4-Dimethylphenol
Concen: 4.784 ng
RT: 7.728 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:122 Resp: 18659
Ion Ratio Lower Upper
122 100
107 118.7 94.3 141.5
121 58.4 46.0 69.0



#28
bis(2-Chloroethoxy)methane
Concen: 4.902 ng
RT: 7.816 min Scan# 973
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion: 93 Resp: 34469
Ion Ratio Lower Upper
93 100
95 32.9 26.1 39.1
123 12.0 9.5 14.3








#29
2,4-Dichlorophenol
Concen: 4.870 ng
RT: 7.934 min Scan# 994
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:162	Resp:	25667
Ion	Ratio	Lower Upper
162	100	
164	61.1	44.6 84.6
98	37.1	17.2 57.2



#30
1,2,4-Trichlorobenzene
Concen: 5.109 ng
RT: 8.010 min Scan# 1006
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:180	Resp:	29321
Ion	Ratio	Lower Upper
180	100	
182	91.6	76.8 115.2
145	30.0	24.2 36.4





#31

Naphthalene

Concen: 5.123 ng

RT: 8.092 min Scan# 1020

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:128 Resp: 95730

Ion Ratio Lower Upper

128 100

129 10.6 8.9 13.3

127 12.9 10.7 16.1



#33

4-Chloroaniline

Concen: 4.864 ng

RT: 8.145 min Scan# 1029

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Tgt Ion:127 Resp: 31729




Ion Ratio Lower Upper


127 100

129 31.4 26.5 39.7

65 33.7 26.4 39.6

92 18.8 15.3 22.9





#34

Hexachlorobutadiene

Concen: 5.028 ng

RT: 8.210 min Scan# 1040

Delta R.T. 0.000 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:225 Resp: 17323

Ion Ratio Lower Upper

225 100

223 63.9 50.1 75.1

227 62.0 51.0 76.6



#35

Caprolactam

Concen: 4.635 ng

RT: 8.475 min Scan# 1085

Delta R.T. -0.070 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:113 Resp: 7437


Ion Ratio Lower Upper

113 100

55 211.4 180.8 220.8

56 161.1 133.6 173.6









#36
4-Chloro-3-methylphenol
Concen: 4.765 ng
RT: 8.628 min Scan# 1112
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:107 Resp: 27818
Ion Ratio Lower Upper
107 100
144 26.2 19.7 29.5
142 77.1 60.8 91.2



#37
2-Methylnaphthalene
Concen: 5.078 ng
RT: 8.781 min Scan# 1137
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:142 Resp: 61742
Ion Ratio Lower Upper
142 100
141 91.4 71.2 106.8









#38
1-Methylnaphthalene
Concen: 5.182 ng
RT: 8.881 min Scan# 1155
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:142 Resp: 61026
Ion Ratio Lower Upper
142 100
141 91.9 72.1 108.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.822 min Scan# 1314
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:164 Resp: 199514
Ion Ratio Lower Upper
164 100
162 101.2 81.3 121.9
160 44.9 35.9 53.9









#40
1,2,4,5-Tetrachlorobenzene
Concen: 5.028 ng
RT: 8.945 min Scan# 1166
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:	216	Resp:	29023
Ion Ratio	Lower	Upper	
216	100		
214	79.2	62.3	93.5
179	23.4	18.0	27.0
108	18.2	15.0	22.6



#42
2,4,6-Tribromophenol
Concen: 10.009 ng
RT: 10.610 min Scan# 1448
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:	330	Resp:	20060
Ion Ratio	Lower	Upper	
330	100		
332	92.9	78.5	117.7
141	38.7	31.0	46.4





#43

2,4,6-Trichlorophenol

Concen: 4.863 ng

RT: 9.063 min Scan# 1185

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:196 Resp: 18144

Ion Ratio Lower Upper

196 100

198 100.6 80.6 121.0

200 34.0 25.5 38.3



#44

2,4,5-Trichlorophenol

Concen: 4.750 ng

RT: 9.110 min Scan# 1193

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Tgt Ion:196 Resp: 19204




Ion Ratio Lower Upper


196 100

198 102.3 79.8 119.8

97 56.8 44.8 67.2

132 31.2 23.9 35.9









#45
2-Fluorobiphenyl
Concen: 10.573 ng
RT: 9.145 min Scan# 1199
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:172 Resp: 136925
Ion Ratio Lower Upper
172 100
171 36.1 28.7 43.1
170 23.6 18.9 28.3



#46
1,1'-Biphenyl
Concen: 5.103 ng
RT: 9.245 min Scan# 1216
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:154 Resp: 78931
Ion Ratio Lower Upper
154 100
153 40.4 20.4 60.4
76 10.6 0.0 30.8





#47

2-Chloronaphthalene

Concen: 5.088 ng

RT: 9.269 min Scan# 11

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:162 Resp: 58201

Ion Ratio Lower Upper

162 100

127 42.5 34.1 51.1

164 32.4 26.3 39.5



#48

2-Nitroaniline

Concen: 4.818 ng

RT: 9.369 min Scan# 1237

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion: 65 Resp: 18494


Ion Ratio Lower Upper

65 100

92 62.2 52.2 78.2

138 99.0 79.5 119.3









#49
Acenaphthylene
Concen: 5.097 ng
RT: 9.681 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:152 Resp: 86721
Ion Ratio Lower Upper
152 100
151 20.4 16.4 24.6
153 13.4 10.9 16.3



#50
Dimethylphthalate
Concen: 5.088 ng
RT: 9.539 min Scan# 1266
Delta R.T. -0.023 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:163 Resp: 68921
Ion Ratio Lower Upper
163 100
194 3.8 3.0 4.4
164 10.5 7.9 11.9









#51
2,6-Dinitrotoluene
Concen: 4.861 ng
RT: 9.604 min Scan# 11
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:165 Resp: 14394
Ion Ratio Lower Upper
165 100
63 66.5 49.4 74.0
89 62.5 46.5 69.7



#52
Acenaphthene
Concen: 5.171 ng
RT: 9.857 min Scan# 1320
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:154 Resp: 59139
Ion Ratio Lower Upper
154 100
153 113.1 89.2 133.8
152 48.9 39.8 59.8









#53
3-Nitroaniline
Concen: 4.884 ng
RT: 9.775 min Scan# 11
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:138 Resp: 15563
Ion Ratio Lower Upper
138 100
108 10.8 9.0 13.4
92 114.8 93.7 140.5



#55
Dibenzofuran
Concen: 5.252 ng
RT: 10.028 min Scan# 1349
Delta R.T. -0.011 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:168 Resp: 88178
Ion Ratio Lower Upper
168 100
139 41.2 32.7 49.1
169 13.1 10.8 16.2









#56
4-Nitrophenol
Concen: 4.008 ng
RT: 9.963 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:139 Resp: 9482
Ion Ratio Lower Upper
139 100
109 77.2 62.0 102.0
65 104.4 91.2 131.2



#57
2,4-Dinitrotoluene
Concen: 4.842 ng
RT: 10.010 min Scan# 1346
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:165 Resp: 19087
Ion Ratio Lower Upper
165 100
63 54.8 46.4 69.6
89 74.0 61.8 92.6
182 3.4 2.2 3.2#





#58

Fluorene

Concen: 5.220 ng

RT: 10.369 min Scan# 1408

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDIC005





Tgt Ion:166 Resp: 67764

Ion Ratio Lower Upper

166 100

165 98.8 78.2 117.2

167 13.5 10.7 16.1



#59

2,3,4,6-Tetrachlorophenol

Concen: 4.760 ng

RT: 10.151 min Scan# 1370

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Tgt Ion:232 Resp: 16570




Ion Ratio Lower Upper


232 100

131 50.2 39.2 58.8

130 2.5 2.1 3.1

166 31.0 25.1 37.7





#60

Diethylphthalate

Concen: 5.241 ng

RT: 10.239 min Scan# 11

Delta R.T. -0.017 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:149 Resp: 69845

Ion Ratio Lower Upper

149 100

177 21.6 17.8 26.6

150 12.3 10.1 15.1



#61

4-Chlorophenyl-phenylether

Concen: 5.277 ng

RT: 10.363 min Scan# 1406

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:204 Resp: 32951


Ion Ratio Lower Upper

204 100

206 32.3 26.6 40.0

141 64.4 51.9 77.9









#62
4-Nitroaniline
Concen: 4.855 ng
RT: 10.381 min Scan# 1412
Delta R.T. -0.035 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:138 Resp: 15711
Ion Ratio Lower Upper
138 100
92 55.1 31.3 71.3
108 78.8 63.7 103.7



#63
Azobenzene
Concen: 5.077 ng
RT: 10.522 min Scan# 1433
Delta R.T. -0.011 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion: 77 Resp: 67256
Ion Ratio Lower Upper
77 100
182 26.2 4.7 44.7
105 20.9 0.4 40.4
51 36.5 16.5 56.5









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.310 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:188 Resp: 351213
Ion Ratio Lower Upper
188 100
94 8.6 6.6 10.0
80 9.1 7.3 10.9



#66
n-Nitrosodiphenylamine
Concen: 5.076 ng
RT: 10.481 min Scan# 1426
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:169 Resp: 57063
Ion Ratio Lower Upper
169 100
168 66.9 53.3 79.9
167 34.7 29.4 44.2









#67
4-Bromophenyl-phenylether
Concen: 5.098 ng
RT: 10.857 min Scan# 1490
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDIC005


Tgt Ion:248 Resp: 20012
Ion Ratio Lower Upper
248 100
250 96.2 77.8 116.6
141 74.1 60.6 90.8



#68
Hexachlorobenzene
Concen: 4.982 ng
RT: 10.922 min Scan# 1501
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:284 Resp: 20138
Ion Ratio Lower Upper
284 100
142 35.5 28.0 42.0
249 34.3 25.8 38.8





#69

Atrazine

Concen: 5.194 ng

RT: 11.010 min Scan# 1516

Delta R.T. -0.011 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:200 Resp: 17519

Ion Ratio Lower Upper

200 100

173 26.9 5.9 45.9

215 51.9 25.9 65.9



#70

Pentachlorophenol

Concen: 3.928 ng

RT: 11.122 min Scan# 1535

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:266 Resp: 10151


Ion Ratio Lower Upper

266 100

268 63.2 50.1 75.1

264 64.8 50.1 75.1





#71

Phenanthrene

Concen: 5.183 ng

RT: 11.333 min Scan# 11

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:178 Resp: 100202

Ion Ratio Lower Upper

178 100

176 19.1 15.4 23.0

179 15.4 12.4 18.6



#72

Anthracene

Concen: 5.279 ng

RT: 11.386 min Scan# 1580

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:178 Resp: 102596


Ion Ratio Lower Upper

178 100

176 17.6 14.8 22.2

179 15.0 12.4 18.6









#73
Carbazole
Concen: 5.131 ng
RT: 11.545 min Scan# 1607
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:167 Resp: 89721
Ion Ratio Lower Upper
167 100
166 21.9 17.4 26.2
139 13.4 10.9 16.3



#74
Di-n-butylphthalate
Concen: 5.066 ng
RT: 11.875 min Scan# 1663
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:149 Resp: 102296
Ion Ratio Lower Upper
149 100
150 9.1 7.4 11.0
104 5.2 4.2 6.2









#75
Fluoranthene
Concen: 5.361 ng
RT: 12.522 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:202 Resp: 109883
Ion Ratio Lower Upper
202 100
101 9.4 0.0 30.2
203 16.7 0.0 37.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.951 min Scan# 2016
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:240 Resp: 295087
Ion Ratio Lower Upper
240 100
120 10.2 8.0 12.0
236 25.7 19.8 29.8









#77
Benzidine
Concen: 5.370 ng
RT: 12.651 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:184 Resp: 34946
Ion Ratio Lower Upper
184 100
185 14.3 11.3 16.9
183 12.3 9.3 13.9



#78
Pyrene
Concen: 4.486 ng
RT: 12.751 min Scan# 1812
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:202 Resp: 112700
Ion Ratio Lower Upper
202 100
200 21.1 17.0 25.4
203 17.6 14.3 21.5









#79
 Terphenyl-d14
 Concen: 9.531 ng
 RT: 12.892 min Scan# 1836
 Delta R.T. -0.012 min
 Lab File: BF141473.D
 Acq: 06 Feb 2025 11:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005


Tgt Ion:244 Resp: 166601
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.6 8.4
 122 10.1 8.4 12.6



#80
 Butylbenzylphthalate
 Concen: 4.449 ng
 RT: 13.374 min Scan# 1918
 Delta R.T. -0.006 min
 Lab File: BF141473.D
 Acq: 06 Feb 2025 11:34

Tgt Ion:149 Resp: 38714
 Ion Ratio Lower Upper
 149 100
 91 70.4 57.8 86.8
 206 21.0 16.7 25.1









#81
Benzo(a)anthracene
Concen: 5.193 ng
RT: 13.939 min Scan# 2015
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:228 Resp: 101861
Ion Ratio Lower Upper
228 100
226 26.4 21.8 32.8
229 19.3 15.8 23.6



#82
3,3'-Dichlorobenzidine
Concen: 5.216 ng
RT: 13.910 min Scan# 2009
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:252 Resp: 29306
Ion Ratio Lower Upper
252 100
254 64.2 50.6 76.0
126 10.2 9.3 13.9









#83
Chrysene
Concen: 4.834 ng
RT: 13.980 min Scan# 2013
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:228 Resp: 87555
Ion Ratio Lower Upper
228 100
226 29.8 24.0 36.0
229 19.5 15.7 23.5



#84
Bis(2-ethylhexyl)phthalate
Concen: 4.457 ng
RT: 13.933 min Scan# 2013
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:149 Resp: 43735
Ion Ratio Lower Upper
149 100
167 25.8 21.4 32.0
279 3.4 3.1 4.7





#85

Di-n-octyl phthalate

Concen: 4.229 ng

RT: 14.557 min Scan# 21

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:149 Resp: 59200

Ion Ratio Lower Upper

149 100

167 1.4 1.3 1.9

43 12.0 9.5 14.3



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.410 min Scan# 2264

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:264 Resp: 233325


Ion Ratio Lower Upper

264 100

260 23.6 18.6 28.0

265 21.5 17.0 25.4









#87
Indeno(1,2,3-cd)pyrene
Concen: 3.993 ng
RT: 16.839 min Scan# 2150
Delta R.T. -0.035 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:276 Resp: 57572
Ion Ratio Lower Upper
276 100
138 23.1 18.0 27.0
277 25.6 20.4 30.6



#88
Benzo(b)fluoranthene
Concen: 4.789 ng
RT: 14.986 min Scan# 2192
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:252 Resp: 75033
Ion Ratio Lower Upper
252 100
253 21.6 17.5 26.3
125 10.0 7.0 10.6









#89
Benzo(k)fluoranthene
Concen: 4.853 ng
RT: 15.016 min Scan# 2198
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:252 Resp: 64919
Ion Ratio Lower Upper
252 100
253 21.2 18.0 27.0
125 9.2 7.4 11.0



#90
Benzo(a)pyrene
Concen: 4.993 ng
RT: 15.345 min Scan# 2253
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:252 Resp: 63295
Ion Ratio Lower Upper
252 100
253 22.1 17.1 25.7
125 10.4 7.4 11.2









#91
Dibenzo(a,h)anthracene
Concen: 3.974 ng
RT: 16.857 min Scan# 2510
Delta R.T. -0.035 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:278 Resp: 46421
Ion Ratio Lower Upper
278 100
139 16.4 11.8 17.6
279 24.0 19.1 28.7



#92
Benzo(g,h,i)perylene
Concen: 3.841 ng
RT: 17.274 min Scan# 2581
Delta R.T. -0.041 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:276 Resp: 46952
Ion Ratio Lower Upper
276 100
277 23.2 18.6 28.0
138 20.5 15.9 23.9

