

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020325\
 Data File : VY021038.D
 Acq On : 03 Feb 2025 18:34
 Operator : SY/MD
 Sample : Q1216-17
 Misc : 5.08g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 JPP-26.2-012825

Quant Time: Feb 04 00:58:48 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
 Quant Title : SW846 8260
 QLast Update : Mon Feb 03 13:08:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	27029	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	44615	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	36780	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	10812	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	15709	56.725	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	113.440%
35) Dibromofluoromethane	7.634	113	16598	58.051	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	116.100%
50) Toluene-d8	10.109	98	52531	48.259	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.520%
62) 4-Bromofluorobenzene	12.408	95	12686	35.673	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	71.340%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020325\
Data File : VY021038.D
Acq On : 03 Feb 2025 18:34
Operator : SY/MD
Sample : Q1216-17
Misc : 5.08g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
JPP-26.2-012825


Quant Time: Feb 04 00:58:48 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
Quant Title : SW846 8260
QLast Update : Mon Feb 03 13:08:38 2025
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 91
Delta R.T. -0.006 min
Lab File: VY021038.D
Acq: 03 Feb 2025 18:34


Instrument :
MSVOA_Y
ClientSampleId :
JPP-26.2-012825





Tgt Ion:168 Resp: 27029
Ion Ratio Lower Upper
168 100
99 64.4 44.2 66.4




#33
1,2-Dichloroethane-d4
Concen: 56.725 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. -0.006 min
Lab File: VY021038.D
Acq: 03 Feb 2025 18:34



Tgt Ion: 65 Resp: 15709
Ion Ratio Lower Upper
65 100
67 51.1 0.0 109.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.616 min Scan# 1131

Delta R.T. -0.006 min

Lab File: VY021038.D

Acq: 03 Feb 2025 18:34

Instrument :

MSVOA_Y

ClientSampleId :

JPP-26.2-012825





Tgt Ion:114 Resp: 44615

Ion Ratio Lower Upper

114 100

63 19.4 0.0 37.4

88 14.4 0.0 29.0



#35

Dibromofluoromethane

Concen: 58.051 ug/l

RT: 7.634 min Scan# 970

Delta R.T. -0.006 min

Lab File: VY021038.D

Acq: 03 Feb 2025 18:34




Tgt Ion:113 Resp: 16598


Ion Ratio Lower Upper

113 100

111 103.0 83.8 125.6

192 21.6 14.5 21.7









#50
Toluene-d8
Concen: 48.259 ug/l
RT: 10.109 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY021038.D
Acq: 03 Feb 2025 18:34




Instrument :
MSVOA_Y
ClientSampleId :
JPP-26.2-012825


Tgt Ion: 98 Resp: 52531
Ion Ratio Lower Upper
98 100
100 63.7 52.3 78.5



#62
4-Bromofluorobenzene
Concen: 35.673 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. -0.006 min
Lab File: VY021038.D
Acq: 03 Feb 2025 18:34

Tgt Ion: 95 Resp: 12686
Ion Ratio Lower Upper
95 100
174 90.4 0.0 160.0
176 85.9 0.0 151.8





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.420 min Scan# 11

Delta R.T. -0.000 min

Lab File: VY021038.D

Acq: 03 Feb 2025 18:34

Instrument :

MSVOA_Y

ClientSampleId :

JPP-26.2-012825





Tgt Ion:117 Resp: 36780

Ion Ratio Lower Upper

117 100

82 57.9 43.8 65.8

119 33.0 26.5 39.7



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. -0.006 min

Lab File: VY021038.D

Acq: 03 Feb 2025 18:34

Tgt Ion:152 Resp: 10812

Ion Ratio Lower Upper

152 100

115 57.5 30.0 90.0

150 152.0 0.0 344.6

