

## LAB CHRONICLE

|                 |                      |                   |                                       |
|-----------------|----------------------|-------------------|---------------------------------------|
| <b>OrderID:</b> | Q1232                | <b>OrderDate:</b> | 1/30/2025 11:55:00 AM                 |
| <b>Client:</b>  | RU2 Engineering, LLC | <b>Project:</b>   | NYCDDC SANTWOBR Brooklyn Bridge BBMCR |
| <b>Contact:</b> | Rutu Manani          | <b>Location:</b>  | E11,VOA Ref. #2 Soil                  |

| LabID           | ClientID               | Matrix      | Test             | Method | Sample Date               | Prep Date | Anal Date         | Received        |
|-----------------|------------------------|-------------|------------------|--------|---------------------------|-----------|-------------------|-----------------|
| <b>Q1232-03</b> | <b>JPP-46.2-012925</b> | <b>SOIL</b> |                  |        | <b>01/29/25<br/>09:05</b> |           |                   | <b>01/30/25</b> |
|                 |                        |             | Paint Filter     | 9095B  |                           |           | 02/04/25<br>08:25 |                 |
| <b>Q1232-04</b> | <b>JPP-46.2-012925</b> | <b>SOIL</b> |                  |        | <b>01/29/25<br/>09:05</b> |           |                   | <b>01/30/25</b> |
|                 |                        |             | Corrosivity      | 9045D  |                           |           | 01/30/25<br>15:20 |                 |
|                 |                        |             | Ignitability     | 1030   |                           |           | 01/31/25<br>11:15 |                 |
|                 |                        |             | Reactive Cyanide | 9012B  |                           | 02/03/25  | 02/03/25<br>11:01 |                 |
|                 |                        |             | Reactive Sulfide | 9034   |                           | 01/31/25  | 01/31/25<br>14:48 |                 |
| <b>Q1232-07</b> | <b>JPP-46.1-012925</b> | <b>SOIL</b> |                  |        | <b>01/29/25<br/>10:18</b> |           |                   | <b>01/30/25</b> |
|                 |                        |             | Paint Filter     | 9095B  |                           |           | 02/04/25<br>08:40 |                 |
| <b>Q1232-08</b> | <b>JPP-46.1-012925</b> | <b>SOIL</b> |                  |        | <b>01/29/25<br/>10:18</b> |           |                   | <b>01/30/25</b> |
|                 |                        |             | Corrosivity      | 9045D  |                           |           | 01/30/25<br>15:25 |                 |
|                 |                        |             | Ignitability     | 1030   |                           |           | 01/31/25<br>11:22 |                 |
|                 |                        |             | Reactive Cyanide | 9012B  |                           | 02/03/25  | 02/03/25<br>11:08 |                 |
|                 |                        |             | Reactive Sulfide | 9034   |                           | 01/31/25  | 01/31/25<br>14:52 |                 |

## LAB CHRONICLE

|                 |                        |             |                  |                           |          |                   |
|-----------------|------------------------|-------------|------------------|---------------------------|----------|-------------------|
| <b>Q1232-11</b> | <b>JPP-42.1-012925</b> | <b>SOIL</b> |                  | <b>01/29/25<br/>11:30</b> |          | <b>01/30/25</b>   |
|                 |                        |             | Paint Filter     | 9095B                     |          | 02/04/25<br>08:47 |
| <b>Q1232-12</b> | <b>JPP-42.1-012925</b> | <b>SOIL</b> |                  | <b>01/29/25<br/>11:30</b> |          | <b>01/30/25</b>   |
|                 |                        |             | Corrosivity      | 9045D                     |          | 01/30/25<br>15:30 |
|                 |                        |             | Ignitability     | 1030                      |          | 01/31/25<br>11:30 |
|                 |                        |             | Reactive Cyanide | 9012B                     | 02/03/25 | 02/03/25<br>11:08 |
|                 |                        |             | Reactive Sulfide | 9034                      | 01/31/25 | 01/31/25<br>14:55 |
| <b>Q1232-15</b> | <b>JPP-42.2-012925</b> | <b>SOIL</b> |                  | <b>01/29/25<br/>12:30</b> |          | <b>01/30/25</b>   |
|                 |                        |             | Paint Filter     | 9095B                     |          | 02/04/25<br>08:55 |
| <b>Q1232-16</b> | <b>JPP-42.2-012925</b> | <b>SOIL</b> |                  | <b>01/29/25<br/>12:30</b> |          | <b>01/30/25</b>   |
|                 |                        |             | Corrosivity      | 9045D                     |          | 01/30/25<br>15:37 |
|                 |                        |             | Ignitability     | 1030                      |          | 01/31/25<br>11:38 |
|                 |                        |             | Reactive Cyanide | 9012B                     | 02/03/25 | 02/03/25<br>11:08 |
|                 |                        |             | Reactive Sulfide | 9034                      | 01/31/25 | 01/31/25<br>14:57 |
| <b>Q1232-19</b> | <b>JPP-51.1-012925</b> | <b>SOIL</b> |                  | <b>01/29/25<br/>14:20</b> |          | <b>01/30/25</b>   |
|                 |                        |             | Paint Filter     | 9095B                     |          | 02/04/25<br>09:02 |
| <b>Q1232-20</b> | <b>JPP-51.1-012925</b> | <b>SOIL</b> |                  | <b>01/29/25<br/>14:20</b> |          | <b>01/30/25</b>   |
|                 |                        |             | Corrosivity      | 9045D                     |          | 01/30/25<br>15:40 |

### LAB CHRONICLE

|                  |       |          |                   |
|------------------|-------|----------|-------------------|
| Ignitability     | 1030  |          | 01/31/25<br>11:45 |
| Reactive Cyanide | 9012B | 02/03/25 | 02/03/25<br>11:08 |
| Reactive Sulfide | 9034  | 01/31/25 | 01/31/25<br>15:00 |