

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	01/29/25
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	01/30/25
Client Sample ID:	JPP-46.1-012925	SDG No.:	Q1232
Lab Sample ID:	Q1232-08	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	100	U	1	34.8	100	ug/L	01/31/25 12:30	02/10/25 16:17	SW6010	SW3050
7440-39-3	Barium	337	J	1	62.8	500	ug/L	01/31/25 12:30	02/10/25 16:17	SW6010	SW3050
7440-43-9	Cadmium	30.0	U	1	0.94	30.0	ug/L	01/31/25 12:30	02/10/25 16:17	SW6010	SW3050
7440-47-3	Chromium	9.09	J	1	6.60	50.0	ug/L	01/31/25 12:30	02/10/25 16:17	SW6010	SW3050
7439-92-1	Lead	60.0	U	1	35.1	60.0	ug/L	01/31/25 12:30	02/10/25 16:17	SW6010	SW3050
7439-97-6	Mercury	2.00	U	1	0.81	2.00	ug/L	02/03/25 09:25	02/03/25 16:51	SW7470A	
7782-49-2	Selenium	100	U	1	58.8	100	ug/L	01/31/25 12:30	02/10/25 16:17	SW6010	SW3050
7440-22-4	Silver	50.0	U	1	5.80	50.0	ug/L	01/31/25 12:30	02/10/25 16:17	SW6010	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits