

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012925\
 Data File : BF141292.D
 Acq On : 29 Jan 2025 11:49
 Operator : RC/JU
 Sample : SSTDICC010
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 01/30/2025
 Supervised By :mohammad ahmed 02/04/2025

Quant Time: Jan 29 16:29:06 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 16:24:35 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.798	152	132200	20.000	ng	0.00
21) Naphthalene-d8	8.081	136	533326	20.000	ng	0.00
39) Acenaphthene-d10	9.834	164	289559	20.000	ng	0.00
64) Phenanthrene-d10	11.322	188	510795	20.000	ng	0.00
76) Chrysene-d12	13.969	240	308114	20.000	ng	0.00
86) Perylene-d12	15.433	264	280028	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.399	112	183846	21.507	ng	0.00
7) Phenol-d6	6.416	99	237908	21.836	ng	-0.01
23) Nitrobenzene-d5	7.357	82	211040	20.937	ng	0.00
42) 2,4,6-Tribromophenol	10.622	330	57417	21.761	ng	0.00
45) 2-Fluorobiphenyl	9.151	172	423852	22.581	ng	0.00
79) Terphenyl-d14	12.910	244	434781	21.713	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.487	88	39830	10.497	ng	98
3) Pyridine	3.222	79	93176	10.267	ng	99
4) n-Nitrosodimethylamine	3.152	42	52157	10.036	ng	98
6) Aniline	6.457	93	99872	10.968	ng	99
8) 2-Chlorophenol	6.581	128	99805	10.871	ng	95
9) Benzaldehyde	6.346	77	74679	11.803	ng	99
10) Phenol	6.434	94	124196	10.775	ng	96
11) bis(2-Chloroethyl)ether	6.528	93	93367	10.533	ng	99
12) 1,3-Dichlorobenzene	6.740	146	110278	10.891	ng	98
13) 1,4-Dichlorobenzene	6.816	146	109956	10.784	ng	99
14) 1,2-Dichlorobenzene	6.969	146	106335	11.160	ng	98
15) Benzyl Alcohol	6.934	79	79378	10.665	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.075	45	164185	10.661	ng	99
17) 2-Methylphenol	7.045	107	77643	10.446	ng	98
18) Hexachloroethane	7.310	117	40445	10.721	ng	99
19) n-Nitroso-di-n-propyla...	7.204	70	70075	10.815	ng	99
20) 3+4-Methylphenols	7.198	107	103360	11.310	ng	95
22) Acetophenone	7.204	105	139527	11.036	ng	98
24) Nitrobenzene	7.375	77	109497	10.474	ng	99
25) Isophorone	7.616	82	182564	10.480	ng	100
26) 2-Nitrophenol	7.692	139	49783	10.167	ng	98
27) 2,4-Dimethylphenol	7.728	122	63681m	10.177	ng	
28) bis(2-Chloroethoxy)met...	7.828	93	117232	10.561	ng	98
29) 2,4-Dichlorophenol	7.934	162	79949	10.457	ng	99
30) 1,2,4-Trichlorobenzene	8.022	180	94419	10.767	ng	98
31) Naphthalene	8.098	128	305386	10.887	ng	99
32) Benzoic acid	7.798	122	47549	8.367	ng	99
33) 4-Chloroaniline	8.151	127	100852	10.703	ng	98
34) Hexachlorobutadiene	8.222	225	55103	10.736	ng	99
35) Caprolactam	8.481	113	25363	10.256	ng	100
36) 4-Chloro-3-methylphenol	8.622	107	87592	10.674	ng	98
37) 2-Methylnaphthalene	8.792	142	195160	10.925	ng	99
38) 1-Methylnaphthalene	8.892	142	192861	11.022	ng	100
40) 1,2,4,5-Tetrachloroben...	8.957	216	88710	10.775	ng	99
41) Hexachlorocyclopentadiene	8.945	237	22759	9.212	ng	98
43) 2,4,6-Trichlorophenol	9.069	196	55036	10.241	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012925\
 Data File : BF141292.D
 Acq On : 29 Jan 2025 11:49
 Operator : RC/JU
 Sample : SSTDICC010
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 01/30/2025
 Supervised By :mohammad ahmed 02/04/2025

Quant Time: Jan 29 16:29:06 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 16:24:35 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.104	196	61493	10.518	ng	100
46) 1,1'-Biphenyl	9.257	154	245028	10.847	ng	99
47) 2-Chloronaphthalene	9.281	162	189709	10.812	ng	98
48) 2-Nitroaniline	9.375	65	56247	10.164	ng	99
49) Acenaphthylene	9.692	152	268471	10.895	ng	99
50) Dimethylphthalate	9.551	163	210816	10.857	ng	100
51) 2,6-Dinitrotoluene	9.616	165	47955	10.613	ng	97
52) Acenaphthene	9.869	154	188283	10.738	ng	100
53) 3-Nitroaniline	9.781	138	47818	10.699	ng	95
54) 2,4-Dinitrophenol	9.892	184	14749	6.925	ng	98
55) Dibenzofuran	10.039	168	258832	11.038	ng	99
56) 4-Nitrophenol	9.939	139	31196	9.722	ng	98
57) 2,4-Dinitrotoluene	10.016	165	62418	10.710	ng	99
58) Fluorene	10.381	166	204141	11.197	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.157	232	49596	10.737	ng	100
60) Diethylphthalate	10.257	149	205131	10.908	ng	99
61) 4-Chlorophenyl-phenyle...	10.375	204	100485	11.294	ng	100
62) 4-Nitroaniline	10.392	138	45222	10.533	ng	99
63) Azobenzene	10.534	77	204300	10.839	ng	99
65) 4,6-Dinitro-2-methylph...	10.422	198	26939	8.831	ng	91
66) n-Nitrosodiphenylamine	10.492	169	174617	10.544	ng	100
67) 4-Bromophenyl-phenylether	10.869	248	59770	10.468	ng	96
68) Hexachlorobenzene	10.928	284	63908	10.551	ng	100
69) Atrazine	11.016	200	51633	9.295	ng	99
70) Pentachlorophenol	11.128	266	34788	9.796	ng	99
71) Phenanthrene	11.345	178	298892	10.893	ng	99
72) Anthracene	11.398	178	292813	10.940	ng	99
73) Carbazole	11.551	167	258853	10.919	ng	99
74) Di-n-butylphthalate	11.886	149	316336	11.070	ng	99
75) Fluoranthene	12.533	202	306969	11.462	ng	99
77) Benzidine	12.657	184	73918	7.890	ng	98
78) Pyrene	12.763	202	317744	10.681	ng	99
80) Butylbenzylphthalate	13.386	149	106335	10.349	ng	99
81) Benzo(a)anthracene	13.957	228	217291	10.289	ng	99
82) 3,3'-Dichlorobenzidine	13.922	252	65021	9.833	ng	99
83) Chrysene	13.992	228	204080	10.421	ng	100
84) Bis(2-ethylhexyl)phtha...	13.951	149	139099	10.789	ng	99
85) Di-n-octyl phthalate	14.580	149	195129	9.676	ng	99
87) Indeno(1,2,3-cd)pyrene	16.874	276	177554	9.708	ng	100
88) Benzo(b)fluoranthene	15.010	252	193558	11.130	ng	99
89) Benzo(k)fluoranthene	15.039	252	155925	10.012	ng	99
90) Benzo(a)pyrene	15.374	252	148214	9.972	ng	100
91) Dibenzo(a,h)anthracene	16.898	278	140143	9.559	ng	99
92) Benzo(g,h,i)perylene	17.315	276	150453	9.756	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed




#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.798 min Scan# 800
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion:152 Resp: 132200
Ion Ratio Lower Upper
152 100
150 159.1 125.9 188.9
115 63.1 49.7 74.5

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#2
1,4-Dioxane
Concen: 10.497 ng
RT: 2.487 min Scan# 67
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion: 88 Resp: 39830
Ion Ratio Lower Upper
88 100
58 85.5 70.2 105.4
43 34.3 27.6 41.4






#3
Pyridine
Concen: 10.267 ng
RT: 3.222 min Scan# 191
Delta R.T. 0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion: 79 Resp: 93170
Ion Ratio Lower Upper
79 100
52 89.4 70.3 105.5
51 43.0 34.3 51.5


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#4
n-Nitrosodimethylamine
Concen: 10.036 ng
RT: 3.152 min Scan# 180
Delta R.T. -0.017 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49



Tgt Ion: 42 Resp: 52157
Ion Ratio Lower Upper
42 100
74 110.5 90.3 135.5
44 8.0 5.7 8.5





#5
2-Fluorophenol
Concen: 21.507 ng
RT: 5.399 min Scan# 501
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion:112 Resp: 183840
Ion Ratio Lower Upper
112 100
64 63.2 49.8 74.8
63 32.3 26.1 39.1

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#6
Aniline
Concen: 10.968 ng
RT: 6.457 min Scan# 742
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion: 93 Resp: 99872
Ion Ratio Lower Upper
93 100
66 41.7 32.5 48.7
65 21.0 17.0 25.6









#7
Phenol-d6
Concen: 21.836 ng
RT: 6.416 min Scan# 711
Delta R.T. -0.012 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 99 Resp: 237908
Ion Ratio Lower Upper
99 100
42 20.8 17.1 25.7
71 31.8 26.9 40.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#8
2-Chlorophenol
Concen: 10.871 ng
RT: 6.581 min Scan# 763
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49


Tgt Ion:128 Resp: 99805
Ion Ratio Lower Upper
128 100
130 32.0 12.5 52.5
64 48.0 32.9 72.9





#9
Benzaldehyde
Concen: 11.803 ng
RT: 6.346 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion: 77 Resp: 74679
Ion Ratio Lower Upper
77 100
105 99.6 79.4 119.4
106 96.1 74.6 114.6

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#10
Phenol
Concen: 10.775 ng
RT: 6.434 min Scan# 738
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49



Tgt Ion: 94 Resp: 124196
Ion Ratio Lower Upper
94 100
65 29.5 10.8 50.8
66 39.7 23.3 63.3









#11
bis(2-Chloroethyl)ether
Concen: 10.533 ng
RT: 6.528 min Scan# 754
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 93 Resp: 9336
Ion Ratio Lower Upper
93 100
63 84.6 65.0 105.0
95 32.8 12.4 52.4




Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#12
1,3-Dichlorobenzene
Concen: 10.891 ng
RT: 6.740 min Scan# 790
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion:146 Resp: 110278
Ion Ratio Lower Upper
146 100
148 63.8 51.2 76.8
75 29.9 26.2 39.4





#13
1,4-Dichlorobenzene
Concen: 10.784 ng
RT: 6.816 min Scan# 803
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion:146 Resp: 109950
Ion Ratio Lower Upper
146 100
148 64.6 51.2 76.8
111 43.4 35.0 52.4

Manual Integrations




APPROVED

Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#14
1,2-Dichlorobenzene
Concen: 11.160 ng
RT: 6.969 min Scan# 829
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion:146 Resp: 106335
Ion Ratio Lower Upper
146 100
148 63.8 50.5 75.7
111 43.8 36.6 55.0





#15
Benzyl Alcohol
Concen: 10.665 ng
RT: 6.934 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F





ClientSampleId :

SSTDICC010

Tgt Ion: 79 Resp: 79378
Ion Ratio Lower Upper
79 100
108 77.5 61.4 92.0
77 65.0 49.9 74.9




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 10.661 ng
RT: 7.075 min Scan# 847
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion: 45 Resp: 164185
Ion Ratio Lower Upper
45 100
77 11.5 0.0 31.8
79 9.2 0.0 29.1





#17
2-Methylphenol
Concen: 10.446 ng
RT: 7.045 min Scan# 843
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion:107 Resp: 7764
Ion Ratio Lower Upper
107 100
108 116.6 90.8 136.2
77 43.3 36.2 54.4
79 44.9 35.7 53.5

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#18
Hexachloroethane
Concen: 10.721 ng
RT: 7.310 min Scan# 887
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion:117 Resp: 40445
Ion Ratio Lower Upper
117 100
119 94.3 76.6 114.8
201 93.1 74.8 112.2





#19
n-Nitroso-di-n-propylamine
Concen: 10.815 ng
RT: 7.204 min Scan# 869
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F





ClientSampleId :

SSTDICC010

Tgt Ion: 70 Resp: 70075
Ion Ratio Lower Upper
70 100
42 69.8 56.8 85.2
101 10.0 7.7 11.5
130 21.3 16.8 25.2




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#20
3+4-Methylphenols
Concen: 11.310 ng
RT: 7.198 min Scan# 868
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion:107 Resp: 103360
Ion Ratio Lower Upper
107 100
108 91.0 70.9 110.9
77 128.4 98.5 138.5
79 28.1 9.5 49.5





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.081 min Scan# 1018

Delta R.T. 0.000 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010

Tgt Ion:136 Resp: 533320

Ion Ratio Lower Upper

136 100

137 10.8 8.6 13.0

54 9.5 7.8 11.8





68 5.9 4.9 7.3

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#22

Acetophenone

Concen: 11.036 ng

RT: 7.204 min Scan# 869

Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Tgt Ion:105 Resp: 139527




Ion Ratio Lower Upper


105 100

71 8.4 6.8 10.2

51 38.3 32.6 49.0

120 21.9 17.4 26.0





#23

Nitrobenzene-d5

Concen: 20.937 ng

RT: 7.357 min Scan# 895

Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion: 82 Resp: 211040
 Ion Ratio Lower Upper
 82 100
 128 44.0 35.7 53.5
 54 58.7 47.1 70.7

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025
 Supervised By :mohammad ahmed 02/04/2025



#24

Nitrobenzene

Concen: 10.474 ng




RT: 7.375 min Scan# 898


Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Tgt Ion: 77 Resp: 109497
 Ion Ratio Lower Upper
 77 100
 123 46.5 37.3 55.9
 65 14.0 11.8 17.6









#25
Isophorone
Concen: 10.480 ng
RT: 7.616 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 82 Resp: 182564
Ion Ratio Lower Upper
82 100
95 6.9 5.8 8.6
138 18.2 14.7 22.1




Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#26
2-Nitrophenol
Concen: 10.167 ng
RT: 7.692 min Scan# 952
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion:139 Resp: 49783
Ion Ratio Lower Upper
139 100
109 27.8 23.8 35.6
65 54.0 42.2 63.4





#27

2,4-Dimethylphenol

Concen: 10.177 ng m

RT: 7.728 min Scan# 91

Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion:122 Resp: 6368
 Ion Ratio Lower Upper
 122 100
 107 114.9 89.9 134.9
 121 58.0 46.1 69.1

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025
 Supervised By :mohammad ahmed 02/04/2025



#28

bis(2-Chloroethoxy)methane

Concen: 10.561 ng




RT: 7.828 min Scan# 975


Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Tgt Ion: 93 Resp: 117232
 Ion Ratio Lower Upper
 93 100
 95 32.0 26.2 39.2
 123 11.6 10.2 15.4





#29

2,4-Dichlorophenol

Concen: 10.457 ng

RT: 7.934 min Scan# 994

Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010




Tgt Ion:	162	Resp:	79949
Ion Ratio	Lower	Upper	
162	100		
164	63.4	44.2	84.2
98	36.9	18.2	58.2

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#30

1,2,4-Trichlorobenzene

Concen: 10.767 ng




RT: 8.022 min Scan# 1008

Delta R.T. 0.000 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49


Tgt Ion:	180	Resp:	94419
Ion Ratio	Lower	Upper	
180	100		
182	93.6	76.4	114.6
145	29.6	24.9	37.3





#31
Naphthalene
Concen: 10.887 ng
RT: 8.098 min Scan# 1022
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49




Instrument :
BNA_F
ClientSampleId :
SSTDICC010



Tgt Ion:128 Resp: 30538
Ion Ratio Lower Upper
128 100
129 10.8 8.9 13.3
127 12.7 10.6 15.8




Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#32
Benzoic acid
Concen: 8.367 ng
RT: 7.798 min Scan# 970
Delta R.T. -0.047 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion:122 Resp: 47549
Ion Ratio Lower Upper
122 100
105 124.1 103.4 143.4
77 93.0 70.9 110.9





#33
4-Chloroaniline
Concen: 10.703 ng
RT: 8.151 min Scan# 1030
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F





ClientSampleId :

SSTDICC010

Tgt Ion:127 Resp: 100852
Ion Ratio Lower Upper
127 100
129 31.7 25.7 38.5
65 30.9 26.4 39.6
92 18.3 15.1 22.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#34
Hexachlorobutadiene
Concen: 10.736 ng
RT: 8.222 min Scan# 1042
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49


Tgt Ion:225 Resp: 55103
Ion Ratio Lower Upper
225 100
223 62.0 50.4 75.6
227 62.9 51.3 76.9





#35
Caprolactam
Concen: 10.256 ng
RT: 8.481 min Scan# 1108
Delta R.T. -0.035 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:113 Resp: 2536
Ion Ratio Lower Upper
113 100
55 201.9 182.9 222.9
56 148.2 127.9 167.9

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#36
4-Chloro-3-methylphenol
Concen: 10.674 ng
RT: 8.622 min Scan# 1110
Delta R.T. -0.012 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49



Tgt Ion:107 Resp: 87592
Ion Ratio Lower Upper
107 100
144 25.1 20.7 31.1
142 77.6 63.8 95.8






#37
2-Methylnaphthalene
Concen: 10.925 ng
RT: 8.792 min Scan# 1139
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion:142 Resp: 195160
Ion Ratio Lower Upper
142 100
141 88.3 71.3 106.9


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#38
1-Methylnaphthalene
Concen: 11.022 ng
RT: 8.892 min Scan# 1156
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49



Tgt Ion:142 Resp: 192861
Ion Ratio Lower Upper
142 100
141 91.7 73.2 109.8






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.834 min Scan# 1167
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion:164 Resp: 28955
Ion Ratio Lower Upper
164 100
162 100.0 80.6 121.0
160 45.2 35.8 53.6

Manual Integrations

APPROVED




Reviewed By :Yogesh Patel 01/30/2025


Supervised By :mohammad ahmed 02/04/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 10.775 ng
RT: 8.957 min Scan# 1167
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion:216 Resp: 88710
Ion Ratio Lower Upper
216 100
214 77.8 63.2 94.8
179 21.1 17.8 26.8
108 18.6 15.0 22.6





#41
Hexachlorocyclopentadiene
Concen: 9.212 ng
RT: 8.945 min Scan# 1165
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion:237 Resp: 22759
Ion Ratio Lower Upper
237 100
235 60.8 42.9 82.9
272 12.3 0.0 32.8

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#42
2,4,6-Tribromophenol
Concen: 21.761 ng
RT: 10.622 min Scan# 1450
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion:330 Resp: 57417
Ion Ratio Lower Upper
330 100
332 98.0 76.1 114.1
141 37.3 28.8 43.2





#43
2,4,6-Trichlorophenol
Concen: 10.241 ng
RT: 9.069 min Scan# 1186
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion:196 Resp: 55030
Ion Ratio Lower Upper
196 100
198 101.0 81.8 122.6
200 33.2 26.3 39.5

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#44
2,4,5-Trichlorophenol
Concen: 10.518 ng
RT: 9.104 min Scan# 1192
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49


Tgt Ion:196 Resp: 61493
Ion Ratio Lower Upper
196 100
198 100.8 80.5 120.7
97 52.9 42.8 64.2
132 29.7 23.5 35.3





#45
2-Fluorobiphenyl
Concen: 22.581 ng
RT: 9.151 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:172 Resp: 42385
Ion Ratio Lower Upper
172 100
171 34.7 28.8 43.2
170 23.1 19.0 28.6

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#46
1,1'-Biphenyl
Concen: 10.847 ng
RT: 9.257 min Scan# 1218
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49



Tgt Ion:154 Resp: 245028
Ion Ratio Lower Upper
154 100
153 40.8 20.0 60.0
76 12.7 0.0 32.8





#47

2-Chloronaphthalene

Concen: 10.812 ng

RT: 9.281 min Scan# 1222

Delta R.T. 0.000 min

Lab File: BF141292.D


Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010



Tgt Ion:162 Resp: 189709

Ion Ratio Lower Upper

162 100

127 40.2 33.7 50.5



164 31.9 25.9 38.9

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#48

2-Nitroaniline

Concen: 10.164 ng

RT: 9.375 min Scan# 1238

Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49




Tgt Ion: 65 Resp: 56247

Ion Ratio Lower Upper

65 100

92 67.0 53.3 79.9

138 102.9 83.6 125.4






#49
Acenaphthylene
Concen: 10.895 ng
RT: 9.692 min Scan# 1293
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion:152 Resp: 26847
Ion Ratio Lower Upper
152 100
151 19.7 16.2 24.2
153 13.6 11.0 16.6


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#50
Dimethylphthalate
Concen: 10.857 ng
RT: 9.551 min Scan# 1268
Delta R.T. -0.012 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49



Tgt Ion:163 Resp: 210816
Ion Ratio Lower Upper
163 100
194 3.7 3.0 4.6
164 10.2 8.0 12.0





#51
2,6-Dinitrotoluene
Concen: 10.613 ng
RT: 9.616 min Scan# 1279
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion:165 Resp: 4795
Ion Ratio Lower Upper
165 100
63 58.3 48.1 72.1
89 53.7 44.9 67.3

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#52
Acenaphthene
Concen: 10.738 ng
RT: 9.869 min Scan# 1322
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion:154 Resp: 188283
Ion Ratio Lower Upper
154 100
153 111.2 89.0 133.4
152 50.4 40.2 60.4





#53

3-Nitroaniline

Concen: 10.699 ng

RT: 9.781 min Scan# 1307

Delta R.T. -0.012 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010

Tgt Ion:138 Resp: 47818





Ion	Ratio	Lower	Upper
138	100		
108	11.3	8.6	12.8
92	119.2	91.0	136.6

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#54

2,4-Dinitrophenol

Concen: 6.925 ng

RT: 9.892 min Scan# 1326




Delta R.T. -0.006 min


Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Tgt Ion:184 Resp: 14749


Ion	Ratio	Lower	Upper
184	100		
63	67.9	54.1	81.1
154	66.2	50.7	76.1





#55
Dibenzenofuran
Concen: 11.038 ng
RT: 10.039 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49




Instrument :
BNA_F
ClientSampleId :
SSTDICC010



Tgt Ion:168 Resp: 258832
Ion Ratio Lower Upper
168 100
139 37.7 30.6 46.0
169 13.1 10.8 16.2




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#56
4-Nitrophenol
Concen: 9.722 ng
RT: 9.939 min Scan# 1334
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion:139 Resp: 31196
Ion Ratio Lower Upper
139 100
109 67.1 50.2 90.2
65 100.6 80.6 120.6





#57
2,4-Dinitrotoluene
Concen: 10.710 ng
RT: 10.016 min Scan# 1408
Delta R.T. -0.012 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion:165 Resp: 62418
Ion Ratio Lower Upper
165 100
63 48.0 39.2 58.8
89 72.2 56.9 85.3
182 2.4 2.2 3.2

Manual Integrations




APPROVED

Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#58
Fluorene
Concen: 11.197 ng
RT: 10.381 min Scan# 1409
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49


Tgt Ion:166 Resp: 204141
Ion Ratio Lower Upper
166 100
165 98.4 77.5 116.3
167 13.6 10.9 16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 10.737 ng
RT: 10.157 min Scan# 1371
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:232 Resp: 49590
Ion Ratio Lower Upper
232 100
131 45.2 36.4 54.6
130 2.2 1.9 2.9
166 29.9 24.1 36.1

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#60
Diethylphthalate
Concen: 10.908 ng
RT: 10.257 min Scan# 1388
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49



Tgt Ion:149 Resp: 205131
Ion Ratio Lower Upper
149 100
177 22.7 18.5 27.7
150 12.1 10.0 15.0





#61
4-Chlorophenyl-phenylether
Concen: 11.294 ng
RT: 10.375 min Scan# 1408
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion:204 Resp: 100485
Ion Ratio Lower Upper
204 100
206 31.9 25.9 38.9
141 61.8 49.5 74.3

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#62
4-Nitroaniline
Concen: 10.533 ng
RT: 10.392 min Scan# 1411
Delta R.T. -0.012 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion:138 Resp: 45222
Ion Ratio Lower Upper
138 100
92 50.0 30.1 70.1
108 71.3 53.1 93.1





#63
Azobenzene
Concen: 10.839 ng
RT: 10.534 min Scan# 1436
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion: 77 Resp: 204300
Ion Ratio Lower Upper
77 100
182 24.6 5.1 45.1
105 21.5 1.8 41.8
51 33.3 14.0 54.0

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.322 min Scan# 1569
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion:188 Resp: 510795
Ion Ratio Lower Upper
188 100
94 10.3 7.8 11.6
80 10.9 8.2 12.4









#65
4,6-Dinitro-2-methylphenol
Concen: 8.831 ng
RT: 10.422 min Scan# 1418
Delta R.T. -0.012 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:198 Resp: 26939
Ion Ratio Lower Upper
198 100
51 61.2 33.4 73.4
105 48.3 24.4 64.4




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#66
n-Nitrosodiphenylamine
Concen: 10.544 ng
RT: 10.492 min Scan# 1428
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49


Tgt Ion:169 Resp: 174617
Ion Ratio Lower Upper
169 100
168 66.3 53.0 79.4
167 35.4 28.8 43.2





#67
4-Bromophenyl-phenylether
Concen: 10.468 ng
RT: 10.869 min Scan# 1492
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:248 Resp: 59770
Ion Ratio Lower Upper
248 100
250 100.0 79.0 118.4
141 72.2 63.7 95.5

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#68
Hexachlorobenzene
Concen: 10.551 ng
RT: 10.928 min Scan# 1502
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49



Tgt Ion:284 Resp: 63908
Ion Ratio Lower Upper
284 100
142 37.0 29.5 44.3
249 32.2 25.4 38.2





#69

Atrazine

Concen: 9.295 ng

RT: 11.016 min Scan# 1517

Delta R.T. -0.012 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion:200 Resp: 5163
 Ion Ratio Lower Upper
 200 100
 173 26.2 5.9 45.9
 215 46.0 25.2 65.2

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025
 Supervised By :mohammad ahmed 02/04/2025



#70

Pentachlorophenol

Concen: 9.796 ng




RT: 11.128 min Scan# 1536


Delta R.T. 0.000 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49


Tgt Ion:266 Resp: 34788
 Ion Ratio Lower Upper
 266 100
 268 63.4 49.9 74.9
 264 62.7 51.0 76.4





#71
Phenanthrene
Concen: 10.893 ng
RT: 11.345 min Scan# 1574
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:178 Resp: 298892
Ion Ratio Lower Upper
178 100
176 18.6 15.3 22.9
179 15.4 12.5 18.7

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#72
Anthracene
Concen: 10.940 ng
RT: 11.398 min Scan# 1582
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49



Tgt Ion:178 Resp: 292813
Ion Ratio Lower Upper
178 100
176 18.6 15.0 22.6
179 14.9 12.3 18.5





#73

Carbazole

Concen: 10.919 ng

RT: 11.551 min Scan# 1608

Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010

Tgt Ion:167 Resp: 25885





Ion	Ratio	Lower	Upper
167	100		
166	21.2	17.0	25.6
139	12.7	10.6	16.0

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#74

Di-n-butylphthalate

Concen: 11.070 ng

RT: 11.886 min Scan# 1665




Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Tgt Ion:149 Resp: 316336


Ion	Ratio	Lower	Upper
149	100		
150	9.0	7.4	11.2
104	4.9	3.9	5.9





#75
Fluoranthene
Concen: 11.462 ng
RT: 12.533 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:202 Resp: 306969
Ion Ratio Lower Upper
202 100
101 11.8 0.0 31.7
203 17.1 0.0 37.5

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.969 min Scan# 2019
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49



Tgt Ion:240 Resp: 308114
Ion Ratio Lower Upper
240 100
120 11.2 10.0 15.0
236 25.4 19.7 29.5





#77

Benzidine

Concen: 7.890 ng

RT: 12.657 min Scan# 1796

Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:184 Resp: 73918
 Ion Ratio Lower Upper
 184 100
 185 15.6 11.9 17.9
 183 12.6 9.5 14.3

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#78

Pyrene

Concen: 10.681 ng




RT: 12.763 min Scan# 1814

Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Tgt Ion:202 Resp: 317744
 Ion Ratio Lower Upper
 202 100
 200 20.5 17.0 25.4
 203 17.3 14.3 21.5






#79
 Terphenyl-d14
 Concen: 21.713 ng
 RT: 12.910 min Scan# 1839
 Delta R.T. -0.006 min
 Lab File: BF141292.D
 Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion:244 Resp: 43478
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.4 8.0
 122 11.7 8.8 13.2


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 01/30/2025
 Supervised By :mohammad ahmed 02/04/2025




#80
 Butylbenzylphthalate
 Concen: 10.349 ng
 RT: 13.386 min Scan# 1920
 Delta R.T. -0.006 min
 Lab File: BF141292.D
 Acq: 29 Jan 2025 11:49




Tgt Ion:149 Resp: 106335
 Ion Ratio Lower Upper
 149 100
 91 74.4 58.6 87.8
 206 21.0 16.7 25.1





#81
Benzo(a)anthracene
Concen: 10.289 ng
RT: 13.957 min Scan# 2017
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:228 Resp: 21729
Ion Ratio Lower Upper
228 100
226 27.1 21.4 32.2
229 19.7 15.5 23.3

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#82
3,3'-Dichlorobenzidine
Concen: 9.833 ng
RT: 13.922 min Scan# 2011
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49



Tgt Ion:252 Resp: 65021
Ion Ratio Lower Upper
252 100
254 63.3 51.3 76.9
126 12.2 10.0 15.0





#83

Chrysene

Concen: 10.421 ng

RT: 13.992 min Scan# 20

Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010

Tgt Ion:228 Resp: 204080

Ion Ratio Lower Upper

228 100

226 29.9 24.1 36.1





229 19.6 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 10.789 ng

RT: 13.951 min Scan# 2016

Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49




Tgt Ion:149 Resp: 139099

Ion Ratio Lower Upper

149 100

167 26.9 21.8 32.8

279 3.8 3.3 4.9





#85

Di-n-octyl phthalate

Concen: 9.676 ng

RT: 14.580 min Scan# 2124

Delta R.T. -0.006 min

Lab File: BF141292.D


Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDICC010



Tgt Ion:149 Resp: 195129

Ion Ratio Lower Upper

149 100

167 1.5 1.3 1.9




43 11.8 9.8 14.8

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.433 min Scan# 2268

Delta R.T. -0.006 min

Lab File: BF141292.D

Acq: 29 Jan 2025 11:49




Tgt Ion:264 Resp: 280028

Ion Ratio Lower Upper

264 100

260 22.7 18.6 27.8

265 21.3 16.7 25.1






#87
Indeno(1,2,3-cd)pyrene
Concen: 9.708 ng
RT: 16.874 min Scan# 2196
Delta R.T. -0.012 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :

BNA_F

ClientSampleId :

SSTDIC010






Tgt Ion:276 Resp: 177554
Ion Ratio Lower Upper
276 100
138 27.1 21.7 32.5
277 25.1 20.3 30.5


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#88
Benzo(b)fluoranthene
Concen: 11.130 ng
RT: 15.010 min Scan# 2196
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49




Tgt Ion:252 Resp: 193558
Ion Ratio Lower Upper
252 100
253 22.2 17.4 26.2
125 11.1 8.6 12.8





#89
Benzo(k)fluoranthene
Concen: 10.012 ng
RT: 15.039 min Scan# 2201
Delta R.T. -0.006 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:252 Resp: 155925
Ion Ratio Lower Upper
252 100
253 21.5 17.6 26.4
125 10.8 8.4 12.6

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#90
Benzo(a)pyrene
Concen: 9.972 ng
RT: 15.374 min Scan# 2258
Delta R.T. 0.000 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49



Tgt Ion:252 Resp: 148214
Ion Ratio Lower Upper
252 100
253 21.3 17.2 25.8
125 11.7 9.4 14.2









#91
Dibenzo(a,h)anthracene
Concen: 9.559 ng
RT: 16.898 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:278 Resp: 14014
Ion Ratio Lower Upper
278 100
139 18.1 13.9 20.9
279 24.2 18.8 28.2

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#92
Benzo(g,h,i)perylene
Concen: 9.756 ng
RT: 17.315 min Scan# 2588
Delta R.T. -0.012 min
Lab File: BF141292.D
Acq: 29 Jan 2025 11:49

Tgt Ion:276 Resp: 150453
Ion Ratio Lower Upper
276 100
277 23.3 19.2 28.8
138 23.6 19.0 28.4

