

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020325\
 Data File : BF141383.D
 Acq On : 03 Feb 2025 21:44
 Operator : RC/JU
 Sample : Q1232-16
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 JPP-42.2-012925

Quant Time: Feb 04 00:19:54 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 17:41:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.793	152	84155	20.000	ng	-0.01
21) Naphthalene-d8	8.075	136	336578	20.000	ng	#-0.01
39) Acenaphthene-d10	9.828	164	187844	20.000	ng	-0.01
64) Phenanthrene-d10	11.316	188	310260	20.000	ng	-0.01
76) Chrysene-d12	13.957	240	217689	20.000	ng	#-0.02
86) Perylene-d12	15.404	264	158450	20.000	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	751417	137.078	ng	0.02
7) Phenol-d6	6.440	99	911438	130.702	ng	0.00
23) Nitrobenzene-d5	7.357	82	666335	104.365	ng	-0.01
42) 2,4,6-Tribromophenol	10.622	330	281541	163.487	ng	-0.01
45) 2-Fluorobiphenyl	9.151	172	1211342	99.257	ng	-0.01
79) Terphenyl-d14	12.910	244	1364802	96.687	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020325\
Data File : BF141383.D
Acq On : 03 Feb 2025 21:44
Operator : RC/JU
Sample : Q1232-16
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
JPP-42.2-012925

Quant Time: Feb 04 00:19:54 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 29 17:41:25 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.793 min Scan# 79
Delta R.T. -0.011 min
Lab File: BF141383.D
Acq: 03 Feb 2025 21:44




Instrument :
BNA_F
ClientSampleId :
JPP-42.2-012925


Tgt Ion:152 Resp: 84155
Ion Ratio Lower Upper
152 100
150 155.9 125.9 188.9
115 65.7 49.7 74.5



#5
2-Fluorophenol
Concen: 137.078 ng
RT: 5.428 min Scan# 567
Delta R.T. 0.018 min
Lab File: BF141383.D
Acq: 03 Feb 2025 21:44

Tgt Ion:112 Resp: 751417
Ion Ratio Lower Upper
112 100
64 63.3 49.8 74.8
63 34.7 26.1 39.1









#7
Phenol-d6
Concen: 130.702 ng
RT: 6.440 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF141383.D
Acq: 03 Feb 2025 21:44




Instrument :
BNA_F
ClientSampleId :
JPP-42.2-012925


Tgt Ion: 99 Resp: 911438
Ion Ratio Lower Upper
99 100
42 21.9 17.1 25.7
71 37.6 26.9 40.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.075 min Scan# 1017
Delta R.T. -0.012 min
Lab File: BF141383.D
Acq: 03 Feb 2025 21:44

Tgt Ion: 136 Resp: 336578
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 8.6 7.8 11.8
68 4.7 4.9 7.3#





#23

Nitrobenzene-d5

Concen: 104.365 ng

RT: 7.357 min Scan# 89

Delta R.T. -0.012 min

Lab File: BF141383.D

Acq: 03 Feb 2025 21:44

Instrument :

BNA_F

ClientSampleId :

JPP-42.2-012925





Tgt Ion: 82 Resp: 666335

Ion Ratio Lower Upper

82 100

128 44.1 35.7 53.5

54 58.3 47.1 70.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.828 min Scan# 1315

Delta R.T. -0.012 min

Lab File: BF141383.D

Acq: 03 Feb 2025 21:44




Tgt Ion:164 Resp: 187844


Ion Ratio Lower Upper

164 100

162 99.8 80.6 121.0


160 44.6 35.8 53.6








#42
 2,4,6-Tribromophenol
 Concen: 163.487 ng
 RT: 10.622 min Scan# 1451
 Delta R.T. -0.012 min
 Lab File: BF141383.D
 Acq: 03 Feb 2025 21:44

Instrument :
 BNA_F
 ClientSampleId :
 JPP-42.2-012925







Tgt Ion: 330 Resp: 281541
 Ion Ratio Lower Upper
 330 100
 332 96.1 76.1 114.1
 141 35.9 28.8 43.2



#45
 2-Fluorobiphenyl
 Concen: 99.257 ng
 RT: 9.151 min Scan# 1200
 Delta R.T. -0.012 min
 Lab File: BF141383.D
 Acq: 03 Feb 2025 21:44

Tgt Ion: 172 Resp: 1211342
 Ion Ratio Lower Upper
 172 100
 171 35.6 28.8 43.2
 170 23.4 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.316 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF141383.D
Acq: 03 Feb 2025 21:44




Instrument :
BNA_F
ClientSampleId :
JPP-42.2-012925


Tgt Ion:188 Resp: 310260
Ion Ratio Lower Upper
188 100
94 9.0 7.8 11.6
80 9.5 8.2 12.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.957 min Scan# 2017
Delta R.T. -0.018 min
Lab File: BF141383.D
Acq: 03 Feb 2025 21:44

Tgt Ion:240 Resp: 217689
Ion Ratio Lower Upper
240 100
120 9.5 10.0 15.0#
236 25.3 19.7 29.5









#79
 Terphenyl-d14
 Concen: 96.687 ng
 RT: 12.910 min Scan# 1839
 Delta R.T. -0.006 min
 Lab File: BF141383.D
 Acq: 03 Feb 2025 21:44

Instrument :
 BNA_F
 ClientSampleId :
 JPP-42.2-012925

Tgt Ion:244 Resp: 1364802
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.4 8.0
 122 10.6 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.404 min Scan# 2263
 Delta R.T. -0.035 min
 Lab File: BF141383.D
 Acq: 03 Feb 2025 21:44

Tgt Ion:264 Resp: 158450
 Ion Ratio Lower Upper
 264 100
 260 23.0 18.6 27.8
 265 21.0 16.7 25.1

