

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012925\
 Data File : BF141297.D
 Acq On : 29 Jan 2025 17:05
 Operator : RC/JU
 Sample : SSTDICC080
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080

Quant Time: Jan 29 17:32:13 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 17:26:12 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.804	152	129386	20.000	ng	0.00
21) Naphthalene-d8	8.087	136	500219	20.000	ng	0.00
39) Acenaphthene-d10	9.839	164	259556	20.000	ng	0.00
64) Phenanthrene-d10	11.328	188	415634	20.000	ng	0.00
76) Chrysene-d12	13.974	240	216592	20.000	ng	0.00
86) Perylene-d12	15.439	264	271797	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.410	112	1203835	140.330	ng	0.00
7) Phenol-d6	6.440	99	1526343	139.796	ng	0.00
23) Nitrobenzene-d5	7.369	82	1396346	145.214	ng	0.00
42) 2,4,6-Tribromophenol	10.634	330	337670	139.281	ng	0.00
45) 2-Fluorobiphenyl	9.163	172	2248567	129.739	ng	0.00
79) Terphenyl-d14	12.916	244	1910783	132.741	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.493	88	274366	73.111	ng	100
3) Pyridine	3.228	79	684346	76.095	ng	99
4) n-Nitrosodimethylamine	3.199	42	399245	77.974	ng	99
6) Aniline	6.469	93	607667	65.185	ng	# 86
8) 2-Chlorophenol	6.593	128	639957	69.519	ng	97
9) Benzaldehyde	6.351	77	376227	58.226	ng	100
10) Phenol	6.451	94	804078	69.411	ng	90
11) bis(2-Chloroethyl)ether	6.546	93	648287	73.535	ng	98
12) 1,3-Dichlorobenzene	6.746	146	704973	69.446	ng	99
13) 1,4-Dichlorobenzene	6.822	146	706528	69.256	ng	99
14) 1,2-Dichlorobenzene	6.975	146	641551	66.867	ng	99
15) Benzyl Alcohol	6.946	79	532270	71.549	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.081	45	1092827	70.953	ng	98
17) 2-Methylphenol	7.057	107	545097	73.368	ng	97
18) Hexachloroethane	7.316	117	265593	70.765	ng	97
19) n-Nitroso-di-n-propyla...	7.228	70	452303	69.874	ng	97
20) 3+4-Methylphenols	7.216	107	613997	66.467	ng	96
22) Acetophenone	7.216	105	824220	67.811	ng	# 96
24) Nitrobenzene	7.393	77	716200	71.762	ng	99
25) Isophorone	7.628	82	1229697	74.193	ng	99
26) 2-Nitrophenol	7.704	139	358664	76.912	ng	98
27) 2,4-Dimethylphenol	7.740	122	445560	74.779	ng	99
28) bis(2-Chloroethoxy)met...	7.840	93	767960	72.405	ng	99
29) 2,4-Dichlorophenol	7.945	162	525117	71.573	ng	100
30) 1,2,4-Trichlorobenzene	8.028	180	584061	69.437	ng	100
31) Naphthalene	8.110	128	1838789	68.107	ng	99
32) Benzoic acid	7.881	122	484583	91.066	ng	99
33) 4-Chloroaniline	8.157	127	636568	69.737	ng	99
34) Hexachlorobutadiene	8.222	225	348822	70.904	ng	99
35) Caprolactam	8.545	113	177093	74.270	ng	99
36) 4-Chloro-3-methylphenol	8.640	107	566827	72.094	ng	98
37) 2-Methylnaphthalene	8.798	142	1165995	67.926	ng	98
38) 1-Methylnaphthalene	8.898	142	1146275	67.988	ng	100
40) 1,2,4,5-Tetrachloroben...	8.963	216	531237	70.756	ng	100
41) Hexachlorocyclopentadiene	8.951	237	180658	83.336	ng	99
43) 2,4,6-Trichlorophenol	9.075	196	360370	73.727	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012925\
 Data File : BF141297.D
 Acq On : 29 Jan 2025 17:05
 Operator : RC/JU
 Sample : SSTDICC080
 Misc :
 ALS Vial : 9 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080


Quant Time: Jan 29 17:32:13 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 17:26:12 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.116	196	397887	74.958	ng	99
46) 1,1'-Biphenyl	9.263	154	1412015	68.298	ng	99
47) 2-Chloronaphthalene	9.287	162	1118593	69.578	ng	99
48) 2-Nitroaniline	9.381	65	378379	75.652	ng	97
49) Acenaphthylene	9.704	152	1552508	68.901	ng	99
50) Dimethylphthalate	9.569	163	1269770	71.308	ng	100
51) 2,6-Dinitrotoluene	9.628	165	300867	72.992	ng	99
52) Acenaphthene	9.875	154	1120345	69.700	ng	99
53) 3-Nitroaniline	9.798	138	274410	67.215	ng	99
54) 2,4-Dinitrophenol	9.904	184	169946	101.582	ng	99
55) Dibenzofuran	10.045	168	1451668	67.158	ng	98
56) 4-Nitrophenol	9.957	139	230369	78.788	ng	100
57) 2,4-Dinitrotoluene	10.034	165	375659	70.012	ng	93
58) Fluorene	10.392	166	1099129	65.335	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.163	232	302300	72.005	ng	98
60) Diethylphthalate	10.269	149	1189833	68.571	ng	99
61) 4-Chlorophenyl-phenyle...	10.381	204	541468	65.968	ng	99
62) 4-Nitroaniline	10.416	138	292019	73.604	ng	99
63) Azobenzene	10.545	77	1206328	69.582	ng	99
65) 4,6-Dinitro-2-methylph...	10.439	198	217265	89.943	ng	96
66) n-Nitrosodiphenylamine	10.504	169	986121	72.353	ng	100
67) 4-Bromophenyl-phenylether	10.875	248	348615	74.136	ng	97
68) Hexachlorobenzene	10.939	284	361469	72.215	ng	97
69) Atrazine	11.033	200	372792	83.452	ng	99
70) Pentachlorophenol	11.133	266	235030	81.539	ng	99
71) Phenanthrene	11.351	178	1557660	68.257	ng	99
72) Anthracene	11.404	178	1535860	68.749	ng	99
73) Carbazole	11.557	167	1342447	67.630	ng	99
74) Di-n-butylphthalate	11.892	149	1626342	67.604	ng	99
75) Fluoranthene	12.539	202	1463196	64.490	ng	99
77) Benzidine	12.663	184	481470	67.834	ng	99
78) Pyrene	12.769	202	1450076	68.287	ng	100
80) Butylbenzylphthalate	13.392	149	528754	71.721	ng	99
81) Benzo(a)anthracene	13.963	228	1095972	72.323	ng	99
82) 3,3'-Dichlorobenzidine	13.927	252	389044	82.157	ng	99
83) Chrysene	13.998	228	1048083	75.964	ng	100
84) Bis(2-ethylhexyl)phtha...	13.957	149	662151	70.666	ng	99
85) Di-n-octyl phthalate	14.586	149	1171131	82.148	ng	99
87) Indeno(1,2,3-cd)pyrene	16.898	276	1399119	79.715	ng	100
88) Benzo(b)fluoranthene	15.021	252	1235245	71.102	ng	100
89) Benzo(k)fluoranthene	15.051	252	1146296	75.010	ng	100
90) Benzo(a)pyrene	15.380	252	1098491	75.410	ng	99
91) Dibenzo(a,h)anthracene	16.921	278	1117397	79.035	ng	99
92) Benzo(g,h,i)perylene	17.345	276	1155250	78.512	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quant Time: Jan 29 17:32:13 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 29 17:26:12 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.804 min Scan# 80
 Delta R.T. 0.006 min
 Lab File: BF141297.D
 Acq: 29 Jan 2025 17:05


Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080





Tgt Ion:152 Resp: 129386
 Ion Ratio Lower Upper
 152 100
 150 165.5 125.9 188.9
 115 61.4 49.7 74.5




#2
 1,4-Dioxane
 Concen: 73.111 ng
 RT: 2.493 min Scan# 68
 Delta R.T. 0.006 min
 Lab File: BF141297.D
 Acq: 29 Jan 2025 17:05



Tgt Ion: 88 Resp: 274366
 Ion Ratio Lower Upper
 88 100
 58 88.2 70.2 105.4
 43 34.3 27.6 41.4





#3

Pyridine

Concen: 76.095 ng

RT: 3.228 min Scan# 191

Delta R.T. 0.012 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion: 79 Resp: 684346

Ion Ratio Lower Upper

79 100

52 88.1 70.3 105.5

51 42.1 34.3 51.5



#4

n-Nitrosodimethylamine

Concen: 77.974 ng

RT: 3.199 min Scan# 188

Delta R.T. 0.018 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion: 42 Resp: 399245


Ion Ratio Lower Upper

42 100

74 112.0 90.3 135.5

44 6.9 5.7 8.5









#5
2-Fluorophenol
Concen: 140.330 ng
RT: 5.410 min Scan# 50
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:112 Resp: 1203835
Ion Ratio Lower Upper
112 100
64 62.8 49.8 74.8
63 33.4 26.1 39.1



#6
Aniline
Concen: 65.185 ng
RT: 6.469 min Scan# 744
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion: 93 Resp: 607667
Ion Ratio Lower Upper
93 100
66 49.7 32.5 48.7#
65 27.8 17.0 25.6#









#7
Phenol-d6
Concen: 139.796 ng
RT: 6.440 min Scan# 711
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion: 99 Resp: 1526343
Ion Ratio Lower Upper
99 100
42 21.4 17.1 25.7
71 34.4 26.9 40.3



#8
2-Chlorophenol
Concen: 69.519 ng
RT: 6.593 min Scan# 765
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:128 Resp: 639957
Ion Ratio Lower Upper
128 100
130 33.4 12.5 52.5
64 49.8 32.9 72.9





#9

Benzaldehyde

Concen: 58.226 ng

RT: 6.351 min Scan# 71

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion: 77 Resp: 376227

Ion Ratio Lower Upper

77 100

105 99.7 79.4 119.4

106 94.9 74.6 114.6



#10

Phenol

Concen: 69.411 ng

RT: 6.451 min Scan# 741

Delta R.T. 0.006 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion: 94 Resp: 804078


Ion Ratio Lower Upper

94 100

65 34.9 10.8 50.8

66 50.6 23.3 63.3









#11
bis(2-Chloroethyl)ether
Concen: 73.535 ng
RT: 6.546 min Scan# 701
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion: 93 Resp: 648287
Ion Ratio Lower Upper
93 100
63 82.2 65.0 105.0
95 32.0 12.4 52.4



#12
1,3-Dichlorobenzene
Concen: 69.446 ng
RT: 6.746 min Scan# 791
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:146 Resp: 704973
Ion Ratio Lower Upper
146 100
148 64.2 51.2 76.8
75 31.9 26.2 39.4





#13

1,4-Dichlorobenzene

Concen: 69.256 ng

RT: 6.822 min Scan# 80

Delta R.T. 0.006 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:146 Resp: 706528

Ion Ratio Lower Upper

146 100

148 64.8 51.2 76.8

111 43.6 35.0 52.4



#14

1,2-Dichlorobenzene

Concen: 66.867 ng

RT: 6.975 min Scan# 830

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion:146 Resp: 641551


Ion Ratio Lower Upper

146 100

148 63.7 50.5 75.7

111 46.1 36.6 55.0









#15
Benzyl Alcohol
Concen: 71.549 ng
RT: 6.946 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion: 79 Resp: 532270
Ion Ratio Lower Upper
79 100
108 75.9 61.4 92.0
77 62.7 49.9 74.9



#16
2,2'-oxybis(1-chloropropane)
Concen: 70.953 ng
RT: 7.081 min Scan# 848
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion: 45 Resp: 1092827
Ion Ratio Lower Upper
45 100
77 12.6 0.0 31.8
79 10.0 0.0 29.1









#17
2-Methylphenol
Concen: 73.368 ng
RT: 7.057 min Scan# 843
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:107 Resp: 545097
Ion Ratio Lower Upper
107 100
108 115.2 90.8 136.2
77 47.5 36.2 54.4
79 47.4 35.7 53.5



#18
Hexachloroethane
Concen: 70.765 ng
RT: 7.316 min Scan# 888
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:117 Resp: 265593
Ion Ratio Lower Upper
117 100
119 95.7 76.6 114.8
201 98.6 74.8 112.2





#19

n-Nitroso-di-n-propylamine

Concen: 69.874 ng

RT: 7.228 min Scan# 81

Delta R.T. 0.006 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080

Tgt Ion: 70 Resp: 452303





Ion Ratio Lower Upper

70 100

42 67.4 56.8 85.2

101 9.9 7.7 11.5

130 21.8 16.8 25.2



#20

3+4-Methylphenols

Concen: 66.467 ng

RT: 7.216 min Scan# 871

Delta R.T. 0.006 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Tgt Ion:107 Resp: 613997




Ion Ratio Lower Upper


107 100

108 91.8 70.9 110.9

77 125.6 98.5 138.5

79 30.7 9.5 49.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.087 min Scan# 1018
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:136 Resp: 500219




Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.6	13.0
54	9.6	7.8	11.8
68	5.9	4.9	7.3




#22
Acetophenone
Concen: 67.811 ng
RT: 7.216 min Scan# 871
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:105 Resp: 824220

Ion	Ratio	Lower	Upper
105	100		
71	5.5	6.8	10.2#
51	43.9	32.6	49.0
120	22.0	17.4	26.0





#23

Nitrobenzene-d5

Concen: 145.214 ng

RT: 7.369 min Scan# 89

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :





BNA_F

ClientSampleId :

SSTDICC080

Tgt Ion: 82 Resp: 1396346

Ion	Ratio	Lower	Upper
82	100		
128	44.2	35.7	53.5
54	59.3	47.1	70.7



#24

Nitrobenzene

Concen: 71.762 ng

RT: 7.393 min Scan# 901




Delta R.T. 0.006 min


Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Tgt Ion: 77 Resp: 716200

Ion	Ratio	Lower	Upper
77	100		
123	47.6	37.3	55.9
65	14.5	11.8	17.6









#25
Isophorone
Concen: 74.193 ng
RT: 7.628 min Scan# 941
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion: 82 Resp: 1229697
Ion Ratio Lower Upper
82 100
95 7.3 5.8 8.6
138 18.1 14.7 22.1



#26
2-Nitrophenol
Concen: 76.912 ng
RT: 7.704 min Scan# 954
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:139 Resp: 358664
Ion Ratio Lower Upper
139 100
109 28.9 23.8 35.6
65 51.3 42.2 63.4





#27

2,4-Dimethylphenol

Concen: 74.779 ng

RT: 7.740 min Scan# 9

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:122 Resp: 445560

Ion Ratio Lower Upper

122 100

107 113.7 89.9 134.9

121 58.5 46.1 69.1



#28

bis(2-Chloroethoxy)methane

Concen: 72.405 ng

RT: 7.840 min Scan# 977

Delta R.T. 0.006 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion: 93 Resp: 767960


Ion Ratio Lower Upper

93 100

95 32.8 26.2 39.2

123 12.0 10.2 15.4





#29

2,4-Dichlorophenol

Concen: 71.573 ng

RT: 7.945 min Scan# 994

Delta R.T. 0.006 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:162 Resp: 525117

Ion Ratio Lower Upper

162 100

164 64.4 44.2 84.2

98 38.6 18.2 58.2



#30

1,2,4-Trichlorobenzene

Concen: 69.437 ng

RT: 8.028 min Scan# 1009

Delta R.T. 0.006 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion:180 Resp: 584061


Ion Ratio Lower Upper

180 100

182 95.6 76.4 114.6

145 31.0 24.9 37.3









#31
Naphthalene
Concen: 68.107 ng
RT: 8.110 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:128 Resp: 1838789
Ion Ratio Lower Upper
128 100
129 11.3 8.9 13.3
127 13.6 10.6 15.8



#32
Benzoic acid
Concen: 91.066 ng
RT: 7.881 min Scan# 984
Delta R.T. 0.018 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:122 Resp: 484583
Ion Ratio Lower Upper
122 100
105 124.8 103.4 143.4
77 90.5 70.9 110.9





#33

4-Chloroaniline

Concen: 69.737 ng

RT: 8.157 min Scan# 1030

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080

Tgt Ion:127 Resp: 636568





Ion Ratio Lower Upper

127 100

129 32.6 25.7 38.5

65 32.4 26.4 39.6

92 19.3 15.1 22.7



#34

Hexachlorobutadiene

Concen: 70.904 ng

RT: 8.222 min Scan# 1042

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion:225 Resp: 348822


Ion Ratio Lower Upper

225 100

223 62.5 50.4 75.6

227 62.9 51.3 76.9









#35
 Caprolactam
 Concen: 74.270 ng
 RT: 8.545 min Scan# 1109
 Delta R.T. 0.012 min
 Lab File: BF141297.D
 Acq: 29 Jan 2025 17:05




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080


Tgt Ion:113 Resp: 177093
 Ion Ratio Lower Upper
 113 100
 55 201.0 182.9 222.9
 56 147.3 127.9 167.9



#36
 4-Chloro-3-methylphenol
 Concen: 72.094 ng
 RT: 8.640 min Scan# 1113
 Delta R.T. 0.006 min
 Lab File: BF141297.D
 Acq: 29 Jan 2025 17:05

Tgt Ion:107 Resp: 566827
 Ion Ratio Lower Upper
 107 100
 144 24.9 20.7 31.1
 142 77.9 63.8 95.8









#37
2-Methylnaphthalene
Concen: 67.926 ng
RT: 8.798 min Scan# 1139
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:142 Resp: 1165995
Ion Ratio Lower Upper
142 100
141 87.6 71.3 106.9



#38
1-Methylnaphthalene
Concen: 67.988 ng
RT: 8.898 min Scan# 1157
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:142 Resp: 1146275
Ion Ratio Lower Upper
142 100
141 91.3 73.2 109.8





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.839 min Scan# 1167

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:164 Resp: 259556

Ion Ratio Lower Upper

164 100

162 99.9 80.6 121.0

160 44.8 35.8 53.6



#40

1,2,4,5-Tetrachlorobenzene

Concen: 70.756 ng

RT: 8.963 min Scan# 1168

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Tgt Ion:216 Resp: 531237




Ion Ratio Lower Upper


216 100

214 79.2 63.2 94.8

179 22.3 17.8 26.8

108 19.3 15.0 22.6









#41
Hexachlorocyclopentadiene
Concen: 83.336 ng
RT: 8.951 min Scan# 1166
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:237 Resp: 180658
Ion Ratio Lower Upper
237 100
235 62.0 42.9 82.9
272 12.9 0.0 32.8



#42
2,4,6-Tribromophenol
Concen: 139.281 ng
RT: 10.634 min Scan# 1452
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:330 Resp: 337670
Ion Ratio Lower Upper
330 100
332 96.7 76.1 114.1
141 35.3 28.8 43.2





#43

2,4,6-Trichlorophenol

Concen: 73.727 ng

RT: 9.075 min Scan# 1186

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:196 Resp: 360370

Ion Ratio Lower Upper

196 100

198 101.8 81.8 122.6

200 32.5 26.3 39.5



#44

2,4,5-Trichlorophenol

Concen: 74.958 ng

RT: 9.116 min Scan# 1194

Delta R.T. 0.006 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Tgt Ion:196 Resp: 397887




Ion Ratio Lower Upper


196 100

198 100.3 80.5 120.7

97 54.2 42.8 64.2

132 29.9 23.5 35.3





#45

2-Fluorobiphenyl

Concen: 129.739 ng

RT: 9.163 min Scan# 1202

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:172 Resp: 2248567

Ion Ratio Lower Upper

172 100

171 36.0 28.8 43.2

170 23.7 19.0 28.6



#46

1,1'-Biphenyl

Concen: 68.298 ng

RT: 9.263 min Scan# 1219

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion:154 Resp: 1412015


Ion Ratio Lower Upper

154 100

153 40.6 20.0 60.0

76 13.2 0.0 32.8





#47

2-Chloronaphthalene

Concen: 69.578 ng

RT: 9.287 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:162 Resp: 1118593

Ion Ratio Lower Upper

162 100

127 42.5 33.7 50.5

164 33.1 25.9 38.9



#48

2-Nitroaniline

Concen: 75.652 ng

RT: 9.381 min Scan# 1239

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion: 65 Resp: 378379


Ion Ratio Lower Upper

65 100

92 65.8 53.3 79.9

138 99.5 83.6 125.4





#49

Acenaphthylene

Concen: 68.901 ng

RT: 9.704 min Scan# 1294

Delta R.T. 0.006 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:152 Resp: 1552508

Ion Ratio Lower Upper

152 100

151 20.7 16.2 24.2

153 14.0 11.0 16.6



#50

Dimethylphthalate

Concen: 71.308 ng

RT: 9.569 min Scan# 1271

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion:163 Resp: 1269770


Ion Ratio Lower Upper

163 100

194 3.8 3.0 4.6

164 10.2 8.0 12.0





#51

2,6-Dinitrotoluene

Concen: 72.992 ng

RT: 9.628 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:165 Resp: 300867

Ion Ratio Lower Upper

165 100

63 61.8 48.1 72.1

89 56.4 44.9 67.3



#52

Acenaphthene

Concen: 69.700 ng

RT: 9.875 min Scan# 1323

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion:154 Resp: 1120345


Ion Ratio Lower Upper

154 100

153 112.5 89.0 133.4

152 50.7 40.2 60.4









#53
3-Nitroaniline
Concen: 67.215 ng
RT: 9.798 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:138 Resp: 274410
Ion Ratio Lower Upper
138 100
108 10.7 8.6 12.8
92 115.2 91.0 136.6



#54
2,4-Dinitrophenol
Concen: 101.582 ng
RT: 9.904 min Scan# 1328
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:184 Resp: 169946
Ion Ratio Lower Upper
184 100
63 68.3 54.1 81.1
154 64.0 50.7 76.1









#55
Dibenzenofuran
Concen: 67.158 ng
RT: 10.045 min Scan# 1352
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:168 Resp: 1451668
Ion Ratio Lower Upper
168 100
139 39.8 30.6 46.0
169 13.7 10.8 16.2



#56
4-Nitrophenol
Concen: 78.788 ng
RT: 9.957 min Scan# 1337
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:139 Resp: 230369
Ion Ratio Lower Upper
139 100
109 70.4 50.2 90.2
65 100.3 80.6 120.6









#57
2,4-Dinitrotoluene
Concen: 70.012 ng
RT: 10.034 min Scan# 1410
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:165 Resp: 375659




Ion	Ratio	Lower	Upper
165	100		
63	54.5	39.2	58.8
89	76.1	56.9	85.3
182	2.7	2.2	3.2




#58
Fluorene
Concen: 65.335 ng
RT: 10.392 min Scan# 1411
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:166 Resp: 1099129

Ion	Ratio	Lower	Upper
166	100		
165	97.2	77.5	116.3
167	13.9	10.9	16.3









#59
2,3,4,6-Tetrachlorophenol
Concen: 72.005 ng
RT: 10.163 min Scan# 1372
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:232 Resp: 302300
Ion Ratio Lower Upper
232 100
131 47.5 36.4 54.6
130 2.4 1.9 2.9
166 30.9 24.1 36.1



#60
Diethylphthalate
Concen: 68.571 ng
RT: 10.269 min Scan# 1390
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:149 Resp: 1189833
Ion Ratio Lower Upper
149 100
177 23.4 18.5 27.7
150 12.7 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 65.968 ng
RT: 10.381 min Scan# 1409
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:204 Resp: 541468
Ion Ratio Lower Upper
204 100
206 32.4 25.9 38.9
141 63.1 49.5 74.3



#62
4-Nitroaniline
Concen: 73.604 ng
RT: 10.416 min Scan# 1415
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:138 Resp: 292019
Ion Ratio Lower Upper
138 100
92 49.7 30.1 70.1
108 73.5 53.1 93.1





#63

Azobenzene

Concen: 69.582 ng

RT: 10.545 min Scan# 1436

Delta R.T. 0.006 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080

Tgt Ion: 77 Resp: 1206328





Ion Ratio Lower Upper

77 100

182 26.3 5.1 45.1

105 21.9 1.8 41.8

51 34.0 14.0 54.0



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.328 min Scan# 1570

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion:188 Resp: 415634


Ion Ratio Lower Upper

188 100

94 10.0 7.8 11.6

80 10.6 8.2 12.4









#65
4,6-Dinitro-2-methylphenol
Concen: 89.943 ng
RT: 10.439 min Scan# 1418
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:198 Resp: 217265
Ion Ratio Lower Upper
198 100
51 57.1 33.4 73.4
105 46.0 24.4 64.4



#66
n-Nitrosodiphenylamine
Concen: 72.353 ng
RT: 10.504 min Scan# 1430
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:169 Resp: 986121
Ion Ratio Lower Upper
169 100
168 66.2 53.0 79.4
167 36.4 28.8 43.2









#67
4-Bromophenyl-phenylether
Concen: 74.136 ng
RT: 10.875 min Scan# 1493
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:248 Resp: 348615
Ion Ratio Lower Upper
248 100
250 97.0 79.0 118.4
141 75.1 63.7 95.5



#68
Hexachlorobenzene
Concen: 72.215 ng
RT: 10.939 min Scan# 1504
Delta R.T. 0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:284 Resp: 361469
Ion Ratio Lower Upper
284 100
142 34.0 29.5 44.3
249 31.5 25.4 38.2





#69

Atrazine

Concen: 83.452 ng

RT: 11.033 min Scan# 1520

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:200 Resp: 372792

Ion Ratio Lower Upper

200 100

173 26.2 5.9 45.9

215 46.4 25.2 65.2



#70

Pentachlorophenol

Concen: 81.539 ng

RT: 11.133 min Scan# 1537

Delta R.T. 0.006 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion:266 Resp: 235030


Ion Ratio Lower Upper

266 100

268 64.0 49.9 74.9

264 63.7 51.0 76.4





#71

Phenanthrene

Concen: 68.257 ng

RT: 11.351 min Scan# 1574

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:178 Resp: 1557660

Ion Ratio Lower Upper

178 100

176 19.5 15.3 22.9

179 16.0 12.5 18.7



#72

Anthracene

Concen: 68.749 ng

RT: 11.404 min Scan# 1583

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion:178 Resp: 1535860


Ion Ratio Lower Upper

178 100

176 19.1 15.0 22.6

179 15.8 12.3 18.5









#73
 Carbazole
 Concen: 67.630 ng
 RT: 11.557 min Scan# 1609
 Delta R.T. 0.000 min
 Lab File: BF141297.D
 Acq: 29 Jan 2025 17:05




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080


Tgt Ion:167 Resp: 1342447
 Ion Ratio Lower Upper
 167 100
 166 21.8 17.0 25.6
 139 13.6 10.6 16.0



#74
 Di-n-butylphthalate
 Concen: 67.604 ng
 RT: 11.892 min Scan# 1666
 Delta R.T. 0.000 min
 Lab File: BF141297.D
 Acq: 29 Jan 2025 17:05

Tgt Ion:149 Resp: 1626342
 Ion Ratio Lower Upper
 149 100
 150 9.6 7.4 11.2
 104 5.2 3.9 5.9





#75

Fluoranthene

Concen: 64.490 ng

RT: 12.539 min Scan# 1

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:202 Resp: 1463196

Ion Ratio Lower Upper

202 100

101 12.1 0.0 31.7

203 18.0 0.0 37.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.974 min Scan# 2020

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion:240 Resp: 216592


Ion Ratio Lower Upper

240 100

120 11.2 10.0 15.0

236 25.6 19.7 29.5









#77
Benzidine
Concen: 67.834 ng
RT: 12.663 min Scan# 1797
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:184 Resp: 481470
Ion Ratio Lower Upper
184 100
185 14.3 11.9 17.9
183 11.5 9.5 14.3



#78
Pyrene
Concen: 68.287 ng
RT: 12.769 min Scan# 1815
Delta R.T. 0.000 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05


Tgt Ion:202 Resp: 1450076
Ion Ratio Lower Upper
202 100
200 21.2 17.0 25.4
203 18.0 14.3 21.5








#79
 Terphenyl-d14
 Concen: 132.741 ng
 RT: 12.916 min Scan# 1840
 Delta R.T. 0.000 min
 Lab File: BF141297.D
 Acq: 29 Jan 2025 17:05

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080



Tgt Ion:244 Resp: 1910783




Ion	Ratio	Lower	Upper
244	100		
212	6.7	5.4	8.0
122	11.3	8.8	13.2




#80
 Butylbenzylphthalate
 Concen: 71.721 ng
 RT: 13.392 min Scan# 1921
 Delta R.T. 0.000 min
 Lab File: BF141297.D
 Acq: 29 Jan 2025 17:05

Tgt Ion:149 Resp: 528754

Ion	Ratio	Lower	Upper
149	100		
91	73.8	58.6	87.8
206	21.3	16.7	25.1





#81

Benzo(a)anthracene

Concen: 72.323 ng

RT: 13.963 min Scan# 2018

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:228 Resp: 1095972

Ion Ratio Lower Upper

228 100

226 27.2 21.4 32.2

229 19.8 15.5 23.3



#82

3,3'-Dichlorobenzidine

Concen: 82.157 ng

RT: 13.927 min Scan# 2012

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion:252 Resp: 389044


Ion Ratio Lower Upper

252 100

254 63.6 51.3 76.9

126 11.7 10.0 15.0





#83

Chrysene

Concen: 75.964 ng

RT: 13.998 min Scan# 20

Delta R.T. -0.006 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:228 Resp: 1048083

Ion Ratio Lower Upper

228 100

226 30.0 24.1 36.1

229 19.9 15.6 23.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 70.666 ng

RT: 13.957 min Scan# 2017

Delta R.T. 0.000 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion:149 Resp: 662151


Ion Ratio Lower Upper

149 100

167 26.8 21.8 32.8

279 3.9 3.3 4.9









#85
Di-n-octyl phthalate
Concen: 82.148 ng
RT: 14.586 min Scan# 2124
Delta R.T. -0.012 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:149 Resp: 1171131
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 12.7 9.8 14.8



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.439 min Scan# 2269
Delta R.T. -0.012 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:264 Resp: 271797
Ion Ratio Lower Upper
264 100
260 23.8 18.6 27.8
265 21.3 16.7 25.1





#87

Indeno(1,2,3-cd)pyrene

Concen: 79.715 ng

RT: 16.898 min Scan# 21

Delta R.T. -0.012 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:276 Resp: 1399119

Ion Ratio Lower Upper

276 100

138 27.3 21.7 32.5

277 25.3 20.3 30.5



#88

Benzo(b)fluoranthene

Concen: 71.102 ng

RT: 15.021 min Scan# 2198

Delta R.T. -0.012 min

Lab File: BF141297.D

Acq: 29 Jan 2025 17:05




Tgt Ion:252 Resp: 1235245


Ion Ratio Lower Upper

252 100

253 22.0 17.4 26.2

125 10.5 8.6 12.8









#89
Benzo(k)fluoranthene
Concen: 75.010 ng
RT: 15.051 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:252 Resp: 1146296
Ion Ratio Lower Upper
252 100
253 22.3 17.6 26.4
125 10.4 8.4 12.6



#90
Benzo(a)pyrene
Concen: 75.410 ng
RT: 15.380 min Scan# 2259
Delta R.T. -0.012 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:252 Resp: 1098491
Ion Ratio Lower Upper
252 100
253 22.1 17.2 25.8
125 12.3 9.4 14.2









#91
Dibenzo(a,h)anthracene
Concen: 79.035 ng
RT: 16.921 min Scan# 2521
Delta R.T. -0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:278 Resp: 1117397
Ion Ratio Lower Upper
278 100
139 17.3 13.9 20.9
279 23.9 18.8 28.2



#92
Benzo(g,h,i)perylene
Concen: 78.512 ng
RT: 17.345 min Scan# 2593
Delta R.T. -0.006 min
Lab File: BF141297.D
Acq: 29 Jan 2025 17:05

Tgt Ion:276 Resp: 1155250
Ion Ratio Lower Upper
276 100
277 24.0 19.2 28.8
138 23.4 19.0 28.4

