

## **DATA PACKAGE**

VOLATILE ORGANICS  
GC SEMI-VOLATILES

**PROJECT NAME : 1063 LAFAYETTE AVE, HAWTHORNE, NJ**

**SCIACCA GENERAL CONTRACTORS, LLC**

**2 Shaw Court**

**Fairfield, NJ - 07004**

**Phone No: 201-933-6100**

**ORDER ID : Q1236**

**ATTENTION : Daniel Scirica**



**Laboratory Certification ID # 20012**



<b>1) Signature Page</b>	<b>3</b>
<b>2) Case Narrative</b>	<b>5</b>
<b>2.1) VOC-TCLVOA-10- Case Narrative</b>	<b>5</b>
<b>2.2) TPH GC- Case Narrative</b>	<b>7</b>
<b>2.3) EPH_F2- Case Narrative</b>	<b>9</b>
<b>3) Qualifier Page</b>	<b>11</b>
<b>4) QA Checklist</b>	<b>12</b>
<b>5) VOC-TCLVOA-10 Data</b>	<b>13</b>
<b>6) TPH GC Data</b>	<b>19</b>
<b>7) EPH_F2 Data</b>	<b>22</b>
<b>8) Shipping Document</b>	<b>39</b>
<b>8.1) CHAIN OF CUSTODY</b>	<b>40</b>
<b>8.2) Lab Certificate</b>	<b>41</b>
<b>8.3) Internal COC</b>	<b>42</b>

<b>1</b>
<b>2</b>
<b>3</b>
<b>4</b>
<b>5</b>
<b>6</b>
<b>7</b>
<b>8</b>

# DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONNAIRE

Laboratory Name : Alliance Technical Group LLC                      Client : Sciacca General Contractors, LLC  
 Project Location : \_\_\_\_\_    Project Number : - 1063 Lafayette Ave, Hawthorne, NJ  
 Laboratory Sample ID(s) : Q1236    Sampling Date(s) : 1/30/2025  
 List DKQP Methods Used (e.g., 8260,8270, et Cetra)                      **8015D,8260D,NJEPH,SOP**

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1A	Were the method specified handling, preservation, and holding time requirements met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1B	EPH Method: Was the EPH method conducted without significant modifications (see Section 11.3 of respective DKQ methods)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
3	Were samples received at an appropriate temperature (4±2° C)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
4	Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
5	a)Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt?  b)Were these reporting limits met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No  <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
7	Are project-specific matrix spikes and/or laboratory duplicates included in this data set?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Notes: For all questions to which the response was “No” (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is “No”, the data package does not meet the requirements for “Data of Known Quality.”

## Cover Page

**Order ID :** Q1236

**Project ID :** 1063 Lafayette Ave, Hawthorne, NJ

**Client :** Sciacca General Contractors, LLC

### Lab Sample Number

Q1236-01  
Q1236-02  
Q1236-03  
Q1236-04  
Q1236-05  
Q1236-06  
Q1236-07

### Client Sample Number

WASTE  
VOC  
1  
2  
3  
4  
5

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 2/7/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## CASE NARRATIVE

**Sciacca General Contractors, LLC**

**Project Name: 1063 Lafayette Ave, Hawthorne, NJ**

**Project # N/A**

**Chemtech Project # Q1236**

**Test Name: VOC-TCLVOA-10**

### **A. Number of Samples and Date of Receipt:**

7 Solid samples were received on 01/30/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: EPH\_F2, TPH GC and VOC-TCLVOA-10. This data package contains results for VOC-TCLVOA-10.

### **C. Analytical Techniques:**

The analysis performed on instrument MSVOA\_D were done using GC column RTX-VMS which is 20 meters, 0.18 mm id, 1.0 um df, Restek Cat. #49914. The Trap was supplied by SUPELCO, K (VOACARB 3000) , TEKMAR LSC-2000 Concentrator. The analysis of VOC-TCLVOA-10 was based on method 8260D.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for VOC [1,2-Dichloroethane-d4 - 143%] this compound did not meet the NJDKQP criteria but met the in-house criteria.

The Internal Standards Areas met the acceptable requirements except for VOC, as corrective action sample reanalyzed but did not purged therefore VIAL A reported as final.

The Retention Times were acceptable for all samples.

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank Spike Duplicate met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The %RSD is greater than 20% in the Initial Calibration method (82D020325S.M) for Bromomethane is passing on Quadratic Regression While, Dichlorodifluoromethane is passing on Linear Regression.

The Continuous Calibration File ID VD080233.D met the requirements except for 2-Hexanone is failing high but no positive hit in associate sample therefore no corrective action taken.

The Tuning criteria met requirements.

**E. Additional Comments:**

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

The soil samples results are based on a dry weight basis.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## CASE NARRATIVE

**Sciacca General Contractors, LLC**

**Project Name: 1063 Lafayette Ave, Hawthorne, NJ**

**Project # N/A**

**Chemtech Project # Q1236**

**Test Name: TPH GC**

### **A. Number of Samples and Date of Receipt:**

7 Solid samples were received on 01/30/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: EPH\_F2, TPH GC and VOC-TCLVOA-10. This data package contains results for TPH GC.

### **C. Analytical Techniques:**

The analysis were performed on instrument FID\_E. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 10224. The analysis of TPH GC was based on method 8015D and extraction was done based on method 3541.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds .

The MSD recoveries met the acceptable requirements .

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

---

### **E. Additional Comments:**

The soil samples results are based on a dry weight basis.

### **F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature \_\_\_\_\_



## CASE NARRATIVE

**Sciacca General Contractors, LLC**

**Project Name: 1063 Lafayette Ave, Hawthorne, NJ**

**Project # N/A**

**Chemtech Project # Q1236**

**Test Name: EPH\_F2**

### **A. Number of Samples and Date of Receipt:**

7 Solid samples were received on 01/30/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: EPH\_F2, TPH GC and VOC-TCLVOA-10. This data package contains results for EPH\_F2.

### **C. Analytical Techniques:**

The analysis were performed on instrument FID\_C. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 10224. The analyses were performed on instrument FID\_D. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 10224. The analysis of EPH\_F2s was based on method NJEPH and extraction was done based on method 3541.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds .

The MSD recoveries met the acceptable requirements .

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank Spike Duplicate met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

---

### **E. Additional Comments:**

The soil samples results are based on a dry weight basis.

### **F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature \_\_\_\_\_

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
<b>U</b>	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>J</b>	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This is flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
<b>B</b>	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
<b>E</b>	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>D</b>	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
<b>P</b>	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
<b>N</b>	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
<b>A</b>	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements

**APPENDIX A**

**QA REVIEW GENERAL DOCUMENTATION**

Project #: Q1236

Completed

For thorough review, the report must have the following:

**GENERAL:**

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

**COVER PAGE:**

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

**CHAIN OF CUSTODY:**

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

**ANALYTICAL:**

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 02/07/2025

**Hit Summary Sheet**  
SW-846

SDG No.: Q1236

Client: Sciacca General Contractors, LLC

A

B

C

D

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID:

0

Total Voc :

Total Concentration:



# SAMPLE DATA

**Report of Analysis**

Client:	Sciacca General Contractors, LLC	Date Collected:	01/30/25
Project:	1063 Lafayette Ave, Hawthorne, NJ	Date Received:	01/30/25
Client Sample ID:	VOC	SDG No.:	Q1236
Lab Sample ID:	Q1236-02	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	82.3
Sample Wt/Vol:	5.03     Units: g	Final Vol:	5000     uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RTX-VMS     ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VD080238.D	1		02/04/25 15:53	VD020425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	2.00	U	2.00	6.00	ug/Kg
74-87-3	Chloromethane	1.40	U	1.40	6.00	ug/Kg
75-01-4	Vinyl Chloride	0.93	U	0.93	6.00	ug/Kg
74-83-9	Bromomethane	1.20	U	1.20	6.00	ug/Kg
75-00-3	Chloroethane	1.20	U	1.20	6.00	ug/Kg
75-69-4	Trichlorofluoromethane	1.10	U	1.10	6.00	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.30	U	1.30	6.00	ug/Kg
75-35-4	1,1-Dichloroethene	0.94	U	0.94	6.00	ug/Kg
67-64-1	Acetone	7.50	U	7.50	30.2	ug/Kg
75-15-0	Carbon Disulfide	1.50	U	1.50	6.00	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.81	U	0.81	6.00	ug/Kg
79-20-9	Methyl Acetate	2.20	U	2.20	6.00	ug/Kg
75-09-2	Methylene Chloride	4.10	U	4.10	12.1	ug/Kg
156-60-5	trans-1,2-Dichloroethene	1.00	U	1.00	6.00	ug/Kg
75-34-3	1,1-Dichloroethane	0.76	U	0.76	6.00	ug/Kg
110-82-7	Cyclohexane	0.83	U	0.83	6.00	ug/Kg
78-93-3	2-Butanone	6.90	U	6.90	30.2	ug/Kg
56-23-5	Carbon Tetrachloride	1.10	U	1.10	6.00	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.74	U	0.74	6.00	ug/Kg
74-97-5	Bromochloromethane	2.90	U	2.90	6.00	ug/Kg
67-66-3	Chloroform	0.81	U	0.81	6.00	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.94	U	0.94	6.00	ug/Kg
108-87-2	Methylcyclohexane	1.10	U	1.10	6.00	ug/Kg
71-43-2	Benzene	0.87	U	0.87	6.00	ug/Kg
107-06-2	1,2-Dichloroethane	0.74	U	0.74	6.00	ug/Kg
79-01-6	Trichloroethene	0.91	U	0.91	6.00	ug/Kg
78-87-5	1,2-Dichloropropane	0.80	U	0.80	6.00	ug/Kg
75-27-4	Bromodichloromethane	0.68	U	0.68	6.00	ug/Kg
108-10-1	4-Methyl-2-Pentanone	5.30	U	5.30	30.2	ug/Kg
108-88-3	Toluene	0.81	U	0.81	6.00	ug/Kg

### Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	01/30/25	
Project:	1063 Lafayette Ave, Hawthorne, NJ		Date Received:	01/30/25	
Client Sample ID:	VOC		SDG No.:	Q1236	
Lab Sample ID:	Q1236-02		Matrix:	SOIL	
Analytical Method:	SW8260		% Solid:	82.3	
Sample Wt/Vol:	5.03	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RTX-VMS	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VD080238.D	1		02/04/25 15:53	VD020425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.72	U	0.72	6.00	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.69	U	0.69	6.00	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.00	U	1.00	6.00	ug/Kg
591-78-6	2-Hexanone	5.80	U	5.80	30.2	ug/Kg
124-48-1	Dibromochloromethane	0.79	U	0.79	6.00	ug/Kg
106-93-4	1,2-Dibromoethane	0.95	U	0.95	6.00	ug/Kg
127-18-4	Tetrachloroethene	1.10	U	1.10	6.00	ug/Kg
108-90-7	Chlorobenzene	0.89	U	0.89	6.00	ug/Kg
100-41-4	Ethyl Benzene	0.75	U	0.75	6.00	ug/Kg
179601-23-1	m/p-Xylenes	1.60	U	1.60	12.1	ug/Kg
95-47-6	o-Xylene	0.85	U	0.85	6.00	ug/Kg
100-42-5	Styrene	0.72	U	0.72	6.00	ug/Kg
75-25-2	Bromoform	0.98	U	0.98	6.00	ug/Kg
98-82-8	Isopropylbenzene	0.81	U	0.81	6.00	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.30	U	1.30	6.00	ug/Kg
541-73-1	1,3-Dichlorobenzene	0.89	U	0.89	6.00	ug/Kg
106-46-7	1,4-Dichlorobenzene	0.97	U	0.97	6.00	ug/Kg
95-50-1	1,2-Dichlorobenzene	0.71	U	0.71	6.00	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.90	U	1.90	6.00	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	0.95	U	0.95	6.00	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	0.94	U	0.94	6.00	ug/Kg
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	71.6	*	70 (50) - 130 (163)	143%	SPK: 50
1868-53-7	Dibromofluoromethane	61.0		70 (54) - 130 (147)	122%	SPK: 50
2037-26-5	Toluene-d8	39.6		70 (58) - 130 (134)	79%	SPK: 50
460-00-4	4-Bromofluorobenzene	39.5		70 (29) - 130 (146)	79%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	7900	7.875			
540-36-3	1,4-Difluorobenzene	14300	8.775			
3114-55-4	Chlorobenzene-d5	13700	11.581			
3855-82-1	1,4-Dichlorobenzene-d4	5400	13.516			



**Report of Analysis**

Client:	Sciacca General Contractors, LLC	Date Collected:	01/30/25
Project:	1063 Lafayette Ave, Hawthorne, NJ	Date Received:	01/30/25
Client Sample ID:	VOC	SDG No.:	Q1236
Lab Sample ID:	Q1236-02	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	82.3
Sample Wt/Vol:	5.03      Units:    g	Final Vol:	5000                    uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RTX-VMS      ID :    0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VD080238.D	1		02/04/25 15:53	VD020425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

### LAB CHRONICLE

<b>OrderID:</b> Q1236	<b>OrderDate:</b> 1/30/2025 12:48:00 PM
<b>Client:</b> Sciacca General Contractors, LLC	<b>Project:</b> 1063 Lafayette Ave, Hawthorne, NJ
<b>Contact:</b> Daniel Scirica	<b>Location:</b> E11,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1236-02	VOC	SOIL	VOC-TCLVOA-10	8260D	01/30/25		02/04/25	01/30/25



# SAMPLE DATA

### Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	01/30/25			
Project:	1063 Lafayette Ave, Hawthorne, NJ	Date Received:	01/30/25			
Client Sample ID:	WASTE	SDG No.:	Q1236			
Lab Sample ID:	Q1236-01	Matrix:	SOIL			
Analytical Method:	8015D TPH	% Solid:	81.6	Decanted:		
Sample Wt/Vol:	30.09	Units:	g	Final Vol:	1	mL
Soil Aliquot Vol:			uL	Test:	TPH GC	
Extraction Type:				Injection Volume :		
GPC Factor :		PH :				
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FE052196.D	1	01/31/25 12:05	02/01/25 3:15	PB166433

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
PHC	Petroleum Hydrocarbons	62500		389	3460	ug/kg
<b>SURROGATES</b>						
16416-32-3	TETRACOSANE-d50	12.7		37 - 130	64%	SPK: 20

Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit

### LAB CHRONICLE

<b>OrderID:</b> Q1236	<b>OrderDate:</b> 1/30/2025 12:48:00 PM
<b>Client:</b> Sciacca General Contractors, LLC	<b>Project:</b> 1063 Lafayette Ave, Hawthorne, NJ
<b>Contact:</b> Daniel Scirica	<b>Location:</b> E11,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1236-01	WASTE	SOIL	TPH GC	8015D	01/30/25	01/31/25	02/01/25	01/30/25



# SAMPLE DATA

### Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	01/30/25
Project:	1063 Lafayette Ave, Hawthorne, NJ	Date Received:	01/30/25
Client Sample ID:	1	SDG No.:	Q1236
Lab Sample ID:	Q1236-03	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	82.7
Sample Wt/Vol:	30.06      Units: g	Final Vol:	2000      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
01/31/25 12:05	02/03/25 11:21	PB166432

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
<b>TARGETS</b>								
Aliphatic C9-C28	Aliphatic C9-C28	4.82	J	1	2.08	4.84	mg/kg	FD049039.D
Total EPH	Total EPH	4.82	J		2.08	4.84	mg/kg	

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected	J = Estimated Value
LOQ = Limit of Quantitation	B = Analyte Found in Associated Method Blank
MDL = Method Detection Limit	N = Presumptive Evidence of a Compound
LOD = Limit of Detection	* = Values outside of QC limits
E = Value Exceeds Calibration Range	D = Dilution
Q = indicates LCS control criteria did not meet requirements	

### Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	01/30/25
Project:	1063 Lafayette Ave, Hawthorne, NJ	Date Received:	01/30/25
Client Sample ID:	1	SDG No.:	Q1236
Lab Sample ID:	Q1236-03	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	82.7
Sample Wt/Vol:	30.06      Units: g	Final Vol:	2000      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FD049039.D	1	01/31/25	02/03/25	PB166432

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
	Aliphatic C9-C28	4.82	J	2.08	4.84	mg/kg
	Aliphatic C28-C40	12.0		2.17	2.41	mg/kg
<b>SURROGATES</b>						
3383-33-2	1-chlorooctadecane (SURR)	30.9		40 - 140	62%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	37.4		40 - 140	75%	SPK: 50



### Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1236-03	Acq On:	03 Feb 2025 11:21
Client Sample ID:	1	Operator:	YP/AJ
Data file:	FD049039.D	Misc:	
Instrument:	FID_D	ALS Vial:	61
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.004	6.241	1260678	7.741	300	ug/ml
Aliphatic C12-C16	6.242	9.610	1375404	8.145	200	ug/ml
Aliphatic C16-C21	9.611	12.951	2719551	15.729	300	ug/ml
Aliphatic C21-C28	12.952	16.589	4747926	28.167	400	ug/ml
Aliphatic C28-C40	16.590	21.285	19583805	148.945	600	ug/ml
Aliphatic EPH	3.004	21.285	29687364	208.726		ug/ml
ortho-Terphenyl (SURR)	11.240	11.240	7225813	37.42		ug/ml
1-chlorooctadecane (SURR)	12.681	12.681	4539906	30.93		ug/ml
Aliphatic C9-C28	3.004	16.589	10103559	59.782	1200	ug/ml

### Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	01/30/25
Project:	1063 Lafayette Ave, Hawthorne, NJ	Date Received:	01/30/25
Client Sample ID:	2	SDG No.:	Q1236
Lab Sample ID:	Q1236-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	81.7
Sample Wt/Vol:	30.08      Units: g	Final Vol:	2000      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
01/31/25 12:05	02/03/25 11:57	PB166432

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
<b>TARGETS</b>								
Aliphatic C9-C28	Aliphatic C9-C28	8.19		1	2.10	4.88	mg/kg	FD049040.D
Total EPH	Total EPH	8.19			2.10	4.88	mg/kg	

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

### Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	01/30/25
Project:	1063 Lafayette Ave, Hawthorne, NJ	Date Received:	01/30/25
Client Sample ID:	2	SDG No.:	Q1236
Lab Sample ID:	Q1236-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	81.7
Sample Wt/Vol:	30.08      Units: g	Final Vol:	2000      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FD049040.D	1	01/31/25	02/03/25	PB166432

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
	Aliphatic C9-C28	8.19		2.10	4.88	mg/kg
	Aliphatic C28-C40	7.22		2.20	2.44	mg/kg
<b>SURROGATES</b>						
3383-33-2	1-chlorooctadecane (SURR)	36.4		40 - 140	73%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	45.9		40 - 140	92%	SPK: 50

### Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1236-04	Acq On:	03 Feb 2025 11:57
Client Sample ID:	2	Operator:	YP/AJ
Data file:	FD049040.D	Misc:	
Instrument:	FID_D	ALS Vial:	62
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.004	6.241	1506232	9.248	300	ug/ml
Aliphatic C12-C16	6.242	9.610	1265522	7.494	200	ug/ml
Aliphatic C16-C21	9.611	12.951	11371341	65.767	300	ug/ml
Aliphatic C21-C28	12.952	16.589	3073117	18.231	400	ug/ml
Aliphatic C28-C40	16.590	21.285	11668464	88.745	600	ug/ml
Aliphatic EPH	3.004	21.285	28884676	189.486		ug/ml
ortho-Terphenyl (SURR)	11.241	11.241	8869975	45.94		ug/ml
1-chlorooctadecane (SURR)	12.681	12.681	5338278	36.37		ug/ml
Aliphatic C9-C28	3.004	16.589	17216212	100.74	1200	ug/ml

### Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	01/30/25
Project:	1063 Lafayette Ave, Hawthorne, NJ	Date Received:	01/30/25
Client Sample ID:	3	SDG No.:	Q1236
Lab Sample ID:	Q1236-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	81.4
Sample Wt/Vol:	30.05      Units: g	Final Vol:	2000      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
01/31/25 12:05	02/03/25 12:34	PB166432

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
<b>TARGETS</b>								
Aliphatic C9-C28	Aliphatic C9-C28	6.47		1	2.11	4.92	mg/kg	FD049041.D
Total EPH	Total EPH	6.47			2.11	4.92	mg/kg	

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected	J = Estimated Value
LOQ = Limit of Quantitation	B = Analyte Found in Associated Method Blank
MDL = Method Detection Limit	N = Presumptive Evidence of a Compound
LOD = Limit of Detection	* = Values outside of QC limits
E = Value Exceeds Calibration Range	D = Dilution
Q = indicates LCS control criteria did not meet requirements	

### Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	01/30/25
Project:	1063 Lafayette Ave, Hawthorne, NJ	Date Received:	01/30/25
Client Sample ID:	3	SDG No.:	Q1236
Lab Sample ID:	Q1236-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	81.4
Sample Wt/Vol:	30.05 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FD049041.D	1	01/31/25	02/03/25	PB166432

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
	Aliphatic C9-C28	Aliphatic C9-C28	6.47	2.11	4.92	mg/kg
	Aliphatic C28-C40	Aliphatic C28-C40	6.73	2.21	2.45	mg/kg
<b>SURROGATES</b>						
3383-33-2	1-chlorooctadecane (SURR)	39.9		40 - 140	80%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	53.3		40 - 140	106%	SPK: 50

### Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1236-05	Acq On:	03 Feb 2025 12:34
Client Sample ID:	3	Operator:	YP/AJ
Data file:	FD049041.D	Misc:	
Instrument:	FID_D	ALS Vial:	63
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.004	6.241	1276987	7.841	300	ug/ml
Aliphatic C12-C16	6.242	9.610	1143782	6.773	200	ug/ml
Aliphatic C16-C21	9.611	12.951	8319265	48.115	300	ug/ml
Aliphatic C21-C28	12.952	16.589	2777137	16.475	400	ug/ml
Aliphatic C28-C40	16.590	21.285	10821541	82.304	600	ug/ml
Aliphatic EPH	3.004	21.285	24338712	161.508		ug/ml
ortho-Terphenyl (SURR)	11.242	11.242	10281548	53.25		ug/ml
1-chlorooctadecane (SURR)	12.683	12.683	5854987	39.89		ug/ml
Aliphatic C9-C28	3.004	16.589	13517171	79.204	1200	ug/ml

### Report of Analysis

A

B

C

Client:	Sciacca General Contractors, LLC	Date Collected:	01/30/25
Project:	1063 Lafayette Ave, Hawthorne, NJ	Date Received:	01/30/25
Client Sample ID:	4	SDG No.:	Q1236
Lab Sample ID:	Q1236-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	83
Sample Wt/Vol:	30.03      Units: g	Final Vol:	2000      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
01/31/25 12:05	02/03/25 13:11	PB166432

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
<b>TARGETS</b>								
Aliphatic C9-C28	Aliphatic C9-C28	11.0		1	2.07	4.80	mg/kg	FD049042.D
Total EPH	Total EPH	11.0			2.07	4.80	mg/kg	

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected	J = Estimated Value
LOQ = Limit of Quantitation	B = Analyte Found in Associated Method Blank
MDL = Method Detection Limit	N = Presumptive Evidence of a Compound
LOD = Limit of Detection	* = Values outside of QC limits
E = Value Exceeds Calibration Range	D = Dilution
Q = indicates LCS control criteria did not meet requirements	



### Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	01/30/25
Project:	1063 Lafayette Ave, Hawthorne, NJ	Date Received:	01/30/25
Client Sample ID:	4	SDG No.:	Q1236
Lab Sample ID:	Q1236-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	83
Sample Wt/Vol:	30.03      Units:    g	Final Vol:	2000              uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FD049042.D	1	01/31/25	02/03/25	PB166432

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
	Aliphatic C9-C28	Aliphatic C9-C28	11.0	2.07	4.80	mg/kg
	Aliphatic C28-C40	Aliphatic C28-C40	9.86	2.17	2.41	mg/kg
<b>SURROGATES</b>						
3383-33-2		1-chlorooctadecane (SURR)	37.3	40 - 140	75%	SPK: 50
84-15-1		ortho-Terphenyl (SURR)	52.9	40 - 140	106%	SPK: 50

### Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1236-06	Acq On:	03 Feb 2025 13:11
Client Sample ID:	4	Operator:	YP/AJ
Data file:	FD049042.D	Misc:	
Instrument:	FID_D	ALS Vial:	64
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.004	6.241	4130894	25.364	300	ug/ml
Aliphatic C12-C16	6.242	9.610	2055201	12.17	200	ug/ml
Aliphatic C16-C21	9.611	12.951	13364680	77.296	300	ug/ml
Aliphatic C21-C28	12.952	16.589	3703418	21.97	400	ug/ml
Aliphatic C28-C40	16.590	21.285	16154485	122.864	600	ug/ml
Aliphatic EPH	3.004	21.285	39408678	259.664		ug/ml
ortho-Terphenyl (SURR)	11.243	11.243	10221038	52.93		ug/ml
1-chlorooctadecane (SURR)	12.682	12.682	5478047	37.32		ug/ml
Aliphatic C9-C28	3.004	16.589	23254193	136.8	1200	ug/ml

### Report of Analysis

A

B

C

Client:	Sciacca General Contractors, LLC	Date Collected:	01/30/25
Project:	1063 Lafayette Ave, Hawthorne, NJ	Date Received:	01/30/25
Client Sample ID:	5	SDG No.:	Q1236
Lab Sample ID:	Q1236-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	83.1
Sample Wt/Vol:	30.02      Units: g	Final Vol:	2000      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
01/31/25 12:05	01/31/25 19:44	PB166432

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
<b>TARGETS</b>								
Aliphatic C9-C28	Aliphatic C9-C28	6.65		1	2.07	4.80	mg/kg	FD049031.D
Total EPH	Total EPH	6.65			2.07	4.80	mg/kg	

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected	J = Estimated Value
LOQ = Limit of Quantitation	B = Analyte Found in Associated Method Blank
MDL = Method Detection Limit	N = Presumptive Evidence of a Compound
LOD = Limit of Detection	* = Values outside of QC limits
E = Value Exceeds Calibration Range	D = Dilution
Q = indicates LCS control criteria did not meet requirements	

### Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	01/30/25
Project:	1063 Lafayette Ave, Hawthorne, NJ	Date Received:	01/30/25
Client Sample ID:	5	SDG No.:	Q1236
Lab Sample ID:	Q1236-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	83.1
Sample Wt/Vol:	30.02      Units: g	Final Vol:	2000      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FD049031.D	1	01/31/25	01/31/25	PB166432

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
	Aliphatic C9-C28	6.65		2.07	4.80	mg/kg
	Aliphatic C28-C40	11.4		2.16	2.41	mg/kg
<b>SURROGATES</b>						
3383-33-2	1-chlorooctadecane (SURR)	23.4		40 - 140	47%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	24.4		40 - 140	49%	SPK: 50

### Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1236-07	Acq On:	31 Jan 2025 19:44
Client Sample ID:	5	Operator:	YP/AJ
Data file:	FD049031.D	Misc:	
Instrument:	FID_D	ALS Vial:	68
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.006	6.243	3236243	19.871	300	ug/ml
Aliphatic C12-C16	6.244	9.612	2161337	12.799	200	ug/ml
Aliphatic C16-C21	9.613	12.953	3827261	22.135	300	ug/ml
Aliphatic C21-C28	12.954	16.592	4760344	28.24	400	ug/ml
Aliphatic C28-C40	16.593	21.288	18736792	142.503	600	ug/ml
Aliphatic EPH	3.006	21.288	32721977	225.548		ug/ml
ortho-Terphenyl (SURR)	11.239	11.239	4711799	24.4		ug/ml
1-chlorooctadecane (SURR)	12.681	12.681	3436628	23.41		ug/ml
Aliphatic C9-C28	3.006	16.592	13985185	83.045	1200	ug/ml

### LAB CHRONICLE

<b>OrderID:</b> Q1236	<b>OrderDate:</b> 1/30/2025 12:48:00 PM
<b>Client:</b> Sciacca General Contractors, LLC	<b>Project:</b> 1063 Lafayette Ave, Hawthorne, NJ
<b>Contact:</b> Daniel Scirica	<b>Location:</b> E11,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
<b>Q1236-01</b>	<b>WASTE</b>	<b>SOIL</b>	TPH GC	8015D	<b>01/30/25</b>	01/31/25	02/01/25	<b>01/30/25</b>
<b>Q1236-03</b>	<b>1</b>	<b>Solid</b>	EPH_F2	NJEPH	<b>01/30/25</b>	01/31/25	02/03/25	<b>01/30/25</b>
<b>Q1236-04</b>	<b>2</b>	<b>Solid</b>	EPH_F2	NJEPH	<b>01/30/25</b>	01/31/25	02/03/25	<b>01/30/25</b>
<b>Q1236-05</b>	<b>3</b>	<b>Solid</b>	EPH_F2	NJEPH	<b>01/30/25</b>	01/31/25	02/03/25	<b>01/30/25</b>
<b>Q1236-06</b>	<b>4</b>	<b>Solid</b>	EPH_F2	NJEPH	<b>01/30/25</b>	01/31/25	02/03/25	<b>01/30/25</b>
<b>Q1236-07</b>	<b>5</b>	<b>Solid</b>	EPH_F2	NJEPH	<b>01/30/25</b>	01/31/25	01/31/25	<b>01/30/25</b>



# SHIPPING DOCUMENTS


# CHEMTECH

## CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092  
 (908) 789-8900 Fax (908) 789-8922  
 www.chemtech.net

1003 Lafayette Ave Q1236  
 Chemtech Project Number  
 Coc Number *Heathrow NJ*

CLIENT INFORMATION		PROJECT INFORMATION		BILLING INFORMATION	
Report to be sent to:		PROJECT NAME:	BILL TO:		
COMPANY:		PROJECT #:	LOCATION:	ADDRESS:	PO#:
ADDRESS:		PROJECT MANAGER:		CITY:	STATE:
CITY:	STATE:	E-MAIL:		ATTENTION:	ZIP:
ATTENTION:	ZIP:	PHONE:	FAX:	PHONE:	
PHONE:	FAX:				

DATA TURNAROUND INFORMATION		DATA DELIVERABLE INFORMATION		ANALYSIS	
FAX (RUSH)	DAYS*	<input type="checkbox"/> Level 1 (Results Only)	<input type="checkbox"/> Level 4 (QC + Full Raw Data)		
HARDCOPY (DATA PACKAGE):	DAYS*	<input type="checkbox"/> Level 2 (Results + QC)	<input type="checkbox"/> NJ Reduced <input type="checkbox"/> US EPA CLP		
EDD:	DAYS*	<input type="checkbox"/> Level 3 (Results + QC + Raw Data)	<input type="checkbox"/> NYS ASP A <input type="checkbox"/> NYS ASP B		
TO BE APPROVED BY CHEMTECH:		<input type="checkbox"/> EDD FORMAT	<input type="checkbox"/> Other		
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS					

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles	PRESERVATIVES									COMMENTS ← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER	
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9		
1.	WASTE				1/3	7:30	1		<input checked="" type="checkbox"/>									
2.	VOC						1			<input checked="" type="checkbox"/>								
3.	1						1				<input checked="" type="checkbox"/>							
4.	2						1					<input checked="" type="checkbox"/>						
5.	3						1						<input checked="" type="checkbox"/>					
6.	4						1							<input checked="" type="checkbox"/>				
7.	5						1								<input checked="" type="checkbox"/>			
8.							1									<input checked="" type="checkbox"/>		
9.							1										<input checked="" type="checkbox"/>	
10.							1											<input checked="" type="checkbox"/>

**SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY**

RELINQUISHED BY SAMPLER	DATE/TIME 1/30/25	RECEIVED BY	DATE/TIME 1/30/25	Comments: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP 25°C
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME	
RELINQUISHED BY	DATE/TIME 8:00	RECEIVED FOR LAB BY	DATE/TIME 1-30-25	

Page \_\_\_\_\_ of \_\_\_\_\_

CLIENT:  Hand Delivered  Other: \_\_\_\_\_

CHEMTECH:  Picked Up

Shipment Complete  YES  NO

WHITE - CHEMTECH COPY FOR RETURN TO CLIENT

YELLOW - CHEMTECH COPY

PINK - SAMPLER COPY




**Laboratory Certification**


<b>Certified By</b>	<b>License No.</b>
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

**LOGIN REPORT/SAMPLE TRANSFER**

<b>Order ID :</b> Q1236	SCIA01	<b>Order Date :</b> 1/30/2025 12:48:00 PM	<b>Project Mgr :</b>
<b>Client Name :</b> Sciacca General Contractor		<b>Project Name :</b> 1063 Lafayette Ave, Hawth	<b>Report Type :</b> Results Only
<b>Client Contact :</b> Daniel Scirica		<b>Receive DateTime :</b> 1/30/2025 6:00:00 PM	<b>EDD Type :</b> EXCEL NJCLEANUP
<b>Invoice Name :</b> Sciacca General Contractor		<b>Purchase Order :</b>	<b>Hard Copy Date :</b>
<b>Invoice Contact :</b> Daniel Scirica			<b>Date Signoff :</b>

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q1236-02	VOC	Solid	01/30/2025	07:45	VOC-TCLVOA-10		8260D		10 Bus. Days

Relinquished By :   
Date / Time : 1-31-25 11:40

Received By :   
Date / Time : 1-31-25 11:40

Storage Area : VOA Refridgerator Room