

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	01/30/25 09:54
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	01/30/25
Client Sample ID:	JPP-5.2-013025	SDG No.:	Q1241
Lab Sample ID:	Q1241-12	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	11.3	H	1	0	0	pH		01/31/25 17:15	9045D
Ignitability	NO		1	0	0	oC		01/31/25 13:23	1030
Reactive Cyanide	0.050	U	1	0.0088	0.050	mg/Kg	02/03/25 09:00	02/03/25 11:16	9012B
Reactive Sulfide	3.17	J	1	0.19	10.0	mg/Kg	01/31/25 08:50	01/31/25 15:23	9034

Comments: pH result reported at temperature 20.6 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits