

Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB134531

Reviewed By: rubina
Supervisor Review By: Iwona
BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	Q1232-03	JPP-46.2-012925	1	100.07	0.00	02/04/2025	08:25
2	Q1232-03DUP	JPP-46.2-012925DUP	1	100.07	0.00	02/04/2025	08:32
3	Q1232-07	JPP-46.1-012925	1	100.04	0.00	02/04/2025	08:40
4	Q1232-11	JPP-42.1-012925	1	100.02	0.00	02/04/2025	08:47
5	Q1232-15	JPP-42.2-012925	1	100.07	0.00	02/04/2025	08:55
6	Q1232-19	JPP-51.1-012925	1	100.06	0.00	02/04/2025	09:02
7	Q1241-03	JPP-3.5-013025	1	100.05	0.00	02/04/2025	09:10
8	Q1241-07	JPP-5.3-013025	1	100.07	0.00	02/04/2025	09:17
9	Q1241-11	JPP-5.2-013025	1	100.02	0.00	02/04/2025	09:25
10	Q1241-15	JPP-5.4-013025	1	100.03	0.00	02/04/2025	09:32
11	Q1241-19	JPP-51.4-013025	1	100.05	0.00	02/04/2025	09:40
12	Q1242-03	JPP-6.2-013025	1	100.02	0.00	02/04/2025	09:48
13	Q1254-01	OK-02-01312025	1	100.06	0.00	02/04/2025	09:55
14	Q1261-01	CHRT-20430	1	100.02	0.00	02/04/2025	10:02
15	Q1262-01	ETGI-371	1	100.07	0.00	02/04/2025	10:10
16	Q1262-03	CONCRETE-PAD	1	100.05	0.00	02/04/2025	10:18
17	Q1269-01	VNJ-231	1	100.03	0.00	02/04/2025	10:25
18	Q1271-01	RBR200030	1	100.03	0.00	02/04/2025	10:32
19	Q1276-01	TR-05-020325	1	100.05	0.00	02/04/2025	10:40
20	Q1277-02	RT 3249	1	100.04	0.00	02/04/2025	10:48
21	Q1280-01	72-11984	1	100.04	0.00	02/04/2025	10:55
22	Q1281-01	OR-02--2-03-2025	1	100.08	0.00	02/04/2025	11:02
23	Q1281-01DUP	OR-02--2-03-2025DUP	1	100.08	0.00	02/04/2025	11:10

WORKLIST(Hardcopy Internal Chain)

66134531

WorkList Name : PF-1-31 WorkList ID : 187354 Department : Wet-Chemistry Date : 01-31-2025 11:44:47

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1232-03	JPP-46.2-012925	Solid	Paint Filter	Cool 4 deg C	RUTW01	E11	01/29/2025	9095B
Q1232-07	JPP-46.1-012925	Solid	Paint Filter	Cool 4 deg C	RUTW01	E11	01/29/2025	9095B
Q1232-11	JPP-42.1-012925	Solid	Paint Filter	Cool 4 deg C	RUTW01	E11	01/29/2025	9095B
Q1232-15	JPP-42.2-012925	Solid	Paint Filter	Cool 4 deg C	RUTW01	E11	01/29/2025	9095B
Q1232-19	JPP-51.1-012925	Solid	Paint Filter	Cool 4 deg C	RUTW01	E11	01/29/2025	9095B
Q1241-03	JPP-3.5-013025	Solid	Paint Filter	Cool 4 deg C	RUTW01	E11	01/30/2025	9095B
Q1241-07	JPP-5.3-013025	Solid	Paint Filter	Cool 4 deg C	RUTW01	E11	01/30/2025	9095B
Q1241-11	JPP-5.2-013025	Solid	Paint Filter	Cool 4 deg C	RUTW01	E11	01/30/2025	9095B
Q1241-15	JPP-5.4-013025	Solid	Paint Filter	Cool 4 deg C	RUTW01	E11	01/30/2025	9095B
Q1241-19	JPP-51.4-013025	Solid	Paint Filter	Cool 4 deg C	RUTW01	E11	01/30/2025	9095B
Q1242-03	JPP-6.2-013025	Solid	Paint Filter	Cool 4 deg C	RUTW01	E11	01/30/2025	9095B
Q1261-01	CHRT-20430	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	01/31/2025	9095B
Q1262-01	ETGI-371	Solid	Paint Filter	Cool 4 deg C	PSEG03	N41	01/31/2025	9095B
Q1262-03	CONCRETE-PAD	Solid	Paint Filter	Cool 4 deg C	PSEG03	N41	01/31/2025	9095B
Q1269-01	VNJ-231	Solid	Paint Filter	Cool 4 deg C	PSEG03	D11	01/31/2025	9095B
Q1271-01	RBR200030	Solid	Paint Filter	Cool 4 deg C	PSEG03	D21	01/31/2025	9095B
Q1277-02	RT 3249	Solid	Paint Filter	Cool 4 deg C	PSEG03	D11	02/03/2025	9095B
Q1280-01	72-11984	Solid	Paint Filter	Cool 4 deg C	PSEG03	D11	02/03/2025	9095B
Q1254-01	OK-02-01312025	Solid	Paint Filter	Cool 4 deg C	PSEG05	N41	01/31/2025	9095B
Q1276-01	TR-05-020325	Solid	Paint Filter	Cool 4 deg C	PSEG05	D11	02/03/2025	9095B
Q1281-01	OR-02-2-03-2025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D11	02/03/2025	9095B

Date/Time 02/04/2025 08.15

Raw Sample Received by: RM

Raw Sample Relinquished by: [Signature]

Date/Time 02/04/2025 11.25

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: RM