

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012925\
 Data File : BF141295.D
 Acq On : 29 Jan 2025 16:11
 Operator : RC/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 01/30/2025
 Supervised By :mohammad ahmed 02/04/2025

Quant Time: Jan 29 17:01:11 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 16:24:35 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.798	152	130633	20.000	ng	0.00
21) Naphthalene-d8	8.081	136	511843	20.000	ng	0.00
39) Acenaphthene-d10	9.839	164	269662	20.000	ng	0.00
64) Phenanthrene-d10	11.322	188	442506	20.000	ng	0.00
76) Chrysene-d12	13.968	240	226571	20.000	ng	0.00
86) Perylene-d12	15.439	264	272084	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.404	112	827672	97.984	ng	0.00
7) Phenol-d6	6.428	99	1052381	97.751	ng	0.00
23) Nitrobenzene-d5	7.369	82	955368	98.761	ng	0.00
42) 2,4,6-Tribromophenol	10.627	330	235884	95.997	ng	0.00
45) 2-Fluorobiphenyl	9.157	172	1620825	92.721	ng	0.00
79) Terphenyl-d14	12.916	244	1402103	95.222	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.493	88	187460	49.995	ng	98
3) Pyridine	3.222	79	455306	50.773	ng	100
4) n-Nitrosodimethylamine	3.181	42	262086	51.033	ng	100
6) Aniline	6.463	93	458390	50.942	ng	97
8) 2-Chlorophenol	6.587	128	441862	48.707	ng	98
9) Benzaldehyde	6.351	77	281326	44.996	ng	98
10) Phenol	6.445	94	553844	48.628	ng	95
11) bis(2-Chloroethyl)ether	6.539	93	424248	48.433	ng	98
12) 1,3-Dichlorobenzene	6.739	146	489386	48.913	ng	100
13) 1,4-Dichlorobenzene	6.816	146	490392	48.671	ng	99
14) 1,2-Dichlorobenzene	6.975	146	454569	48.279	ng	99
15) Benzyl Alcohol	6.939	79	371274	50.480	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.081	45	749938	49.280	ng	99
17) 2-Methylphenol	7.051	107	361469	49.214	ng	99
18) Hexachloroethane	7.310	117	182933	49.073	ng	99
19) n-Nitroso-di-n-propyla...	7.216	70	305749	47.753	ng	98
20) 3+4-Methylphenols	7.210	107	434743	48.143	ng	94
22) Acetophenone	7.210	105	574700	47.365	ng	# 97
24) Nitrobenzene	7.386	77	492082	49.046	ng	98
25) Isophorone	7.622	82	818496	48.959	ng	99
26) 2-Nitrophenol	7.698	139	242228	51.545	ng	99
27) 2,4-Dimethylphenol	7.734	122	300079m	49.969	ng	
28) bis(2-Chloroethoxy)met...	7.833	93	518825	48.701	ng	99
29) 2,4-Dichlorophenol	7.939	162	363275	49.507	ng	100
30) 1,2,4-Trichlorobenzene	8.022	180	406562	48.309	ng	100
31) Naphthalene	8.104	128	1304758	48.468	ng	100
32) Benzoic acid	7.857	122	308525	56.571	ng	99
33) 4-Chloroaniline	8.151	127	449543	49.712	ng	100
34) Hexachlorobutadiene	8.222	225	243308	49.395	ng	99
35) Caprolactam	8.528	113	120078	50.594	ng	97
36) 4-Chloro-3-methylphenol	8.633	107	385683	48.973	ng	98
37) 2-Methylnaphthalene	8.792	142	822986	48.006	ng	99
38) 1-Methylnaphthalene	8.892	142	799136	47.586	ng	100
40) 1,2,4,5-Tetrachloroben...	8.963	216	373963	48.774	ng	100
41) Hexachlorocyclopentadiene	8.945	237	122470	53.227	ng	100
43) 2,4,6-Trichlorophenol	9.069	196	252974	50.545	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012925\
 Data File : BF141295.D
 Acq On : 29 Jan 2025 16:11
 Operator : RC/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 01/30/2025
 Supervised By :mohammad ahmed 02/04/2025

Quant Time: Jan 29 17:01:11 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 16:24:35 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.110	196	263745	48.438	ng	98
46) 1,1'-Biphenyl	9.263	154	1005774	47.808	ng	99
47) 2-Chloronaphthalene	9.286	162	781613	47.835	ng	99
48) 2-Nitroaniline	9.380	65	257199	49.907	ng	98
49) Acenaphthylene	9.698	152	1092234	47.595	ng	100
50) Dimethylphthalate	9.563	163	875569	48.419	ng	100
51) 2,6-Dinitrotoluene	9.622	165	204917	48.697	ng	98
52) Acenaphthene	9.875	154	789039	48.322	ng	100
53) 3-Nitroaniline	9.792	138	197832	47.528	ng	99
54) 2,4-Dinitrophenol	9.898	184	105313	53.096	ng	96
55) Dibenzofuran	10.045	168	1028182	47.082	ng	100
56) 4-Nitrophenol	9.951	139	155594	52.067	ng	99
57) 2,4-Dinitrotoluene	10.027	165	264325	48.700	ng	97
58) Fluorene	10.386	166	784644	46.215	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.163	232	205508	47.772	ng	98
60) Diethylphthalate	10.263	149	834803	47.668	ng	99
61) 4-Chlorophenyl-phenyle...	10.380	204	380948	45.976	ng	99
62) 4-Nitroaniline	10.404	138	198241	49.579	ng	98
63) Azobenzene	10.539	77	841797	47.955	ng	100
65) 4,6-Dinitro-2-methylph...	10.433	198	144574	54.710	ng	97
66) n-Nitrosodiphenylamine	10.498	169	688202	47.968	ng	100
67) 4-Bromophenyl-phenylether	10.869	248	241123	48.745	ng	99
68) Hexachlorobenzene	10.933	284	253174	48.250	ng	100
69) Atrazine	11.027	200	237991	49.457	ng	98
70) Pentachlorophenol	11.127	266	161568	52.515	ng	99
71) Phenanthrene	11.351	178	1114920	46.903	ng	99
72) Anthracene	11.404	178	1105681	47.686	ng	100
73) Carbazole	11.557	167	971542	47.304	ng	99
74) Di-n-butylphthalate	11.892	149	1162607	46.961	ng	100
75) Fluoranthene	12.539	202	1065514	45.923	ng	100
77) Benzidine	12.663	184	513358	74.515	ng	99
78) Pyrene	12.768	202	1059044	48.410	ng	99
80) Butylbenzylphthalate	13.392	149	371889	49.222	ng	99
81) Benzo(a)anthracene	13.963	228	778922	50.158	ng	100
82) 3,3'-Dichlorobenzidine	13.921	252	270572	55.645	ng	99
83) Chrysene	13.998	228	717569	49.829	ng	99
84) Bis(2-ethylhexyl)phtha...	13.957	149	470441	49.620	ng	99
85) Di-n-octyl phthalate	14.586	149	773037	52.127	ng	100
87) Indeno(1,2,3-cd)pyrene	16.892	276	916714	51.584	ng	100
88) Benzo(b)fluoranthene	15.015	252	860351	50.916	ng	100
89) Benzo(k)fluoranthene	15.045	252	713500	47.153	ng	99
90) Benzo(a)pyrene	15.380	252	721834	49.985	ng	100
91) Dibenzo(a,h)anthracene	16.915	278	739397	51.907	ng	100
92) Benzo(g,h,i)perylene	17.333	276	764064	50.990	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012925\
Data File : BF141295.D
Acq On : 29 Jan 2025 16:11
Operator : RC/JU
Sample : SSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Quant Time: Jan 29 17:01:11 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 29 16:24:35 2025
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025






#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.798 min Scan# 800
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:152 Resp: 13063
Ion Ratio Lower Upper
152 100
150 160.9 125.9 188.9
115 64.3 49.7 74.5

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#2
1,4-Dioxane
Concen: 49.995 ng
RT: 2.493 min Scan# 68
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11


Tgt Ion: 88 Resp: 187460
Ion Ratio Lower Upper
88 100
58 89.8 70.2 105.4
43 33.5 27.6 41.4





#3
Pyridine
Concen: 50.773 ng
RT: 3.222 min Scan# 191
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion: 79 Resp: 455300
Ion Ratio Lower Upper
79 100
52 88.5 70.3 105.5
51 42.8 34.3 51.5

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#4
n-Nitrosodimethylamine
Concen: 51.033 ng
RT: 3.181 min Scan# 185
Delta R.T. 0.012 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion: 42 Resp: 262086
Ion Ratio Lower Upper
42 100
74 113.0 90.3 135.5
44 6.8 5.7 8.5






#5
2-Fluorophenol
Concen: 97.984 ng
RT: 5.404 min Scan# 50
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:112 Resp: 827672
Ion Ratio Lower Upper
112 100
64 63.5 49.8 74.8
63 32.7 26.1 39.1

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#6
Aniline
Concen: 50.942 ng
RT: 6.463 min Scan# 743
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Tgt Ion: 93 Resp: 458390
Ion Ratio Lower Upper
93 100
66 43.2 32.5 48.7
65 22.4 17.0 25.6





#7

Phenol-d6

Concen: 97.751 ng

RT: 6.428 min Scan# 71

Delta R.T. 0.000 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050

Tgt Ion: 99 Resp: 105238

Ion Ratio Lower Upper

99 100

42 21.4 17.1 25.7





71 33.9 26.9 40.3

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#8

2-Chlorophenol

Concen: 48.707 ng

RT: 6.587 min Scan# 764

Delta R.T. 0.006 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11




Tgt Ion:128 Resp: 441862


Ion Ratio Lower Upper

128 100

130 32.7 12.5 52.5

64 50.5 32.9 72.9









#9
Benzaldehyde
Concen: 44.996 ng
RT: 6.351 min Scan# 71
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 77 Resp: 281320
Ion Ratio Lower Upper
77 100
105 100.8 79.4 119.4
106 96.5 74.6 114.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#10
Phenol
Concen: 48.628 ng
RT: 6.445 min Scan# 740
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Tgt Ion: 94 Resp: 553844
Ion Ratio Lower Upper
94 100
65 33.2 10.8 50.8
66 47.3 23.3 63.3









#11
bis(2-Chloroethyl)ether
Concen: 48.433 ng
RT: 6.539 min Scan# 755
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 93 Resp: 424248
Ion Ratio Lower Upper
93 100
63 83.2 65.0 105.0
95 32.9 12.4 52.4




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#12
1,3-Dichlorobenzene
Concen: 48.913 ng
RT: 6.739 min Scan# 790
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Tgt Ion:146 Resp: 489386
Ion Ratio Lower Upper
146 100
148 64.0 51.2 76.8
75 32.9 26.2 39.4









#13
1,4-Dichlorobenzene
Concen: 48.671 ng
RT: 6.816 min Scan# 803
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:146 Resp: 490392
Ion Ratio Lower Upper
146 100
148 64.4 51.2 76.8
111 44.4 35.0 52.4




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#14
1,2-Dichlorobenzene
Concen: 48.279 ng
RT: 6.975 min Scan# 830
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11


Tgt Ion:146 Resp: 454569
Ion Ratio Lower Upper
146 100
148 63.4 50.5 75.7
111 45.1 36.6 55.0





#15
Benzyl Alcohol
Concen: 50.480 ng
RT: 6.939 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion: 79 Resp: 371274
Ion Ratio Lower Upper
79 100
108 76.2 61.4 92.0
77 62.1 49.9 74.9

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#16
2,2'-oxybis(1-Chloropropane)
Concen: 49.280 ng
RT: 7.081 min Scan# 848
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion: 45 Resp: 749938
Ion Ratio Lower Upper
45 100
77 11.9 0.0 31.8
79 9.5 0.0 29.1






#17
2-Methylphenol
Concen: 49.214 ng
RT: 7.051 min Scan# 843
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:107 Resp: 361469
Ion Ratio Lower Upper
107 100
108 113.9 90.8 136.2
77 46.0 36.2 54.4
79 46.4 35.7 53.5


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#18
Hexachloroethane
Concen: 49.073 ng
RT: 7.310 min Scan# 887
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Tgt Ion:117 Resp: 182933
Ion Ratio Lower Upper
117 100
119 95.8 76.6 114.8
201 92.7 74.8 112.2





#19
n-Nitroso-di-n-propylamine
Concen: 47.753 ng
RT: 7.216 min Scan# 81
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion: 70 Resp: 305749
Ion Ratio Lower Upper
70 100
42 69.2 56.8 85.2
101 9.7 7.7 11.5
130 21.3 16.8 25.2

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#20
3+4-Methylphenols
Concen: 48.143 ng
RT: 7.210 min Scan# 870
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Tgt Ion:107 Resp: 434743
Ion Ratio Lower Upper
107 100
108 91.2 70.9 110.9
77 131.3 98.5 138.5
79 30.9 9.5 49.5





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.081 min Scan# 1018
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050



Tgt Ion:136 Resp: 51184
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 10.1 7.8 11.8
68 6.1 4.9 7.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#22
Acetophenone
Concen: 47.365 ng
RT: 7.210 min Scan# 870
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Tgt Ion:105 Resp: 574700
Ion Ratio Lower Upper
105 100
71 6.6 6.8 10.2#
51 43.6 32.6 49.0
120 21.8 17.4 26.0





#23

Nitrobenzene-d5

Concen: 98.761 ng

RT: 7.369 min Scan# 896

Delta R.T. 0.006 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050

Tgt Ion: 82 Resp: 95536

Ion Ratio Lower Upper

82 100

128 45.3 35.7 53.5





54 58.0 47.1 70.7

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#24

Nitrobenzene

Concen: 49.046 ng

RT: 7.386 min Scan# 900

Delta R.T. 0.006 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11




Tgt Ion: 77 Resp: 492082


Ion Ratio Lower Upper

77 100

123 47.9 37.3 55.9


65 14.6 11.8 17.6





#25
Isophorone
Concen: 48.959 ng
RT: 7.622 min Scan# 940
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion: 82 Resp: 818490
Ion Ratio Lower Upper
82 100
95 7.0 5.8 8.6
138 17.7 14.7 22.1

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#26
2-Nitrophenol
Concen: 51.545 ng
RT: 7.698 min Scan# 953
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion:139 Resp: 242228
Ion Ratio Lower Upper
139 100
109 29.1 23.8 35.6
65 53.4 42.2 63.4





#27

2,4-Dimethylphenol

Concen: 49.969 ng m

RT: 7.734 min Scan# 9

Delta R.T. 0.000 min

Lab File: BF141295.D


Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050



Tgt Ion:122 Resp: 300079

Ion Ratio Lower Upper

122 100

107 112.0 89.9 134.9




121 58.3 46.1 69.1

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#28

bis(2-Chloroethoxy)methane

Concen: 48.701 ng

RT: 7.833 min Scan# 976

Delta R.T. 0.000 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11




Tgt Ion: 93 Resp: 518825


Ion Ratio Lower Upper

93 100

95 32.3 26.2 39.2

123 12.4 10.2 15.4





#29

2,4-Dichlorophenol

Concen: 49.507 ng

RT: 7.939 min Scan# 994

Delta R.T. 0.000 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :





SSTDICC050

Tgt Ion:162 Resp: 363274
 Ion Ratio Lower Upper
 162 100
 164 64.2 44.2 84.2
 98 38.4 18.2 58.2

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025
 Supervised By :mohammad ahmed 02/04/2025



#30

1,2,4-Trichlorobenzene

Concen: 48.309 ng




RT: 8.022 min Scan# 1008


Delta R.T. 0.000 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11

Tgt Ion:180 Resp: 406562
 Ion Ratio Lower Upper
 180 100
 182 95.3 76.4 114.6
 145 31.0 24.9 37.3






#31
Naphthalene
Concen: 48.468 ng
RT: 8.104 min Scan# 1022
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:128 Resp: 1304758
Ion Ratio Lower Upper
128 100
129 11.3 8.9 13.3
127 13.3 10.6 15.8

Manual Integrations

APPROVED




Reviewed By :Yogesh Patel 01/30/2025


Supervised By :mohammad ahmed 02/04/2025



#32
Benzoic acid
Concen: 56.571 ng
RT: 7.857 min Scan# 980
Delta R.T. 0.012 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Tgt Ion:122 Resp: 308525
Ion Ratio Lower Upper
122 100
105 121.7 103.4 143.4
77 91.5 70.9 110.9





#33
4-Chloroaniline
Concen: 49.712 ng
RT: 8.151 min Scan# 1030
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :





SSTDICC050

Tgt Ion:127 Resp: 44954
Ion Ratio Lower Upper
127 100
129 32.2 25.7 38.5
65 32.6 26.4 39.6
92 19.0 15.1 22.7

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#34
Hexachlorobutadiene
Concen: 49.395 ng
RT: 8.222 min Scan# 1042
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Tgt Ion:225 Resp: 243308
Ion Ratio Lower Upper
225 100
223 62.8 50.4 75.6
227 62.9 51.3 76.9






#35
Caprolactam
Concen: 50.594 ng
RT: 8.528 min Scan# 1094
Delta R.T. 0.012 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:113 Resp: 120078
Ion Ratio Lower Upper
113 100
55 199.5 182.9 222.9
56 143.7 127.9 167.9


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#36
4-Chloro-3-methylphenol
Concen: 48.973 ng
RT: 8.633 min Scan# 1112
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Tgt Ion:107 Resp: 385683
Ion Ratio Lower Upper
107 100
144 24.8 20.7 31.1
142 77.7 63.8 95.8





#37
2-Methylnaphthalene
Concen: 48.006 ng
RT: 8.792 min Scan# 1139
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:142 Resp: 822980
Ion Ratio Lower Upper
142 100
141 88.5 71.3 106.9

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#38
1-Methylnaphthalene
Concen: 47.586 ng
RT: 8.892 min Scan# 1156
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion:142 Resp: 799136
Ion Ratio Lower Upper
142 100
141 91.6 73.2 109.8






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.839 min Scan# 1167
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:164 Resp: 269662
Ion Ratio Lower Upper
164 100
162 100.1 80.6 121.0
160 44.5 35.8 53.6

Manual Integrations


APPROVED

Reviewed By :Yogesh Patel 01/30/2025



Supervised By :mohammad ahmed 02/04/2025




#40
1,2,4,5-Tetrachlorobenzene
Concen: 48.774 ng
RT: 8.963 min Scan# 1168
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Tgt Ion:216 Resp: 373963
Ion Ratio Lower Upper
216 100
214 79.0 63.2 94.8
179 21.7 17.8 26.8
108 19.0 15.0 22.6





#41
Hexachlorocyclopentadiene
Concen: 53.227 ng
RT: 8.945 min Scan# 1165
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:237 Resp: 122470
Ion Ratio Lower Upper
237 100
235 63.0 42.9 82.9
272 12.7 0.0 32.8

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#42
2,4,6-Tribromophenol
Concen: 95.997 ng
RT: 10.627 min Scan# 1451
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion:330 Resp: 235884
Ion Ratio Lower Upper
330 100
332 97.5 76.1 114.1
141 35.4 28.8 43.2





#43

2,4,6-Trichlorophenol

Concen: 50.545 ng

RT: 9.069 min Scan# 1186

Delta R.T. 0.000 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050

Tgt Ion:196 Resp: 252974

Ion Ratio Lower Upper

196 100

198 100.5 81.8 122.6





200 32.1 26.3 39.5

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#44

2,4,5-Trichlorophenol

Concen: 48.438 ng

RT: 9.110 min Scan# 1193

Delta R.T. 0.000 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11

Tgt Ion:196 Resp: 263745




Ion Ratio Lower Upper


196 100

198 103.2 80.5 120.7

97 54.1 42.8 64.2

132 30.5 23.5 35.3






#45
2-Fluorobiphenyl
Concen: 92.721 ng
RT: 9.157 min Scan# 1201
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:172 Resp: 1620825
Ion Ratio Lower Upper
172 100
171 35.7 28.8 43.2
170 23.8 19.0 28.6


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#46
1,1'-Biphenyl
Concen: 47.808 ng
RT: 9.263 min Scan# 1219
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion:154 Resp: 1005774
Ion Ratio Lower Upper
154 100
153 40.3 20.0 60.0
76 12.4 0.0 32.8





#47

2-Chloronaphthalene

Concen: 47.835 ng

RT: 9.286 min Scan# 1222

Delta R.T. 0.006 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:162 Resp: 78161
 Ion Ratio Lower Upper
 162 100
 127 41.3 33.7 50.5
 164 33.0 25.9 38.9

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#48

2-Nitroaniline

Concen: 49.907 ng




RT: 9.380 min Scan# 1239


Delta R.T. 0.000 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11

Tgt Ion: 65 Resp: 257199
 Ion Ratio Lower Upper
 65 100
 92 66.0 53.3 79.9
 138 102.3 83.6 125.4






#49
Acenaphthylene
Concen: 47.595 ng
RT: 9.698 min Scan# 1293
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:152 Resp: 1092234
Ion Ratio Lower Upper
152 100
151 20.3 16.2 24.2
153 14.2 11.0 16.6


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#50
Dimethylphthalate
Concen: 48.419 ng
RT: 9.563 min Scan# 1270
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion:163 Resp: 875569
Ion Ratio Lower Upper
163 100
194 3.8 3.0 4.6
164 10.1 8.0 12.0






#51
2,6-Dinitrotoluene
Concen: 48.697 ng
RT: 9.622 min Scan# 1280
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:165 Resp: 20491
Ion Ratio Lower Upper
165 100
63 61.7 48.1 72.1
89 57.3 44.9 67.3


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#52
Acenaphthene
Concen: 48.322 ng
RT: 9.875 min Scan# 1323
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion:154 Resp: 789039
Ion Ratio Lower Upper
154 100
153 111.1 89.0 133.4
152 50.3 40.2 60.4





#53

3-Nitroaniline

Concen: 47.528 ng

RT: 9.792 min Scan# 1309

Delta R.T. 0.000 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11

Instrument :

BNA_F





ClientSampleId :

SSTDICC050

Tgt Ion:138 Resp: 197832
 Ion Ratio Lower Upper
 138 100
 108 10.7 8.6 12.8
 92 115.0 91.0 136.6

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 01/30/2025
 Supervised By :mohammad ahmed 02/04/2025



#54

2,4-Dinitrophenol

Concen: 53.096 ng




RT: 9.898 min Scan# 1327


Delta R.T. 0.000 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11


Tgt Ion:184 Resp: 105313
 Ion Ratio Lower Upper
 184 100
 63 70.3 54.1 81.1
 154 66.8 50.7 76.1





#55
Dibenzenofuran
Concen: 47.082 ng
RT: 10.045 min Scan# 1352
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050



Tgt Ion:168 Resp: 102818
Ion Ratio Lower Upper
168 100
139 38.6 30.6 46.0
169 13.6 10.8 16.2




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#56
4-Nitrophenol
Concen: 52.067 ng
RT: 9.951 min Scan# 1336
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Tgt Ion:139 Resp: 155594
Ion Ratio Lower Upper
139 100
109 69.3 50.2 90.2
65 99.5 80.6 120.6






#57
2,4-Dinitrotoluene
Concen: 48.700 ng
RT: 10.027 min Scan# 1349
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:165 Resp: 264329
Ion Ratio Lower Upper
165 100
63 51.0 39.2 58.8
89 73.1 56.9 85.3
182 2.8 2.2 3.2

Manual Integrations


APPROVED

Reviewed By :Yogesh Patel 01/30/2025



Supervised By :mohammad ahmed 02/04/2025




#58
Fluorene
Concen: 46.215 ng
RT: 10.386 min Scan# 1410
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Tgt Ion:166 Resp: 784644
Ion Ratio Lower Upper
166 100
165 97.3 77.5 116.3
167 13.6 10.9 16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 47.772 ng
RT: 10.163 min Scan# 1372
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:232 Resp: 205508
Ion Ratio Lower Upper
232 100
131 46.9 36.4 54.6
130 2.4 1.9 2.9
166 30.8 24.1 36.1

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#60
Diethylphthalate
Concen: 47.668 ng
RT: 10.263 min Scan# 1389
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion:149 Resp: 834803
Ion Ratio Lower Upper
149 100
177 22.8 18.5 27.7
150 12.7 10.0 15.0






#61
4-Chlorophenyl-phenylether
Concen: 45.976 ng
RT: 10.380 min Scan# 1409
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:204 Resp: 380948
Ion Ratio Lower Upper
204 100
206 32.6 25.9 38.9
141 62.9 49.5 74.3


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#62
4-Nitroaniline
Concen: 49.579 ng
RT: 10.404 min Scan# 1413
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion:138 Resp: 198241
Ion Ratio Lower Upper
138 100
92 51.5 30.1 70.1
108 74.2 53.1 93.1






#63
Azobenzene
Concen: 47.955 ng
RT: 10.539 min Scan# 1436
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion: 77 Resp: 84179
Ion Ratio Lower Upper
77 100
182 24.7 5.1 45.1
105 21.7 1.8 41.8
51 34.0 14.0 54.0

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.322 min Scan# 1569
Delta R.T. -0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Tgt Ion:188 Resp: 442506
Ion Ratio Lower Upper
188 100
94 10.6 7.8 11.6
80 11.4 8.2 12.4









#65
4,6-Dinitro-2-methylphenol
Concen: 54.710 ng
RT: 10.433 min Scan# 1418
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:198 Resp: 144574
Ion Ratio Lower Upper
198 100
51 55.4 33.4 73.4
105 45.8 24.4 64.4




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#66
n-Nitrosodiphenylamine
Concen: 47.968 ng
RT: 10.498 min Scan# 1429
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11


Tgt Ion:169 Resp: 688202
Ion Ratio Lower Upper
169 100
168 66.6 53.0 79.4
167 36.2 28.8 43.2





#67
4-Bromophenyl-phenylether
Concen: 48.745 ng
RT: 10.869 min Scan# 1492
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:248 Resp: 24112
Ion Ratio Lower Upper
248 100
250 97.0 79.0 118.4
141 79.5 63.7 95.5

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#68
Hexachlorobenzene
Concen: 48.250 ng
RT: 10.933 min Scan# 1503
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion:284 Resp: 253174
Ion Ratio Lower Upper
284 100
142 36.9 29.5 44.3
249 32.3 25.4 38.2





#69

Atrazine

Concen: 49.457 ng

RT: 11.027 min Scan# 1519

Delta R.T. 0.000 min

Lab File: BF141295.D


Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050



Tgt Ion:200 Resp: 23799




Ion	Ratio	Lower	Upper
200	100		
173	25.9	5.9	45.9
215	46.9	25.2	65.2

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#70

Pentachlorophenol


Concen: 52.515 ng

RT: 11.127 min Scan# 1536

Delta R.T. 0.000 min



Lab File: BF141295.D


Acq: 29 Jan 2025 16:11



Tgt Ion:266 Resp: 161568


Ion	Ratio	Lower	Upper
266	100		
268	63.3	49.9	74.9
264	64.1	51.0	76.4





#71
Phenanthrene
Concen: 46.903 ng
RT: 11.351 min Scan# 1574
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050



Tgt Ion:178 Resp: 1114920
Ion Ratio Lower Upper
178 100
176 19.5 15.3 22.9
179 15.6 12.5 18.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#72
Anthracene
Concen: 47.686 ng
RT: 11.404 min Scan# 1583
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11


Tgt Ion:178 Resp: 1105681
Ion Ratio Lower Upper
178 100
176 18.7 15.0 22.6
179 15.6 12.3 18.5





#73
 Carbazole
 Concen: 47.304 ng
 RT: 11.557 min Scan# 1609
 Delta R.T. 0.000 min
 Lab File: BF141295.D
 Acq: 29 Jan 2025 16:11




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050




Tgt Ion:167 Resp: 97154
 Ion Ratio Lower Upper
 167 100
 166 21.6 17.0 25.6
 139 13.1 10.6 16.0

Manual Integrations
 APPROVED



Reviewed By :Yogesh Patel 01/30/2025
 Supervised By :mohammad ahmed 02/04/2025




#74
 Di-n-butylphthalate
 Concen: 46.961 ng
 RT: 11.892 min Scan# 1666
 Delta R.T. 0.000 min
 Lab File: BF141295.D
 Acq: 29 Jan 2025 16:11




Tgt Ion:149 Resp: 1162607
 Ion Ratio Lower Upper
 149 100
 150 9.3 7.4 11.2
 104 5.0 3.9 5.9





#75
Fluoranthene
Concen: 45.923 ng
RT: 12.539 min Scan# 1776
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:202 Resp: 1065514
Ion Ratio Lower Upper
202 100
101 11.7 0.0 31.7
203 17.5 0.0 37.5

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.968 min Scan# 2019
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Tgt Ion:240 Resp: 226571
Ion Ratio Lower Upper
240 100
120 12.5 10.0 15.0
236 25.6 19.7 29.5





#77
Benzidine
Concen: 74.515 ng
RT: 12.663 min Scan# 1797
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:184 Resp: 513358
Ion Ratio Lower Upper
184 100
185 14.5 11.9 17.9
183 11.7 9.5 14.3

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#78
Pyrene
Concen: 48.410 ng
RT: 12.768 min Scan# 1815
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion:202 Resp: 1059044
Ion Ratio Lower Upper
202 100
200 21.0 17.0 25.4
203 17.5 14.3 21.5






#79
 Terphenyl-d14
 Concen: 95.222 ng
 RT: 12.916 min Scan# 1840
 Delta R.T. 0.000 min
 Lab File: BF141295.D
 Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:244 Resp: 140210
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.4 8.0
 122 11.1 8.8 13.2

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 01/30/2025
 Supervised By :mohammad ahmed 02/04/2025



#80
 Butylbenzylphthalate
 Concen: 49.222 ng
 RT: 13.392 min Scan# 1921
 Delta R.T. 0.000 min
 Lab File: BF141295.D
 Acq: 29 Jan 2025 16:11


Tgt Ion:149 Resp: 371889
 Ion Ratio Lower Upper
 149 100
 91 72.9 58.6 87.8
 206 21.5 16.7 25.1





#81
Benzo(a)anthracene
Concen: 50.158 ng
RT: 13.963 min Scan# 2018
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:228 Resp: 77892
Ion Ratio Lower Upper
228 100
226 26.7 21.4 32.2
229 19.6 15.5 23.3

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#82
3,3'-Dichlorobenzidine
Concen: 55.645 ng
RT: 13.921 min Scan# 2011
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion:252 Resp: 270572
Ion Ratio Lower Upper
252 100
254 63.3 51.3 76.9
126 12.4 10.0 15.0





#83

Chrysene

Concen: 49.829 ng

RT: 13.998 min Scan# 2024

Delta R.T. 0.000 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDIC050

Tgt Ion:228 Resp: 717569

Ion Ratio Lower Upper

228 100

226 29.7 24.1 36.1





229 20.1 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 49.620 ng

RT: 13.957 min Scan# 2017

Delta R.T. 0.000 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11




Tgt Ion:149 Resp: 470441


Ion Ratio Lower Upper

149 100

167 26.6 21.8 32.8


279 3.9 3.3 4.9





#85
Di-n-octyl phthalate
Concen: 52.127 ng
RT: 14.586 min Scan# 2124
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:149 Resp: 77303
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 12.4 9.8 14.8

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025




#86
Perylene-d12
Concen: 20.000 ng
RT: 15.439 min Scan# 2269
Delta R.T. 0.000 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion:264 Resp: 272084
Ion Ratio Lower Upper
264 100
260 23.7 18.6 27.8
265 22.0 16.7 25.1





#87

Indeno(1,2,3-cd)pyrene

Concen: 51.584 ng

RT: 16.892 min Scan# 21

Delta R.T. 0.006 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :





SSTDICC050

Tgt Ion:276 Resp: 916714
 Ion Ratio Lower Upper
 276 100
 138 27.0 21.7 32.5
 277 25.5 20.3 30.5

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025
 Supervised By :mohammad ahmed 02/04/2025



#88

Benzo(b)fluoranthene

Concen: 50.916 ng




RT: 15.015 min Scan# 2197


Delta R.T. 0.000 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11

Tgt Ion:252 Resp: 860351
 Ion Ratio Lower Upper
 252 100
 253 21.9 17.4 26.2
 125 11.0 8.6 12.8





#89

Benzo(k)fluoranthene

Concen: 47.153 ng

RT: 15.045 min Scan# 2202

Delta R.T. 0.000 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDICC050

Tgt Ion:252 Resp: 713500

Ion Ratio Lower Upper

252 100

253 21.8 17.6 26.4





125 11.0 8.4 12.6

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 01/30/2025

Supervised By :mohammad ahmed 02/04/2025



#90

Benzo(a)pyrene

Concen: 49.985 ng

RT: 15.380 min Scan# 2259

Delta R.T. 0.006 min

Lab File: BF141295.D

Acq: 29 Jan 2025 16:11




Tgt Ion:252 Resp: 721834


Ion Ratio Lower Upper

252 100

253 21.5 17.2 25.8


125 11.7 9.4 14.2





#91
Dibenzo(a,h)anthracene
Concen: 51.907 ng
RT: 16.915 min Scan# 2519
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:278 Resp: 73939
Ion Ratio Lower Upper
278 100
139 17.2 13.9 20.9
279 23.7 18.8 28.2

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/30/2025
Supervised By :mohammad ahmed 02/04/2025



#92
Benzo(g,h,i)perylene
Concen: 50.990 ng
RT: 17.333 min Scan# 2591
Delta R.T. 0.006 min
Lab File: BF141295.D
Acq: 29 Jan 2025 16:11



Tgt Ion:276 Resp: 764064
Ion Ratio Lower Upper
276 100
277 23.4 19.2 28.8
138 23.2 19.0 28.4

