

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1241

Client: RU2 Engineering, LLC

Analytical Method: SW8260D

Datafile : VY021076.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VY0205SBS01	Dichlorodifluoromethane	20	17.9	ug/Kg	90			64	136	
	Chloromethane	20	18.3	ug/Kg	92			70	130	
	Vinyl chloride	20	18.2	ug/Kg	91			72	129	
	Bromomethane	20	18.3	ug/Kg	92			58	141	
	Chloroethane	20	18.1	ug/Kg	91			69	130	
	Trichlorofluoromethane	20	18.1	ug/Kg	91			69	134	
	1,1,2-Trichlorotrifluoroethane	20	17.9	ug/Kg	90			81	123	
	Tert butyl alcohol	100	90.0	ug/Kg	90			24	175	
	1,1-Dichloroethene	20	17.9	ug/Kg	90			79	121	
	Acetone	100	97.1	ug/Kg	97			60	131	
	Carbon disulfide	20	17.0	ug/Kg	85			45	154	
	Methyl tert-butyl Ether	20	18.5	ug/Kg	93			77	129	
	Methyl Acetate	20	18.5	ug/Kg	93			69	149	
	Methylene Chloride	20	18.7	ug/Kg	94			56	174	
	trans-1,2-Dichloroethene	20	18.4	ug/Kg	92			80	123	
	1,1-Dichloroethane	20	19.1	ug/Kg	96			82	123	
	Cyclohexane	20	18.2	ug/Kg	91			76	122	
	2-Butanone	100	94.8	ug/Kg	95			69	131	
	Carbon Tetrachloride	20	18.9	ug/Kg	95			76	129	
	cis-1,2-Dichloroethene	20	18.8	ug/Kg	94			82	123	
	Bromochloromethane	20	20.9	ug/Kg	104			80	127	
	Chloroform	20	19.3	ug/Kg	97			82	125	
	1,1,1-Trichloroethane	20	19.0	ug/Kg	95			80	126	
	Methylcyclohexane	20	17.8	ug/Kg	89			77	123	
	Benzene	20	19.3	ug/Kg	97			84	121	
	1,2-Dichloroethane	20	19.4	ug/Kg	97			81	126	
	Trichloroethene	20	18.7	ug/Kg	94			83	122	
	1,2-Dichloropropane	20	19.4	ug/Kg	97			83	122	
	Bromodichloromethane	20	19.3	ug/Kg	97			82	123	
	4-Methyl-2-Pentanone	100	93.8	ug/Kg	94			70	135	
	Toluene	20	19.1	ug/Kg	96			83	122	
	t-1,3-Dichloropropene	20	18.8	ug/Kg	94			78	124	
	cis-1,3-Dichloropropene	20	19.0	ug/Kg	95			81	122	
	1,1,2-Trichloroethane	20	19.8	ug/Kg	99			82	125	
	2-Hexanone	100	94.4	ug/Kg	94			66	138	
	Dibromochloromethane	20	19.4	ug/Kg	97			79	125	
	1,2-Dibromoethane	20	18.9	ug/Kg	95			80	125	
	Tetrachloroethene	20	18.8	ug/Kg	94			83	125	
	Chlorobenzene	20	18.8	ug/Kg	94			84	122	
	Ethyl Benzene	20	18.7	ug/Kg	94			82	124	
	m/p-Xylenes	40	38.1	ug/Kg	95			83	124	
	o-Xylene	20	18.8	ug/Kg	94			83	123	
	Styrene	20	19.4	ug/Kg	97			82	124	
	Bromoform	20	18.7	ug/Kg	94			75	127	
	Isopropylbenzene	20	18.0	ug/Kg	90			82	124	
	1,1,2,2-Tetrachloroethane	20	18.1	ug/Kg	91			77	127	
	1,3-Dichlorobenzene	20	18.6	ug/Kg	93			83	122	
	1,4-Dichlorobenzene	20	18.6	ug/Kg	93			84	121	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1241

Client: RU2 Engineering, LLC

Analytical Method: SW8260D

Datafile : VY021076.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits	RPD
									High	
VY0205SBS01	1,2-Dichlorobenzene	20	18.7	ug/Kg	94			83	124	
	1,2-Dibromo-3-Chloropropane	20	17.4	ug/Kg	87			66	134	
	1,2,4-Trichlorobenzene	20	18.1	ug/Kg	91			78	127	
	1,2,3-Trichlorobenzene	20	17.6	ug/Kg	88			70	137	