

Metals

- 7 -

LABORATORY CONTROL SAMPLE SUMMARY

Client: RU2 Engineering, LLC **SDG No.:** Q1242
Contract: RUTW01 **Lab Code:** CHEM **Case No.:** Q1242 **SAS No.:** Q1242

Analyte	Units	True Value	Result	C	% Recovery	Acceptance Limits	M
PB166414BS							
Aluminum	mg/Kg	85.5	80.4		94	80 - 120	P
Antimony	mg/Kg	34.2	33.0		96	80 - 120	P
Arsenic	mg/Kg	34.2	32.8		96	80 - 120	P
Barium	mg/Kg	8.5	8.26		97	80 - 120	P
Beryllium	mg/Kg	8.5	8.20		96	80 - 120	P
Cadmium	mg/Kg	8.5	8.31		98	80 - 120	P
Calcium	mg/Kg	42.7	43.1	J	101	80 - 120	P
Chromium	mg/Kg	17.1	17.4		102	80 - 120	P
Cobalt	mg/Kg	8.5	8.37		98	80 - 120	P
Copper	mg/Kg	12.8	13.1		102	80 - 120	P
Iron	mg/Kg	130	132		102	80 - 120	P
Lead	mg/Kg	42.7	40.9		96	80 - 120	P
Magnesium	mg/Kg	85.5	83.0	J	97	80 - 120	P
Manganese	mg/Kg	8.5	8.40		99	80 - 120	P
Nickel	mg/Kg	21.4	21.2		99	80 - 120	P
Potassium	mg/Kg	430	422		98	80 - 120	P
Selenium	mg/Kg	85.5	82.1		96	80 - 120	P
Silver	mg/Kg	3.2	3.22		101	80 - 120	P
Sodium	mg/Kg	130	138		106	80 - 120	P
Thallium	mg/Kg	85.5	80.6		94	80 - 120	P
Vanadium	mg/Kg	12.8	12.3		96	80 - 120	P
Zinc	mg/Kg	8.5	8.63		102	80 - 120	P

Metals

- 7 -

LABORATORY CONTROL SAMPLE SUMMARY

Client: RU2 Engineering, LLC

SDG No.: Q1242

Contract: RUTW01

Lab Code: CHEM

Case No.: Q1242

SAS No.: Q1242

Analyte	Units	True Value	Result	C	% Recovery	Acceptance Limits	M
PB166520BS Mercury	mg/Kg	0.24	0.20		83	80 - 120	CV