

Cover Page

Order ID : Q1242

Project ID : NYCDDC SANTWOBR Brooklyn Bridge BBMCR

Client : RU2 Engineering, LLC

Lab Sample Number

Q1242-01
Q1242-02
Q1242-03
Q1242-04

Client Sample Number

JPP-6.2-013025
JPP-6.2-013025
JPP-6.2-013025
JPP-6.2-013025

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 2/7/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1242

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: PATEL VAISHALI

Date: 02/07/2025

LAB CHRONICLE

OrderID: Q1242	OrderDate: 1/30/2025 3:02:00 PM
Client: RU2 Engineering, LLC	Project: NYCDDC SANTWOBR Brooklyn Bridge BBMCR
Contact: Rutu Manani	Location: E11,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1242-01	JPP-6.2-013025	SOIL			01/30/25	01/31/25	01/31/25	01/30/25
			Diesel Range Organics	8015D				
			Gasoline Range Organics	8015D				
Q1242-04	JPP-6.2-013025	TCLP			01/30/25	02/03/25	02/03/25	01/30/25
			TCLP Herbicide	8151A				



QC SUMMARY

SOIL DIESEL RANGE ORGANICS SURROGATE RECOVERY

Lab Name: Chemtech Client: RU2 Engineering, LLC
Lab Code: CHEM Case No.: Q1242 SAS No.: Q1242 SDG No.: Q1242

EPA SAMPLE NO.	S1 TETRACOSANE-d50	S2	S3	S4	TOT OUT
PIBLK-FE052167.D	90				0
PIBLK-FE052179.D	82				0
PIBLK-FE052189.D	87				0
PB166415BL	87				0
PB166415BS	94				0
JPP-5.3-013025MS	64				0
JPP-5.3-013025MSD	62				0
JPP-6.2-013025	56				0

QC LIMITS

TETRACOSANE-d50

For Water : 29-130
For Soil : 37-130

Column to be used to flag recovery values
* Values outside of contract required QC limits
D Surrogate Diluted Out

SOIL DIESEL RANGE ORGANICS MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: Chemtech **Client:** RU2 Engineering, LLC
Lab Code: CHEM **Cas No:** Q1242 **SAS No :** Q1242 **SDG No:** Q1242
Client SampleID : JPP-5.3-013025MS **Datafile:** FE052181.D

COMPOUND	SPIKE ADDED ug/kg	SAMPLE CONCENTRATION ug/kg	MS/MSD CONCENTRATION ug/kg	% REC	Qual	QC LIMITS
DRO	7453	168000	150000	-242%	*	68-131

SOIL DIESEL RANGE ORGANICS MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: Chemtech **Client:** RU2 Engineering, LLC
Lab Code: CHEM **Cas No:** Q1242 **SAS No :** Q1242 **SDG No:** Q1242
Client SampleID : JPP-5.3-013025MSD **Datafile:** FE052182.D

COMPOUND	SPIKE ADDED ug/kg	SAMPLE CONCENTRATION ug/kg	MS/MSD CONCENTRATION ug/kg	% REC	Qual	QC LIMITS
DRO	7460	168000	152000	-214%	*	68-131

MS/MSD % Recovery RPD : 11.8

SOIL DIESEL RANGE ORGANICS LABORATORY CONTROL SPIKE/LABORATORY CONTROL SPIKE DUPLICATE RI

Lab Name: Chemtech **Client:** RU2 Engineering, LLC
Lab Code: CHEM **Cas No:** Q1242 **SAS No :** Q1242 **SDG No:** Q1242
Matrix Spike - EPA Sample No : PB166415BS **Datafile:** FE052172.D

COMPOUND	SPIKE ADDED ug/kg	CONCENTRATION ug/kg	LCS/LCSD CONCENTRATION ug/kg	% REC	QC LIMITS
DRO	6660	0	6353	95	68-131

4B
METHOD BLANK SUMMARY

EPA SAMPLE NO.

PB166415BL

Lab Name: CHEMTECH

Contract: RUTW01

Lab Code: CHEM Case No.: Q1242

SAS No.: Q1242 SDG NO.: Q1242

Lab File ID: FE052171.D

Lab Sample ID: PB166415BL

Instrument ID: FE

Date Extracted: 01/31/2025

Matrix: (soil/water) Soil

Date Analyzed: 01/31/25

Level: (low/med) low

Time Analyzed: 12:08

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
PB166415BS	PB166415BS	FE052172.D	01/31/25
JPP-5.3-013025MS	Q1241-05MS	FE052181.D	01/31/25
JPP-5.3-013025MSD	Q1241-05MSD	FE052182.D	01/31/25
JPP-6.2-013025	Q1242-01	FE052188.D	01/31/25

COMMENTS: _____



SAMPLE DATA

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	01/30/25
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	01/30/25
Client Sample ID:	JPP-6.2-013025	SDG No.:	Q1242
Lab Sample ID:	Q1242-01	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	81.5
Sample Wt/Vol:	30.01	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	1
GPC Factor :		PH :	
Prep Method :	SW3541	Decanted:	
		Test:	Diesel Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FE052188.D	10	01/31/25 08:50	01/31/25 20:42	PB166415

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	66000		2270	20400	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	1.11		37 - 130	56%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052188.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 20:42
Operator : YP\AJ
Sample : Q1242-01 10X
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
JPP-6.2-013025

Integration File: autoint1.e
Quant Time: Feb 03 00:14:25 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.299	110923	1.114 ug/ml
Target Compounds			

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052188.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 20:42
Operator : YP\AJ
Sample : Q1242-01 10X
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
JPP-6.2-013025

Integration File: autoint1.e
Quant Time: Feb 03 00:14:25 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um





#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.299 min
Delta R.T.: 0.042 min
Response: 110923
Conc: 1.11 ug/ml

Instrument :
FID_E
ClientSampleId :
JPP-6.2-013025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
 Data File : FE052188.D
 Signal(s) : FID1B.ch
 Acq On : 31 Jan 2025 20:42
 Sample : Q1242-01 10X
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Integration File: Sample.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
 Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.887	4.882	4.892	PH	71	54	0.01%	0.000%
2	4.908	4.892	4.927	PH	172	431	0.10%	0.002%
3	4.943	4.927	4.957	PH	93	913	0.21%	0.005%
4	4.966	4.957	4.996	HH	254	2633	0.59%	0.015%
5	4.999	4.996	5.027	HH	150	1341	0.30%	0.008%
6	5.047	5.027	5.067	PH	122	1924	0.43%	0.011%
7	5.084	5.067	5.113	HH	858	8694	1.96%	0.050%
8	5.126	5.113	5.161	HH	308	3053	0.69%	0.018%
9	5.164	5.161	5.169	PH	135	295	0.07%	0.002%
10	5.190	5.169	5.205	PH	309	3448	0.78%	0.020%
11	5.215	5.205	5.246	HH	166	2174	0.49%	0.013%
12	5.250	5.246	5.257	HH	114	522	0.12%	0.003%
13	5.262	5.257	5.272	PH	173	523	0.12%	0.003%
14	5.282	5.272	5.288	HH	187	886	0.20%	0.005%
15	5.292	5.288	5.312	HH	104	941	0.21%	0.005%
16	5.314	5.312	5.327	HH	159	740	0.17%	0.004%
17	5.341	5.327	5.355	HH	277	1885	0.43%	0.011%
18	5.358	5.355	5.372	HH	166	849	0.19%	0.005%
19	5.388	5.372	5.396	HH	154	1273	0.29%	0.007%
20	5.403	5.396	5.410	HH	89	601	0.14%	0.003%
21	5.414	5.410	5.430	HH	118	609	0.14%	0.004%
22	5.434	5.430	5.447	HH	109	318	0.07%	0.002%
23	5.459	5.447	5.472	PH	121	703	0.16%	0.004%
24	5.480	5.472	5.499	PH	129	762	0.17%	0.004%
25	5.530	5.499	5.543	HH	94	486	0.11%	0.003%
26	5.548	5.543	5.552	PH	98	227	0.05%	0.001%
27	5.557	5.552	5.568	PH	132	265	0.06%	0.002%
28	5.601	5.568	5.605	PH	182	1246	0.28%	0.007%
29	5.611	5.605	5.622	PH	93	478	0.11%	0.003%
30	5.625	5.622	5.641	PH	60	628	0.14%	0.004%
31	5.657	5.641	5.667	HH	138	1012	0.23%	0.006%
32	5.673	5.667	5.700	HH	118	1046	0.24%	0.006%
33	5.705	5.700	5.716	PH	141	710	0.16%	0.004%
34	5.727	5.716	5.746	PH	107	901	0.20%	0.005%
35	5.762	5.746	5.793	PH	184	2397	0.54%	0.014%
36	5.806	5.793	5.832	PH	54	609	0.14%	0.004%

					rteres			
37	5.858	5.832	5.862	PH	116	777	0.18%	0.005%
38	5.866	5.862	5.871	PH	135	438	0.10%	0.003%
39	5.885	5.871	5.904	HH	186	3029	0.68%	0.018%
40	5.907	5.904	5.919	HH	143	902	0.20%	0.005%
41	5.936	5.919	5.940	HH	232	1682	0.38%	0.010%
42	5.963	5.940	5.992	HH	184	3541	0.80%	0.021%
43	6.025	5.992	6.049	HH	188	3891	0.88%	0.023%
44	6.052	6.049	6.057	HH	129	420	0.09%	0.002%
45	6.079	6.057	6.100	HH	300	4045	0.91%	0.023%
46	6.116	6.100	6.122	HH	311	2937	0.66%	0.017%
47	6.124	6.122	6.144	HH	359	1817	0.41%	0.011%
48	6.146	6.144	6.177	HH	104	1982	0.45%	0.011%
49	6.185	6.177	6.197	PH	156	1073	0.24%	0.006%
50	6.200	6.197	6.207	HH	106	548	0.12%	0.003%
51	6.213	6.207	6.220	HH	152	757	0.17%	0.004%
52	6.225	6.220	6.230	HH	171	638	0.14%	0.004%
53	6.234	6.230	6.242	HH	139	568	0.13%	0.003%
54	6.264	6.242	6.276	HH	227	2797	0.63%	0.016%
55	6.282	6.276	6.312	HH	206	2867	0.65%	0.017%
56	6.333	6.312	6.342	HH	205	1469	0.33%	0.009%
57	6.379	6.342	6.385	PH	217	2589	0.58%	0.015%
58	6.397	6.385	6.415	HH	235	2767	0.62%	0.016%
59	6.440	6.415	6.470	PH	189	3218	0.73%	0.019%
60	6.492	6.470	6.517	PH	153	3118	0.70%	0.018%
61	6.530	6.517	6.545	PH	110	1414	0.32%	0.008%
62	6.559	6.545	6.581	HH	306	3626	0.82%	0.021%
63	6.588	6.581	6.627	HH	183	4196	0.95%	0.024%
64	6.665	6.627	6.691	HH	949	14920	3.37%	0.087%
65	6.699	6.691	6.727	HH	229	3729	0.84%	0.022%
66	6.739	6.727	6.758	HH	248	3082	0.70%	0.018%
67	6.800	6.758	6.842	HH	519	11456	2.59%	0.066%
68	6.857	6.842	6.915	HH	229	8404	1.90%	0.049%
69	6.935	6.915	6.955	HH	314	5089	1.15%	0.030%
70	6.971	6.955	6.982	HH	254	3919	0.88%	0.023%
71	6.988	6.982	7.005	HH	275	2875	0.65%	0.017%
72	7.010	7.005	7.065	HH	304	7949	1.79%	0.046%
73	7.090	7.065	7.152	HH	546	14509	3.28%	0.084%
74	7.164	7.152	7.192	HH	191	4964	1.12%	0.029%
75	7.207	7.192	7.222	HH	244	3567	0.81%	0.021%
76	7.241	7.222	7.289	HH	417	9228	2.08%	0.054%
77	7.300	7.289	7.352	HH	208	6875	1.55%	0.040%
78	7.376	7.352	7.402	HH	311	6286	1.42%	0.036%
79	7.421	7.402	7.437	HH	305	5147	1.16%	0.030%
80	7.445	7.437	7.470	HH	258	4102	0.93%	0.024%
81	7.516	7.470	7.536	HH	260	8699	1.96%	0.050%
82	7.553	7.536	7.570	HH	312	5381	1.22%	0.031%
83	7.590	7.570	7.599	HH	370	5429	1.23%	0.031%
84	7.628	7.599	7.644	HH	375	8168	1.84%	0.047%
85	7.658	7.644	7.687	HH	364	8027	1.81%	0.047%
86	7.700	7.687	7.724	HH	381	6382	1.44%	0.037%
87	7.743	7.724	7.779	HH	630	13607	3.07%	0.079%
88	7.801	7.779	7.849	HH	459	14166	3.20%	0.082%
89	7.880	7.849	7.935	HH	619	19775	4.47%	0.115%

					rteres			
90	7.941	7.935	7.947	HH	384	2219	0.50%	0.013%
91	7.956	7.947	7.970	HH	399	4368	0.99%	0.025%
92	8.022	7.970	8.132	HH	909	38874	8.78%	0.225%
93	8.143	8.132	8.182	HH	361	8855	2.00%	0.051%
94	8.194	8.182	8.207	HH	359	4795	1.08%	0.028%
95	8.216	8.207	8.280	HH	359	11653	2.63%	0.068%
96	8.283	8.280	8.305	HH	280	3406	0.77%	0.020%
97	8.319	8.305	8.329	HH	278	3792	0.86%	0.022%
98	8.341	8.329	8.362	HH	346	6279	1.42%	0.036%
99	8.373	8.362	8.387	HH	364	5011	1.13%	0.029%
100	8.398	8.387	8.414	HH	390	5070	1.14%	0.029%
101	8.426	8.414	8.449	HH	405	7574	1.71%	0.044%
102	8.473	8.449	8.490	HH	570	11288	2.55%	0.065%
103	8.502	8.490	8.517	HH	458	6376	1.44%	0.037%
104	8.534	8.517	8.565	HH	479	11187	2.53%	0.065%
105	8.591	8.565	8.617	HH	430	11762	2.66%	0.068%
106	8.628	8.617	8.640	HH	457	5986	1.35%	0.035%
107	8.650	8.640	8.695	HH	532	13766	3.11%	0.080%
108	8.720	8.695	8.739	HH	694	14177	3.20%	0.082%
109	8.743	8.739	8.757	HH	624	5614	1.27%	0.033%
110	8.764	8.757	8.774	HH	463	4650	1.05%	0.027%
111	8.796	8.774	8.827	HH	608	16782	3.79%	0.097%
112	8.845	8.827	8.862	HH	821	14272	3.22%	0.083%
113	8.893	8.862	8.967	HH	1459	47868	10.81%	0.278%
114	9.033	8.967	9.063	HH	945	39666	8.96%	0.230%
115	9.083	9.063	9.107	HH	617	14055	3.17%	0.082%
116	9.121	9.107	9.174	HH	549	19515	4.41%	0.113%
117	9.181	9.174	9.212	HH	515	10454	2.36%	0.061%
118	9.326	9.212	9.347	HH	2099	57831	13.06%	0.335%
119	9.364	9.347	9.412	HH	859	27518	6.21%	0.160%
120	9.428	9.412	9.465	HH	860	23200	5.24%	0.135%
121	9.476	9.465	9.498	HH	802	12681	2.86%	0.074%
122	9.563	9.498	9.580	HH	934	34732	7.84%	0.201%
123	9.598	9.580	9.667	HH	1237	43620	9.85%	0.253%
124	9.710	9.667	9.755	HH	1525	50110	11.32%	0.291%
125	9.772	9.755	9.845	HH	869	38005	8.58%	0.220%
126	9.885	9.845	9.909	HH	886	26910	6.08%	0.156%
127	9.920	9.909	9.955	HH	800	18627	4.21%	0.108%
128	9.970	9.955	9.987	HH	737	12948	2.92%	0.075%
129	10.019	9.987	10.044	HH	837	25678	5.80%	0.149%
130	10.107	10.044	10.153	HH	1937	67481	15.24%	0.391%
131	10.182	10.153	10.210	HH	1105	31927	7.21%	0.185%
132	10.227	10.210	10.240	HH	892	15082	3.41%	0.087%
133	10.258	10.240	10.302	HH	1239	35500	8.02%	0.206%
134	10.321	10.302	10.346	HH	1011	23736	5.36%	0.138%
135	10.374	10.346	10.408	HH	4737	73745	16.65%	0.428%
136	10.425	10.408	10.457	HH	1456	34097	7.70%	0.198%
137	10.484	10.457	10.512	HH	1744	41801	9.44%	0.242%
138	10.526	10.512	10.574	HH	1345	39110	8.83%	0.227%
139	10.596	10.574	10.635	HH	976	32304	7.29%	0.187%
140	10.653	10.635	10.672	HH	999	19886	4.49%	0.115%
141	10.679	10.672	10.740	HH	926	33782	7.63%	0.196%

					rteres			
142	10.772	10.740	10.809	HH	931	34233	7.73%	0.199%
143	10.845	10.809	10.859	HH	1267	30852	6.97%	0.179%
144	10.871	10.859	10.909	HH	1203	32273	7.29%	0.187%
145	10.920	10.909	10.930	HH	1048	13587	3.07%	0.079%
146	10.955	10.930	10.965	HH	1298	24212	5.47%	0.140%
147	10.981	10.965	11.003	HH	1491	28448	6.42%	0.165%
148	11.023	11.003	11.056	HH	1487	37083	8.37%	0.215%
149	11.100	11.056	11.119	HH	1351	43883	9.91%	0.255%
150	11.154	11.119	11.195	HH	1673	61497	13.89%	0.357%
151	11.217	11.195	11.249	HH	2056	48454	10.94%	0.281%
152	11.267	11.249	11.277	HH	1524	23233	5.25%	0.135%
153	11.297	11.277	11.325	HH	1830	46846	10.58%	0.272%
154	11.334	11.325	11.360	HH	1547	28225	6.37%	0.164%
155	11.370	11.360	11.384	HH	1277	17024	3.84%	0.099%
156	11.398	11.384	11.414	HH	1346	22905	5.17%	0.133%
157	11.432	11.414	11.459	HH	1394	33843	7.64%	0.196%
158	11.505	11.459	11.552	HH	14348	212348	47.95%	1.232%
159	11.580	11.552	11.655	HH	4706	128791	29.08%	0.747%
160	11.673	11.655	11.700	HH	1506	37389	8.44%	0.217%
161	11.711	11.700	11.742	HH	1394	33792	7.63%	0.196%
162	11.748	11.742	11.765	HH	1324	18705	4.22%	0.108%
163	11.787	11.765	11.830	HH	2042	63082	14.24%	0.366%
164	11.848	11.830	11.880	HH	1659	45465	10.27%	0.264%
165	11.915	11.880	11.954	HH	2476	78968	17.83%	0.458%
166	12.028	11.954	12.069	HH	2325	121676	27.48%	0.706%
167	12.092	12.069	12.124	HH	1875	54831	12.38%	0.318%
168	12.154	12.124	12.170	HH	1944	49367	11.15%	0.286%
169	12.186	12.170	12.211	HH	1820	42488	9.59%	0.246%
170	12.253	12.211	12.270	HH	1813	61642	13.92%	0.358%
171	12.301	12.270	12.317	HH	3862	75092	16.96%	0.436%
172	12.332	12.317	12.367	HH	4593	84606	19.11%	0.491%
173	12.371	12.367	12.377	HH	1902	11682	2.64%	0.068%
174	12.419	12.377	12.435	HH	4377	102580	23.16%	0.595%
175	12.450	12.435	12.463	HH	3376	48032	10.85%	0.279%
176	12.480	12.463	12.502	HH	3801	68262	15.41%	0.396%
177	12.517	12.502	12.529	HH	2220	33169	7.49%	0.192%
178	12.579	12.529	12.607	HH	3080	110406	24.93%	0.640%
179	12.615	12.607	12.642	HH	2154	44353	10.02%	0.257%
180	12.661	12.642	12.684	HH	2770	61629	13.92%	0.357%
181	12.694	12.684	12.727	HH	2411	58124	13.13%	0.337%
182	12.764	12.727	12.787	HH	3556	94027	21.23%	0.545%
183	12.821	12.787	12.894	HH	4077	177948	40.18%	1.032%
184	12.915	12.894	12.932	HH	2749	60165	13.59%	0.349%
185	12.960	12.932	12.978	HH	3191	78020	17.62%	0.453%
186	12.994	12.978	13.005	HH	2935	44806	10.12%	0.260%
187	13.015	13.005	13.030	HH	2875	43426	9.81%	0.252%
188	13.041	13.030	13.062	HH	2822	52566	11.87%	0.305%
189	13.085	13.062	13.121	HH	3535	109277	24.68%	0.634%
190	13.174	13.121	13.207	HH	9616	249567	56.36%	1.448%
191	13.217	13.207	13.245	HH	4327	88939	20.08%	0.516%
192	13.258	13.245	13.292	HH	3938	94983	21.45%	0.551%
193	13.315	13.292	13.357	HH	31016	412527	93.15%	2.393%
194	13.377	13.357	13.390	HH	3114	59979	13.54%	0.348%

					rteres			
195	13.409	13.390	13.427	HH	3223	67682	15.28%	0.393%
196	13.460	13.427	13.480	HH	3875	108624	24.53%	0.630%
197	13.505	13.480	13.530	HH	4222	110451	24.94%	0.641%
198	13.539	13.530	13.552	HH	3516	44079	9.95%	0.256%
199	13.564	13.552	13.589	HH	3440	72112	16.28%	0.418%
200	13.615	13.589	13.650	HH	29051	426727	96.36%	2.475%
201	13.667	13.650	13.682	HH	5938	92855	20.97%	0.539%
202	13.697	13.682	13.755	HH	5633	179337	40.50%	1.040%
203	13.781	13.755	13.799	HH	4174	99675	22.51%	0.578%
204	13.819	13.799	13.838	HH	4981	103957	23.47%	0.603%
205	13.855	13.838	13.867	HH	4882	78937	17.83%	0.458%
206	13.875	13.867	13.898	HH	5133	85129	19.22%	0.494%
207	13.910	13.898	13.925	HH	4308	66955	15.12%	0.388%
208	13.934	13.925	13.984	HH	4150	138894	31.36%	0.806%
209	14.007	13.984	14.042	HH	4603	148591	33.55%	0.862%
210	14.066	14.042	14.092	HH	5834	145574	32.87%	0.844%
211	14.101	14.092	14.140	HH	4173	117130	26.45%	0.679%
212	14.196	14.140	14.237	HH	8175	304552	68.77%	1.766%
213	14.257	14.237	14.276	HH	5041	110546	24.96%	0.641%
214	14.302	14.276	14.325	HH	10427	199769	45.11%	1.159%
215	14.347	14.325	14.369	HH	6633	145748	32.91%	0.845%
216	14.407	14.369	14.425	HH	5862	182788	41.28%	1.060%
217	14.451	14.425	14.458	HH	5794	110771	25.01%	0.642%
218	14.478	14.458	14.498	HH	8260	161494	36.47%	0.937%
219	14.515	14.498	14.544	HH	7010	158754	35.85%	0.921%
220	14.587	14.544	14.607	HH	5757	203418	45.93%	1.180%
221	14.630	14.607	14.659	HH	6474	184629	41.69%	1.071%
222	14.669	14.659	14.682	HH	5753	77879	17.59%	0.452%
223	14.695	14.682	14.710	HH	5735	95334	21.53%	0.553%
224	14.724	14.710	14.732	HH	5692	72769	16.43%	0.422%
225	14.743	14.732	14.760	HH	5696	95356	21.53%	0.553%
226	14.786	14.760	14.820	HH	5953	209438	47.29%	1.215%
227	14.930	14.910	14.952	HH	7626	174299	39.36%	1.011%
228	14.979	14.952	15.005	HH	7137	216258	48.83%	1.254%
229	15.029	15.005	15.070	HH	7652	268365	60.60%	1.557%
230	15.108	15.070	15.147	HH	8142	324577	73.29%	1.883%
231	15.171	15.147	15.197	HH	9995	244656	55.25%	1.419%
232	15.230	15.197	15.267	HH	8176	309753	69.95%	1.797%
233	15.299	15.267	15.332	HH	15422	380891	86.01%	2.209%
234	15.355	15.332	15.384	HH	7917	231454	52.27%	1.342%
235	15.434	15.384	15.450	HH	8064	296878	67.04%	1.722%
236	15.479	15.450	15.499	HH	21064	383616	86.63%	2.225%
237	15.521	15.499	15.549	HH	20093	391372	88.38%	2.270%
238	15.562	15.549	15.580	HH	8303	155762	35.17%	0.903%
239	15.587	15.580	15.605	HH	8156	120869	27.29%	0.701%
240	15.644	15.605	15.685	HH	10978	442843	100.00%	2.569%
241	15.716	15.685	15.747	HH	9524	333733	75.36%	1.936%
242	15.778	15.747	15.807	HH	9689	334413	75.51%	1.940%
243	15.827	15.807	15.855	HH	10192	282603	63.82%	1.639%
244	15.882	15.855	15.904	HH	11680	306027	69.10%	1.775%
245	15.922	15.904	15.937	HH	10464	206146	46.55%	1.196%
246	15.962	15.937	15.984	HH	10580	289613	65.40%	1.680%

					rteres			
247	16.022	15.984	16.037	HH	11437	344722	77.84%	1.999%
248	16.046	16.037	16.089	HH	11309	345349	77.98%	2.003%
249	16.111	16.089	16.126	HH	11658	258667	58.41%	1.500%
250	16.148	16.126	16.172	HH	14004	344038	77.69%	1.995%
251	16.188	16.172	16.222	HH	12878	367032	82.88%	2.129%
252	16.238	16.222	16.259	HH	12587	269866	60.94%	1.565%
					Sum of corrected areas:	17241098		

FE012325.M Mon Feb 03 02:43:25 2025



CALIBRATION SUMMARY

DIESEL RANGE ORGANICS INITIAL CALIBRATION SUMMARY

Lab Name: Chemtech Contract: RUTW01
 ProjectID: NYCDDC SANTWOBR Brooklyn Bridge BBMCR
 Lab Code: CHEM Case No.: Q1242 SAS No.: Q1242 SDG No.: Q1242

Calibration Sequence : FE012325		Test : Diesel Range Organics	
Concentration (PPM)	Area Count	Reference Factor	File ID
1000	100840417	100840	FE052027.D
500	49711032	99422	FE052028.D
200	20907011	104535	FE052029.D
100	11272495	112725	FE052030.D
50	5669298	113386	FE052031.D
AVG RF : 106182		% RSD : 6.169	AVG RT : 15.2554

DIESEL RANGE ORGANICS CONTINUING CALIBRATION SUMMARY

50 PPM TRPH STD

Lab Name: Chemtech Contract: RUTW01
ProjectID: NYCDDC SANTWOBR Brooklyn Bridge BBMCR
Lab Code: CHEM Case No.: Q1242 SAS No.: Q1242 SDG No.: Q1242
DataFile: FE052168.D Analyst Name: YP\AJ Analyst Date: 01-31-2025

Conc. (PPM)	Area Count	RF	Average RF	%D
500	48882662	97765	106182	7.927

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
 Data File : FE052168.D
 Signal(s) : FID1B.ch
 Acq On : 31 Jan 2025 10:26
 Operator : YP\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 99 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 50 PPM TRPH STD

Integration File: autoint1.e
 Quant Time: Feb 03 00:07:30 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
 Quant Title :
 QLast Update : Fri Jan 24 03:06:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.275	4578853	45.973 ug/ml
Target Compounds			
2) N-DECANE	4.934	4273136	46.699 ug/ml
3) N-DODECANE	7.061	4628141	46.321 ug/ml
4) N-TETRADECANE	8.865	4676456	45.961 ug/ml
5) N-HEXADECANE	10.457	4890327	45.893 ug/ml
6) N-OCTADECANE	11.889	5152055	45.951 ug/ml
7) N-EICOSANE	13.190	5111168	45.890 ug/ml
8) N-DOCOSANE	14.381	5088936	45.834 ug/ml
10) N-TETRACOSANE	15.479	5083452	45.958 ug/ml
11) N-HEXACOSANE	16.494	5012750	45.984 ug/ml
12) N-OCTACOSANE	17.440	4966241	46.010 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052168.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 10:26
Operator : YP\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 99 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD

Integration File: autoint1.e
Quant Time: Feb 03 00:07:30 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE


R.T.: 4.934 min
Delta R.T.: 0.027 min
Response: 4273136
Conc: 46.70 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD




#3 N-DODECANE

R.T.: 7.061 min
Delta R.T.: 0.025 min
Response: 4628141
Conc: 46.32 ug/ml




#4 N-TETRADECANE

R.T.: 8.865 min
Delta R.T.: 0.023 min
Response: 4676456
Conc: 45.96 ug/ml



#5 N-HEXADECANE


R.T.: 10.457 min
Delta R.T.: 0.022 min
Response: 4890327
Conc: 45.89 ug/ml



#6 N-OCTADECANE


R.T.: 11.889 min
Delta R.T.: 0.020 min
Response: 5152055
Conc: 45.95 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD




#7 N-EICOSANE

R.T.: 13.190 min
Delta R.T.: 0.019 min
Response: 5111168
Conc: 45.89 ug/ml




#8 N-DOCOSANE

R.T.: 14.381 min
Delta R.T.: 0.018 min
Response: 5088936
Conc: 45.83 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 15.275 min
Delta R.T.: 0.018 min
Response: 4578853
Conc: 45.97 ug/ml



#10 N-TETRACOSANE


R.T.: 15.479 min
Delta R.T.: 0.017 min
Response: 5083452
Conc: 45.96 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD



#11 N-HEXACOSANE

R.T.: 16.494 min
Delta R.T.: 0.017 min
Response: 5012750
Conc: 45.98 ug/ml



#12 N-OCTACOSANE

R.T.: 17.440 min
Delta R.T.: 0.016 min
Response: 4966241
Conc: 46.01 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052168.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 10:26
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 99 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.934	4.895	4.982	BB	456654	4273136	82.94%	7.993%
2	7.061	7.019	7.118	BB	494802	4628141	89.83%	8.657%
3	8.865	8.812	8.914	BB	482694	4676456	90.77%	8.747%
4	10.457	10.412	10.512	BB	480202	4890327	94.92%	9.147%
5	11.889	11.802	11.934	BB	485820	5152055	100.00%	9.637%
6	13.190	13.107	13.241	BB	457572	5111168	99.21%	9.560%
7	14.381	14.307	14.428	BB	444784	5088936	98.77%	9.519%
8	15.275	15.228	15.348	BV	358328	4578853	88.87%	8.565%
9	15.479	15.421	15.528	BB	416344	5083452	98.67%	9.509%
10	16.494	16.435	16.544	BB	424362	5012750	97.30%	9.376%
11	17.440	17.351	17.491	BB	389525	4966241	96.39%	9.289%
Sum of corrected areas:						53461515		

FE012325.M Mon Feb 03 02:02:42 2025

DIESEL RANGE ORGANICS CONTINUING CALIBRATION SUMMARY

50 PPM TRPH STD

Lab Name: Chemtech Contract: RUTW01
ProjectID: NYCDDC SANTWOBR Brooklyn Bridge BBMCR
Lab Code: CHEM Case No.: Q1242 SAS No.: Q1242 SDG No.: Q1242
DataFile: FE052180.D Analyst Name: YP\AJ Analyst Date: 01-31-2025

Conc. (PPM)	Area Count	RF	Average RF	%D
500	46710313	93421	106182	12.018

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
 Data File : FE052180.D
 Signal(s) : FID1B.ch
 Acq On : 31 Jan 2025 16:40
 Operator : YP\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 99 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 50 PPM TRPH STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 02/03/2025
 Supervised By :Ankita Jodhani 02/03/2025

Integration File: autoint1.e
 Quant Time: Feb 03 01:35:46 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
 Quant Title :
 QLast Update : Fri Jan 24 03:06:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.299	4338284	43.558 ug/mlm
Target Compounds			
2) N-DECANE	4.966	4142020	45.266 ug/ml
3) N-DODECANE	7.091	4467752	44.715 ug/ml
4) N-TETRADECANE	8.893	4500991	44.237 ug/ml
5) N-HEXADECANE	10.485	4687325	43.988 ug/ml
6) N-OCTADECANE	11.916	4920557	43.886 ug/ml
7) N-EICOSANE	13.216	4863865	43.669 ug/ml
8) N-DOCOSANE	14.407	4819958	43.411 ug/ml
10) N-TETRACOSANE	15.504	4835161	43.713 ug/ml
11) N-HEXACOSANE	16.518	4750373	43.578 ug/ml
12) N-OCTACOSANE	17.464	4722311	43.750 ug/mlm

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052180.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 16:40
Operator : YP\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 99 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025

Integration File: autoint1.e
Quant Time: Feb 03 01:35:46 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um





#2 N-DECANE

R.T.: 4.966 min
Delta R.T.: 0.033 min
Response: 4142020
Conc: 45.27 ug/ml

Instrument :


FID_E

ClientSampleId :

50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#3 N-DODECANE

R.T.: 7.091 min
Delta R.T.: 0.031 min
Response: 4467752
Conc: 44.72 ug/ml




#4 N-TETRADECANE

R.T.: 8.893 min
Delta R.T.: 0.029 min
Response: 4500991
Conc: 44.24 ug/ml



#5 N-HEXADECANE

R.T.: 10.485 min
Delta R.T.: 0.049 min
Response: 4687325
Conc: 43.99 ug/ml



#6 N-OCTADECANE

R.T.: 11.916 min
Delta R.T.: 0.047 min
Response: 4920557
Conc: 43.89 ug/ml

Instrument :


FID_E

ClientSampleId :

50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#7 N-EICOSANE

R.T.: 13.216 min
Delta R.T.: 0.045 min
Response: 4863865
Conc: 43.67 ug/ml




#8 N-DOCOSANE

R.T.: 14.407 min
Delta R.T.: 0.044 min
Response: 4819958
Conc: 43.41 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.299 min
Delta R.T.: 0.042 min
Response: 4338284
Conc: 43.56 ug/ml m




#10 N-TETRACOSANE

R.T.: 15.504 min
Delta R.T.: 0.043 min
Response: 4835161
Conc: 43.71 ug/ml

Instrument : FID_E
ClientSampleId :
50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025



#11 N-HEXACOSANE

R.T.: 16.518 min
Delta R.T.: 0.041 min
Response: 4750373
Conc: 43.58 ug/ml



#12 N-OCTACOSANE

R.T.: 17.464 min
Delta R.T.: 0.040 min
Response: 4722311
Conc: 43.75 ug/ml m

rtres

Instrument :
FID_E
LabSampleId :
50 PPM TRPH STD
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01312
Data File : FE052180.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 16:40
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 99 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.966	4.925	5.010	BB	435252	4142020	84.18%	8.108%
2	7.091	7.052	7.132	BB	489980	4467752	90.80%	8.746%
3	8.893	8.837	8.948	BB	466717	4500991	91.47%	8.811%
4	10.485	10.439	10.539	BB	472426	4687325	95.26%	9.176%
5	11.916	11.867	11.962	BB	472102	4920557	100.00%	9.632%
6	13.216	13.134	13.267	BB	454165	4863865	98.85%	9.521%
7	14.407	14.370	14.438	PB	425472	4819958	97.96%	9.435%
8	15.300	15.141	15.375	BB	333995	4340391	88.21%	8.497%
9	15.504	15.379	15.537	BB	404444	4835161	98.26%	9.465%
10	16.518	16.357	16.556	BV	382436	4750373	96.54%	9.299%
11	17.465	17.069	17.499	BV	370977	4754852	96.63%	9.308%
Sum of corrected areas:						51083244		

FE012325.M Mon Feb 03 02:06:20 2025

DIESEL RANGE ORGANICS CONTINUING CALIBRATION SUMMARY

50 PPM TRPH STD

Lab Name: Chemtech Contract: RUTW01
ProjectID: NYCDDC SANTWOBR Brooklyn Bridge BBMCR
Lab Code: CHEM Case No.: Q1242 SAS No.: Q1242 SDG No.: Q1242
DataFile: FE052190.D Analyst Name: YP\AJ Analyst Date: 01-31-2025

Conc. (PPM)	Area Count	RF	Average RF	%D
500	47002499	94005	106182	11.468

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
 Data File : FE052190.D
 Signal(s) : FID1B.ch
 Acq On : 31 Jan 2025 22:12
 Operator : YP\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 99 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 50 PPM TRPH STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 02/03/2025
 Supervised By :Ankita Jodhani 02/03/2025

Integration File: autoint1.e
 Quant Time: Feb 03 01:36:59 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
 Quant Title :
 QLast Update : Fri Jan 24 03:06:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.300	4365755	43.833 ug/ml
Target Compounds			
2) N-DECANE	4.963	4159030	45.452 ug/ml
3) N-DODECANE	7.088	4494120	44.979 ug/ml
4) N-TETRADECANE	8.892	4533699	44.558 ug/ml
5) N-HEXADECANE	10.483	4731275	44.401 ug/ml
6) N-OCTADECANE	11.914	4963662	44.270 ug/ml
7) N-EICOSANE	13.215	4892146	43.923 ug/ml
8) N-DOCOSANE	14.406	4844018	43.628 ug/ml
10) N-TETRACOSANE	15.503	4865994	43.992 ug/ml
11) N-HEXACOSANE	16.518	4778892	43.839 ug/ml
12) N-OCTACOSANE	17.462	4739663	43.910 ug/mlm

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052190.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 22:12
Operator : YP\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 99 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025

Integration File: autoint1.e
Quant Time: Feb 03 01:36:59 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um





#2 N-DECANE

R.T.: 4.963 min
Delta R.T.: 0.030 min
Response: 4159030
Conc: 45.45 ug/ml

Instrument :

FID_E


ClientSampleId :

50 PPM TRPH STD

Manual Integrations


APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#3 N-DODECANE

R.T.: 7.088 min
Delta R.T.: 0.028 min
Response: 4494120
Conc: 44.98 ug/ml




#4 N-TETRADECANE

R.T.: 8.892 min
Delta R.T.: 0.028 min
Response: 4533699
Conc: 44.56 ug/ml



#5 N-HEXADECANE

R.T.: 10.483 min
Delta R.T.: 0.048 min
Response: 4731275
Conc: 44.40 ug/ml




#6 N-OCTADECANE

R.T.: 11.914 min
Delta R.T.: 0.045 min
Response: 4963662
Conc: 44.27 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#7 N-EICOSANE

R.T.: 13.215 min
Delta R.T.: 0.044 min
Response: 4892146
Conc: 43.92 ug/ml




#8 N-DOCOSANE

R.T.: 14.406 min
Delta R.T.: 0.043 min
Response: 4844018
Conc: 43.63 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.300 min
Delta R.T.: 0.043 min
Response: 4365755
Conc: 43.83 ug/ml




#10 N-TETRACOSANE

R.T.: 15.503 min
Delta R.T.: 0.042 min
Response: 4865994
Conc: 43.99 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025



#11 N-HEXACOSANE

R.T.: 16.518 min
Delta R.T.: 0.041 min
Response: 4778892
Conc: 43.84 ug/ml



#12 N-OCTACOSANE

R.T.: 17.462 min
Delta R.T.: 0.038 min
Response: 4739663
Conc: 43.91 ug/ml m

rtres

Instrument :
FID_E
LabSampleId :
50 PPM TRPH STD
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01312
Data File : FE052190.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 22:12
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 99 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.963	4.919	5.009	BB	444623	4159030	83.79%	8.099%
2	7.088	7.047	7.138	BB	484231	4494120	90.54%	8.751%
3	8.892	8.832	8.943	BB	466689	4533699	91.34%	8.828%
4	10.483	10.443	10.545	BB	467195	4731275	95.32%	9.213%
5	11.914	11.829	11.956	BV	478751	4963662	100.00%	9.665%
6	13.215	13.132	13.263	BB	447007	4892146	98.56%	9.526%
7	14.406	14.361	14.466	BB	427712	4844018	97.59%	9.432%
8	15.300	15.259	15.375	BV	348585	4365755	87.95%	8.501%
9	15.503	15.375	15.560	PB	415200	4865994	98.03%	9.475%
10	16.518	16.444	16.552	BB	402585	4778892	96.28%	9.306%
11	17.463	17.044	17.501	BB	378377	4726578	95.22%	9.204%
Sum of corrected areas:						51355168		

FE012325.M Mon Feb 03 02:07:35 2025

DIESEL RANGE ORGANICS CONTINUING CALIBRATION SUMMARY

50 PPM TRPH STD

Lab Name: Chemtech Contract: RUTW01
ProjectID: NYCDDC SANTWOBR Brooklyn Bridge BBMCR
Lab Code: CHEM Case No.: Q1242 SAS No.: Q1242 SDG No.: Q1242
DataFile: FE052192.D Analyst Name: YP\AJ Analyst Date: 02-01-2025

Conc. (PPM)	Area Count	RF	Average RF	%D
850	78089754	91870	98925	7.132

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
 Data File : FE052192.D
 Signal(s) : FID1B.ch
 Acq On : 01 Feb 2025 00:13
 Operator : YP\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 99 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 50 PPM TRPH STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 02/03/2025
 Supervised By :Ankita Jodhani 02/03/2025

Integration File: autoint1.e
 Quant Time: Feb 03 01:37:24 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
 Quant Title :
 QLast Update : Fri Jan 24 03:06:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.297	4384971	44.026 ug/ml
Target Compounds			
1) N-OCTANE	2.465	3888634	45.599 ug/ml
2) N-DECANE	4.960	4184778	45.733 ug/ml
3) N-DODECANE	7.085	4509212	45.130 ug/ml
4) N-TETRADECANE	8.889	4547342	44.692 ug/ml
5) N-HEXADECANE	10.481	4745501	44.534 ug/ml
6) N-OCTADECANE	11.912	4975581	44.377 ug/ml
7) N-EICOSANE	13.212	4922686	44.198 ug/ml
8) N-DOCOSANE	14.404	4870225	43.864 ug/ml
10) N-TETRACOSANE	15.501	4877692	44.098 ug/ml
11) N-HEXACOSANE	16.516	4810955	44.133 ug/ml
12) N-OCTACOSANE	17.462	4782342	44.306 ug/mlm
13) N-TRIACONTANE	18.346	4774961	44.501 ug/mlm
14) N-DOTRIACONTANE	19.175	4726668	45.267 ug/mlm
15) N-TETRATRIACONTANE	19.957	4478883	47.696 ug/ml
16) N-HEXATRIACONTANE	20.695	4294850	53.185 ug/ml
17) N-OCTATRIACONTANE	21.491	4261353	57.115 ug/ml
18) N-TETRACONTANE	22.509	4438091	60.263 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052192.D
Signal(s) : FID1B.ch
Acq On : 01 Feb 2025 00:13
Operator : YP\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 99 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025

Integration File: autoint1.e
Quant Time: Feb 03 01:37:24 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#1 N-OCTANE

R.T.: 2.465 min
Delta R.T.: 0.026 min
Response: 3888634
Conc: 45.60 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#2 N-DECANE

R.T.: 4.960 min
Delta R.T.: 0.027 min
Response: 4184778
Conc: 45.73 ug/ml




#3 N-DODECANE

R.T.: 7.085 min
Delta R.T.: 0.025 min
Response: 4509212
Conc: 45.13 ug/ml



#4 N-TETRADECANE

R.T.: 8.889 min
Delta R.T.: 0.025 min
Response: 4547342
Conc: 44.69 ug/ml




#5 N-HEXADECANE

R.T.: 10.481 min
Delta R.T.: 0.045 min
Response: 4745501
Conc: 44.53 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#6 N-OCTADECANE

R.T.: 11.912 min
Delta R.T.: 0.043 min
Response: 4975581
Conc: 44.38 ug/ml




#7 N-EICOSANE

R.T.: 13.212 min
Delta R.T.: 0.041 min
Response: 4922686
Conc: 44.20 ug/ml



#8 N-DOCOSANE

R.T.: 14.404 min
Delta R.T.: 0.041 min
Response: 4870225
Conc: 43.86 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.297 min
Delta R.T.: 0.040 min
Response: 4384971
Conc: 44.03 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#10 N-TETRACOSANE

R.T.: 15.501 min
Delta R.T.: 0.040 min
Response: 4877692
Conc: 44.10 ug/ml




#11 N-HEXACOSANE

R.T.: 16.516 min
Delta R.T.: 0.039 min
Response: 4810955
Conc: 44.13 ug/ml



#12 N-OCTACOSANE

R.T.: 17.462 min
Delta R.T.: 0.038 min
Response: 4782342
Conc: 44.31 ug/ml m




#13 N-TRIACONTANE

R.T.: 18.346 min
Delta R.T.: 0.038 min
Response: 4774961
Conc: 44.50 ug/ml

Instrument : FID_E
ClientSampleId :
50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#14 N-DOTRIACONTANE

R.T.: 19.175 min
Delta R.T.: 0.036 min
Response: 4726668
Conc: 45.27 ug/ml m




#15 N-TETRATRIACONTANE

R.T.: 19.957 min
Delta R.T.: 0.037 min
Response: 4478883
Conc: 47.70 ug/ml



#16 N-HEXATRIACONTANE

R.T.: 20.695 min
Delta R.T.: 0.037 min
Response: 4294850
Conc: 53.19 ug/ml




#17 N-OCTATRIACONTANE

R.T.: 21.491 min
Delta R.T.: 0.046 min
Response: 4261353
Conc: 57.12 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025



#18 N-TETRACONTANE

R.T.: 22.509 min
Delta R.T.: 0.045 min
Response: 4438091
Conc: 60.26 ug/ml

nteres

Instrument :
FID_E
LabSampleId :
50 PPM TRPH STD
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01312
Data File : FE052192.D
Signal(s) : FID1B.ch
Acq On : 01 Feb 2025 00:13
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 99 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.465	2.424	2.546	BB	304267	3888634	78.15%	4.716%
2	4.960	4.921	5.023	BB	436260	4184778	84.11%	5.075%
3	7.085	7.042	7.139	BB	481451	4509212	90.63%	5.469%
4	8.889	8.844	8.941	BB	467564	4547342	91.39%	5.515%
5	10.481	10.435	10.539	BB	462954	4745501	95.38%	5.756%
6	11.912	11.862	11.960	BB	471389	4975581	100.00%	6.035%
7	13.212	13.121	13.259	BB	439896	4922686	98.94%	5.970%
8	14.404	14.366	14.455	BB	416376	4870225	97.88%	5.907%
9	15.297	15.257	15.377	BV	339019	4384971	88.13%	5.318%
10	15.501	15.422	15.539	BB	413865	4877692	98.03%	5.916%
11	16.516	16.447	16.566	BB	412153	4810955	96.69%	5.835%
12	17.462	17.210	17.522	BB	390940	4789372	96.26%	5.809%
13	18.346	17.962	18.388	BV	372562	4762639	95.72%	5.776%
14	19.176	18.798	19.217	PV	352292	4708237	94.63%	5.710%
15	19.957	19.851	19.991	BV	332501	4478883	90.02%	5.432%
16	20.695	20.607	20.732	BV	310985	4294850	86.32%	5.209%
17	21.491	21.390	21.554	BV	230545	4261353	85.65%	5.168%
18	22.509	22.425	22.609	BV	179337	4438091	89.20%	5.383%
Sum of corrected areas:						82451002		

FE012325.M Mon Feb 03 02:08:42 2025

DIESEL RANGE ORGANICS CONTINUING CALIBRATION SUMMARY

50 PPM TRPH STD

Lab Name: Chemtech Contract: RUTW01
ProjectID: NYCDDC SANTWOBR Brooklyn Bridge BBMCR
Lab Code: CHEM Case No.: Q1242 SAS No.: Q1242 SDG No.: Q1242
DataFile: FE052201.D Analyst Name: YP\AJ Analyst Date: 02-01-2025

Conc. (PPM)	Area Count	RF	Average RF	%D
850	78732712	92627	98925	6.366

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
 Data File : FE052201.D
 Signal(s) : FID1B.ch
 Acq On : 01 Feb 2025 06:15
 Operator : YP\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 99 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 50 PPM TRPH STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 02/03/2025
 Supervised By :Ankita Jodhani 02/03/2025

Integration File: autoint1.e
 Quant Time: Feb 03 01:38:34 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
 Quant Title :
 QLast Update : Fri Jan 24 03:06:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.292	4431302	44.492 ug/ml
Target Compounds			
1) N-OCTANE	2.461	3880824	45.507 ug/ml
2) N-DECANE	4.956	4181346	45.696 ug/ml
3) N-DODECANE	7.081	4515996	45.198 ug/ml
4) N-TETRADECANE	8.884	4560426	44.821 ug/ml
5) N-HEXADECANE	10.476	4764410	44.712 ug/ml
6) N-OCTADECANE	11.907	5014915	44.727 ug/ml
7) N-EICOSANE	13.208	4953749	44.476 ug/ml
8) N-DOCOSANE	14.398	4914684	44.264 ug/ml
10) N-TETRACOSANE	15.496	4926260	44.537 ug/ml
11) N-HEXACOSANE	16.511	4862082	44.602 ug/ml
12) N-OCTACOSANE	17.456	4841810	44.857 ug/ml
13) N-TRIACONTANE	18.340	4835097	45.062 ug/ml
14) N-DOTRIACONTANE	19.169	4788687	45.861 ug/mlm
15) N-TETRATRIACONTANE	19.952	4540806	48.355 ug/ml
16) N-HEXATRIACONTANE	20.688	4262317	52.782 ug/ml
17) N-OCTATRIACONTANE	21.484	4303860	57.685 ug/ml
18) N-TETRACONTANE	22.500	4585443	62.264 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052201.D
Signal(s) : FID1B.ch
Acq On : 01 Feb 2025 06:15
Operator : YP\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 99 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By : Yogesh Patel 02/03/2025
Supervised By : Ankita Jodhani 02/03/2025

Integration File: autoint1.e
Quant Time: Feb 03 01:38:34 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#1 N-OCTANE

R.T.: 2.461 min
Delta R.T.: 0.022 min
Response: 3880824
Conc: 45.51 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#2 N-DECANE

R.T.: 4.956 min
Delta R.T.: 0.023 min
Response: 4181346
Conc: 45.70 ug/ml




#3 N-DODECANE

R.T.: 7.081 min
Delta R.T.: 0.021 min
Response: 4515996
Conc: 45.20 ug/ml



#4 N-TETRADECANE

R.T.: 8.884 min
Delta R.T.: 0.020 min
Response: 4560426
Conc: 44.82 ug/ml



#5 N-HEXADECANE

R.T.: 10.476 min
Delta R.T.: 0.040 min
Response: 4764410
Conc: 44.71 ug/ml

Instrument :


FID_E

ClientSampleId :

50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#6 N-OCTADECANE

R.T.: 11.907 min
Delta R.T.: 0.038 min
Response: 5014915
Conc: 44.73 ug/ml




#7 N-EICOSANE

R.T.: 13.208 min
Delta R.T.: 0.037 min
Response: 4953749
Conc: 44.48 ug/ml



#8 N-DOCOSANE

R.T.: 14.398 min
Delta R.T.: 0.036 min
Response: 4914684
Conc: 44.26 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.292 min
Delta R.T.: 0.035 min
Response: 4431302
Conc: 44.49 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM TRPH STD


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#10 N-TETRACOSANE

R.T.: 15.496 min
Delta R.T.: 0.034 min
Response: 4926260
Conc: 44.54 ug/ml




#11 N-HEXACOSANE

R.T.: 16.511 min
Delta R.T.: 0.034 min
Response: 4862082
Conc: 44.60 ug/ml



#12 N-OCTACOSANE

R.T.: 17.456 min
Delta R.T.: 0.033 min
Response: 4841810
Conc: 44.86 ug/ml



#13 N-TRIACONTANE

R.T.: 18.340 min
Delta R.T.: 0.032 min
Response: 4835097
Conc: 45.06 ug/ml

Instrument :

FID_E


ClientSampleId :

50 PPM TRPH STD

Manual Integrations


APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#14 N-DOTRIACONTANE

R.T.: 19.169 min
Delta R.T.: 0.030 min
Response: 4788687
Conc: 45.86 ug/ml m




#15 N-TETRATRIACONTANE

R.T.: 19.952 min
Delta R.T.: 0.031 min
Response: 4540806
Conc: 48.36 ug/ml



#16 N-HEXATRIACONTANE

R.T.: 20.688 min
Delta R.T.: 0.030 min
Response: 4262317
Conc: 52.78 ug/ml



#17 N-OCTATRIACONTANE

R.T.: 21.484 min
Delta R.T.: 0.039 min
Response: 4303860
Conc: 57.68 ug/ml

Instrument :

FID_E


ClientSampleId :

50 PPM TRPH STD

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025



#18 N-TETRACONTANE

R.T.: 22.500 min
Delta R.T.: 0.036 min
Response: 4585443
Conc: 62.26 ug/ml

rteres

Instrument :
FID_E
LabSampleId :
50 PPM TRPH STD
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01312
Data File : FE052201.D
Signal(s) : FID1B.ch
Acq On : 01 Feb 2025 06:15
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 99 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.461	2.420	2.545	BB	304049	3880824	77.39%	4.666%
2	4.956	4.917	5.004	BB	440748	4181346	83.38%	5.027%
3	7.081	7.042	7.127	BB	491472	4515996	90.05%	5.429%
4	8.884	8.844	8.942	BB	470887	4560426	90.94%	5.483%
5	10.476	10.436	10.527	BB	483557	4764410	95.00%	5.728%
6	11.907	11.813	11.951	BB	476457	5014915	100.00%	6.029%
7	13.208	13.134	13.248	BB	459246	4953749	98.78%	5.956%
8	14.398	14.356	14.448	BB	431732	4914684	98.00%	5.909%
9	15.292	15.247	15.367	BV	345697	4431302	88.36%	5.328%
10	15.496	15.422	15.548	BB	428498	4926260	98.23%	5.923%
11	16.511	16.442	16.557	BB	404272	4862082	96.95%	5.845%
12	17.456	17.378	17.517	BB	391365	4841810	96.55%	5.821%
13	18.340	18.267	18.396	BV	373145	4835097	96.41%	5.813%
14	19.169	18.800	19.212	BV	372870	4801595	95.75%	5.773%
15	19.952	19.851	19.988	BV	343669	4540806	90.55%	5.459%
16	20.688	20.607	20.723	BV	306140	4262317	84.99%	5.124%
17	21.484	21.417	21.535	BB	242126	4303860	85.82%	5.174%
18	22.500	22.426	22.617	VV	190618	4585443	91.44%	5.513%
Sum of corrected areas:						83176924		

FE012325.M Mon Feb 03 02:11:20 2025

Analytical Sequence

Client: RU2 Engineering, LLC

SDG No.: Q1242

Project: NYCDDC SANTWOBR Brooklyn Bridge BBMCR

Instrument ID: FID_E

GC Column: RXI-1MS **ID:** 0.18 (mm)

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

MEAN SUROGATE RT FROM INITIAL CALIBRATION 15.2554					
EPA SAMPLE NO.	LAB SAMPLE ID	DATE AND TIME ANALYZED	DATAFILE	RT	#
PIBLK01	LBLK01	31 Jan 2025 09:56	FE052167.D	15.274	
50 PPM TRPH STD	50 PPM TRPH STD	31 Jan 2025 10:26	FE052168.D	15.275	
PB166415BL	PB166415BL	31 Jan 2025 12:08	FE052171.D	15.271	
PB166415BS	PB166415BS	31 Jan 2025 12:38	FE052172.D	15.270	
PIBLK02	LBLK02	31 Jan 2025 16:09	FE052179.D	15.300	
50 PPM TRPH STD	50 PPM TRPH STD	31 Jan 2025 16:40	FE052180.D	15.300	
JPP-5.3-013025MS	Q1241-05MS	31 Jan 2025 17:10	FE052181.D	15.243	
JPP-5.3-013025MSD	Q1241-05MSD	31 Jan 2025 17:40	FE052182.D	15.248	
JPP-6.2-013025	Q1242-01	31 Jan 2025 20:42	FE052188.D	15.230	
PIBLK03	LBLK03	31 Jan 2025 21:12	FE052189.D	15.299	
50 PPM TRPH STD	50 PPM TRPH STD	31 Jan 2025 22:12	FE052190.D	15.300	



QC SAMPLE DATA

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	
Client Sample ID:	PB166415BL	SDG No.:	Q1242
Lab Sample ID:	PB166415BL	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	100
Sample Wt/Vol:	30.02 Units: g	Decanted:	
Soil Aliquot Vol:		Final Vol:	1 mL
Extraction Type:		Test:	Diesel Range Organics
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FE052171.D	1	01/31/25 08:50	01/31/25 12:08	PB166415

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	1670	U	185	1670	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	17.4		37 - 130	87%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052171.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 12:08
Operator : YP\AJ
Sample : PB166415BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
PB166415BL

Integration File: autoint1.e
Quant Time: Feb 03 00:08:38 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.271	1729476	17.364 ug/ml
Target Compounds			

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052171.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 12:08
Operator : YP\AJ
Sample : PB166415BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
PB166415BL

Integration File: autoint1.e
Quant Time: Feb 03 00:08:38 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um





#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.271 min
Delta R.T.: 0.014 min
Response: 1729476
Conc: 17.36 ug/ml

Instrument :
FID_E
ClientSampleId :
PB166415BL

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052171.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 12:08
Sample : PB166415BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	15.271	15.227	15.337	BB	133669	1729476	100.00%	100.000%
Sum of corrected areas:						1729476		

FE012325.M Mon Feb 03 02:04:36 2025

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	01/31/25
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	01/31/25
Client Sample ID:	PIBLK-FE052167.D	SDG No.:	Q1242
Lab Sample ID:	I.BLK-FE052167.D	Matrix:	Water
Analytical Method:	8015D DRO	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Decanted:	
Soil Aliquot Vol:	uL	Final Vol:	1 mL
Extraction Type:		Test:	Diesel Range Organics
GPC Factor :	PH :	Injection Volume :	
Prep Method :	SW3510		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FE052167.D	1		01/31/25	FE013125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
DRO	DRO	50.0	U	10.0	50.0	ug/L
SURROGATES						
16416-32-3	Tetracosane-d50	18.1		29 - 130	90%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052167.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 09:56
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 98 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
I.BLK

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025

Integration File: autoint1.e
Quant Time: Feb 03 00:07:11 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.273	1801068	18.083 ug/mlm
Target Compounds			

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052167.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 09:56
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 98 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
I.BLK


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025

Integration File: autoint1.e
Quant Time: Feb 03 00:07:11 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um





#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.273 min
Delta R.T.: 0.017 min
Response: 1801068
Conc: 18.08 ug/ml

Instrument :

FID_E

ClientSampleId :

I.BLK

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 02/03/2025

Supervised By :Ankita Jodhani 02/03/2025

rteres

Instrument :
FID_E
LabSampleId :
I.BLK

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01312
Data File : FE052167.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 09:56
Sample : I.BLK
Misc :
ALS Vial : 98 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	15.274	15.186	15.347	BB	143692	1808772	100.00%	100.000%
Sum of corrected areas:						1808772		

FE012325.M Mon Feb 03 02:01:24 2025

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	01/31/25
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	01/31/25
Client Sample ID:	PIBLK-FE052179.D	SDG No.:	Q1242
Lab Sample ID:	I.BLK-FE052179.D	Matrix:	Water
Analytical Method:	8015D DRO	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Decanted:	
Soil Aliquot Vol:	uL	Final Vol:	1 mL
Extraction Type:		Test:	Diesel Range Organics
GPC Factor :	PH :	Injection Volume :	
Prep Method :	SW3510		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FE052179.D	1		01/31/25	FE013125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
DRO	DRO	50.0	U	10.0	50.0	ug/L
SURROGATES						
16416-32-3	Tetracosane-d50	16.3		29 - 130	82%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052179.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 16:09
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 98 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
I.BLK

Integration File: autoint1.e
Quant Time: Feb 03 00:11:23 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.300	1626036	16.326 ug/ml
Target Compounds			

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052179.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 16:09
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 98 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
I.BLK

Integration File: autoint1.e
Quant Time: Feb 03 00:11:23 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um





#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.300 min

Delta R.T.: 0.043 min

Response: 1626036

Conc: 16.33 ug/ml

Instrument :

FID_E

ClientSampleId :

I.BLK

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052179.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 16:09
Sample : I.BLK
Misc :
ALS Vial : 98 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	15.300	15.254	15.342	BB	127391	1626036	100.00%	100.000%
Sum of corrected areas:						1626036		

FE012325.M Mon Feb 03 02:05:36 2025

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	01/31/25
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	01/31/25
Client Sample ID:	PIBLK-FE052189.D	SDG No.:	Q1242
Lab Sample ID:	I.BLK-FE052189.D	Matrix:	Water
Analytical Method:	8015D DRO	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Decanted:	
Soil Aliquot Vol:	uL	Final Vol:	1 mL
Extraction Type:		Test:	Diesel Range Organics
GPC Factor :	PH :	Injection Volume :	
Prep Method :	SW3510		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FE052189.D	1		01/31/25	FE013125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
DRO	DRO	50.0	U	10.0	50.0	ug/L
SURROGATES						
16416-32-3	Tetracosane-d50	17.5		29 - 130	87%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052189.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 21:12
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 96 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
I.BLK

Integration File: autoint1.e
Quant Time: Feb 03 00:14:45 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.299	1739092	17.461 ug/ml

Target Compounds

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052189.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 21:12
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 96 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
I.BLK

Integration File: autoint1.e
Quant Time: Feb 03 00:14:45 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um





#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.299 min
Delta R.T.: 0.042 min
Response: 1739092
Conc: 17.46 ug/ml

Instrument :
FID_E
ClientSampleId :
I.BLK

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052189.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 21:12
Sample : I.BLK
Misc :
ALS Vial : 96 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	15.299	15.255	15.377	BB	136524	1739092	100.00%	100.000%
Sum of corrected areas:						1739092		

FE012325.M Mon Feb 03 02:07:03 2025

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	
Client Sample ID:	PB166415BS	SDG No.:	Q1242
Lab Sample ID:	PB166415BS	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	100
Sample Wt/Vol:	30.03	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	1
GPC Factor :		PH :	
Prep Method :	SW3541	Decanted:	
		Test:	Diesel Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FE052172.D	1	01/31/25 08:50	01/31/25 12:38	PB166415

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	6350		185	1670	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	18.8		37 - 130	94%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
 Data File : FE052172.D
 Signal(s) : FID1B.ch
 Acq On : 31 Jan 2025 12:38
 Operator : YP\AJ
 Sample : PB166415BS
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 PB166415BS

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 02/03/2025
 Supervised By :Ankita Jodhani 02/03/2025

Integration File: autoint1.e
 Quant Time: Feb 03 00:08:54 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
 Quant Title :
 QLast Update : Fri Jan 24 03:06:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.269	1871130	18.787 ug/mlm
Target Compounds			
2) N-DECANE	4.930	1667496	18.223 ug/ml
3) N-DODECANE	7.056	1831391	18.329 ug/ml
4) N-TETRADECANE	8.860	1960262	19.266 ug/ml
5) N-HEXADECANE	10.452	2054144	19.277 ug/ml
6) N-OCTADECANE	11.884	2140266	19.089 ug/mlm
7) N-EICOSANE	13.186	2185174	19.619 ug/ml
8) N-DOCOSANE	14.376	2128002	19.166 ug/ml
10) N-TETRACOSANE	15.474	2117307	19.142 ug/ml
11) N-HEXACOSANE	16.490	2103127	19.293 ug/ml
12) N-OCTACOSANE	17.436	2070572	19.183 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052172.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 12:38
Operator : YP\AJ
Sample : PB166415BS
Misc :
ALS Vial : 13 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
PB166415BS


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025

Integration File: autoint1.e
Quant Time: Feb 03 00:08:54 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.930 min
Delta R.T.: 0.023 min
Response: 1667496
Conc: 18.22 ug/ml

Instrument :
FID_E
ClientSampleId :
PB166415BS


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#3 N-DODECANE

R.T.: 7.056 min
Delta R.T.: 0.020 min
Response: 1831391
Conc: 18.33 ug/ml




#4 N-TETRADECANE

R.T.: 8.860 min
Delta R.T.: 0.018 min
Response: 1960262
Conc: 19.27 ug/ml



#5 N-HEXADECANE

R.T.: 10.452 min
Delta R.T.: 0.017 min
Response: 2054144
Conc: 19.28 ug/ml




#6 N-OCTADECANE

R.T.: 11.884 min
Delta R.T.: 0.015 min
Response: 2140266
Conc: 19.09 ug/ml

Instrument :
FID_E
ClientSampleId :
PB166415BS


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025




#7 N-EICOSANE

R.T.: 13.186 min
Delta R.T.: 0.015 min
Response: 2185174
Conc: 19.62 ug/ml




#8 N-DOCOSANE

R.T.: 14.376 min
Delta R.T.: 0.014 min
Response: 2128002
Conc: 19.17 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.269 min
Delta R.T.: 0.012 min
Response: 1871130
Conc: 18.79 ug/ml m



#10 N-TETRACOSANE

R.T.: 15.474 min
Delta R.T.: 0.013 min
Response: 2117307
Conc: 19.14 ug/ml


Instrument :

FID_E

ClientSampleId :
PB166415BS


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025



#11 N-HEXACOSANE

R.T.: 16.490 min
Delta R.T.: 0.013 min
Response: 2103127
Conc: 19.29 ug/ml



#12 N-OCTACOSANE

R.T.: 17.436 min
Delta R.T.: 0.013 min
Response: 2070572
Conc: 19.18 ug/ml

rteres

Instrument :

FID_E

ClientSampleId :

PB166415BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/03/2025

Supervised By :Ankita Jodhani 02/03/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE01312
Data File : FE052172.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 12:38
Sample : PB166415BS
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.930	4.882	4.974	BB	177047	1667496	76.31%	7.536%
2	7.056	7.020	7.107	BB	195607	1831391	83.81%	8.276%
3	8.860	8.819	8.913	BB	203032	1960262	89.71%	8.859%
4	10.452	10.412	10.500	BB	205530	2054144	94.00%	9.283%
5	11.884	11.772	11.920	BB	200340	2139250	97.90%	9.668%
6	13.186	13.143	13.232	BB	194052	2185174	100.00%	9.875%
7	14.376	14.342	14.417	BB	184985	2128002	97.38%	9.617%
8	15.270	15.191	15.322	BB	148202	1871106	85.63%	8.456%
9	15.474	15.427	15.513	BB	183502	2117307	96.89%	9.569%
10	16.490	16.428	16.535	BB	178491	2103127	96.25%	9.504%
11	17.436	17.364	17.497	BB	165740	2070572	94.76%	9.357%
Sum of corrected areas:						22127831		

FE012325.M Mon Feb 03 02:05:04 2025

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	01/30/25
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	01/30/25
Client Sample ID:	JPP-5.3-013025MS	SDG No.:	Q1242
Lab Sample ID:	Q1241-05MS	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	89.3
Sample Wt/Vol:	30.05 Units: g	Decanted:	
Soil Aliquot Vol:	uL	Final Vol:	1 mL
Extraction Type:		Test:	Diesel Range Organics
GPC Factor :	PH :	Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FE052181.D	1	01/31/25 08:50	01/31/25 17:10	PB166415

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	150000	E	207	1860	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	12.8		37 - 130	64%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
 Data File : FE052181.D
 Signal(s) : FID1B.ch
 Acq On : 31 Jan 2025 17:10
 Operator : YP\AJ
 Sample : Q1241-05MS
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 JPP-5.3-013025MS

Integration File: autoint1.e
 Quant Time: Feb 03 01:36:11 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
 Quant Title :
 QLast Update : Fri Jan 24 03:06:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.243	1271058	12.762 ug/ml
Target Compounds			
2) N-DECANE	4.973	1675110	18.306 ug/ml
3) N-DODECANE	7.095	1826036	18.276 ug/ml
4) N-TETRADECANE	8.848	414569	4.074 ug/ml
5) N-HEXADECANE	10.428	733215	6.881 ug/ml
6) N-OCTADECANE	11.865	126683	1.130 ug/ml
7) N-EICOSANE	13.165	991476	8.902 ug/ml
8) N-DOCOSANE	14.356	1338735	12.057 ug/ml
10) N-TETRACOSANE	15.449	647568	5.854 ug/ml
11) N-HEXACOSANE	16.476	419148	3.845 ug/ml
12) N-OCTACOSANE	17.451	10339978	95.794 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052181.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 17:10
Operator : YP\AJ
Sample : Q1241-05MS
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
JPP-5.3-013025MS

Integration File: autoint1.e
Quant Time: Feb 03 01:36:11 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE


R.T.: 4.973 min
Delta R.T.: 0.040 min
Response: 1675110
Conc: 18.31 ug/ml

Instrument :
FID_E
ClientSampleId :
JPP-5.3-013025MS




#3 N-DODECANE

R.T.: 7.095 min
Delta R.T.: 0.035 min
Response: 1826036
Conc: 18.28 ug/ml




#4 N-TETRADECANE

R.T.: 8.848 min
Delta R.T.: -0.016 min
Response: 414569
Conc: 4.07 ug/ml



#5 N-HEXADECANE


R.T.: 10.428 min
Delta R.T.: -0.008 min
Response: 733215
Conc: 6.88 ug/ml



#6 N-OCTADECANE


R.T.: 11.865 min
Delta R.T.: -0.004 min
Response: 126683
Conc: 1.13 ug/ml

Instrument :
FID_E
ClientSampleId :
JPP-5.3-013025MS




#7 N-EICOSANE

R.T.: 13.165 min
Delta R.T.: -0.006 min
Response: 991476
Conc: 8.90 ug/ml




#8 N-DOCOSANE

R.T.: 14.356 min
Delta R.T.: -0.006 min
Response: 1338735
Conc: 12.06 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 15.243 min
Delta R.T.: -0.014 min
Response: 1271058
Conc: 12.76 ug/ml



#10 N-TETRACOSANE


R.T.: 15.449 min
Delta R.T.: -0.012 min
Response: 647568
Conc: 5.85 ug/ml

Instrument :
FID_E
ClientSampleId :
JPP-5.3-013025MS



#11 N-HEXACOSANE

R.T.: 16.476 min
Delta R.T.: 0.000 min
Response: 419148
Conc: 3.85 ug/ml



#12 N-OCTACOSANE

R.T.: 17.451 min
Delta R.T.: 0.027 min
Response: 10339978
Conc: 95.79 ug/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
 Data File : FE052181.D
 Signal(s) : FID1B.ch
 Acq On : 31 Jan 2025 17:10
 Sample : Q1241-05MS
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Integration File: Sample.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
 Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.912	4.852	4.944	BH	301	3548	0.01%	0.001%
2	4.973	4.944	5.001	HH	173549	1673818	6.41%	0.392%
3	5.017	5.001	5.045	HH	2249	27945	0.11%	0.007%
4	5.055	5.045	5.071	HH	348	4301	0.02%	0.001%
5	5.088	5.071	5.098	HH	365	4282	0.02%	0.001%
6	5.131	5.098	5.177	HH	1772	34366	0.13%	0.008%
7	5.178	5.177	5.182	HH	231	509	0.00%	0.000%
8	5.200	5.182	5.205	HH	385	3503	0.01%	0.001%
9	5.218	5.205	5.240	HH	667	10080	0.04%	0.002%
10	5.258	5.240	5.274	HH	513	8390	0.03%	0.002%
11	5.280	5.274	5.292	HH	493	4116	0.02%	0.001%
12	5.293	5.292	5.310	HH	404	2770	0.01%	0.001%
13	5.317	5.310	5.323	HH	371	2087	0.01%	0.000%
14	5.344	5.323	5.367	HH	922	15169	0.06%	0.004%
15	5.383	5.367	5.413	HH	665	12202	0.05%	0.003%
16	5.432	5.413	5.452	HH	409	6032	0.02%	0.001%
17	5.471	5.452	5.538	HH	644	14634	0.06%	0.003%
18	5.560	5.538	5.566	HH	514	4873	0.02%	0.001%
19	5.572	5.566	5.578	HH	493	3115	0.01%	0.001%
20	5.587	5.578	5.602	HH	453	5079	0.02%	0.001%
21	5.618	5.602	5.629	HH	603	6087	0.02%	0.001%
22	5.643	5.629	5.656	HH	365	4954	0.02%	0.001%
23	5.660	5.656	5.678	HH	414	4210	0.02%	0.001%
24	5.682	5.678	5.699	HH	389	2981	0.01%	0.001%
25	5.708	5.699	5.714	HH	424	1879	0.01%	0.000%
26	5.729	5.714	5.744	HH	421	5500	0.02%	0.001%
27	5.774	5.744	5.798	HH	646	12803	0.05%	0.003%
28	5.812	5.798	5.830	HH	433	4755	0.02%	0.001%
29	5.842	5.830	5.855	HH	209	2015	0.01%	0.000%
30	5.895	5.855	5.922	HH	2158	27880	0.11%	0.007%
31	5.931	5.922	5.941	HH	420	3428	0.01%	0.001%
32	5.956	5.941	5.961	HH	433	4001	0.02%	0.001%
33	5.968	5.961	5.994	HH	393	6550	0.03%	0.002%
34	5.997	5.994	6.006	HH	255	1141	0.00%	0.000%
35	6.010	6.006	6.020	HH	212	1249	0.00%	0.000%
36	6.038	6.020	6.065	HH	371	6074	0.02%	0.001%

					rteres			
37	6.084	6.065	6.095	HH	1163	12749	0.05%	0.003%
38	6.111	6.095	6.155	HH	7701	87789	0.34%	0.021%
39	6.166	6.155	6.178	HH	426	4337	0.02%	0.001%
40	6.203	6.178	6.216	HH	695	9678	0.04%	0.002%
41	6.229	6.216	6.251	HH	430	6817	0.03%	0.002%
42	6.267	6.251	6.278	HH	432	5536	0.02%	0.001%
43	6.291	6.278	6.310	HH	899	12507	0.05%	0.003%
44	6.319	6.310	6.341	HH	772	10696	0.04%	0.003%
45	6.391	6.341	6.427	HH	1984	38765	0.15%	0.009%
46	6.442	6.427	6.461	HH	1215	14274	0.05%	0.003%
47	6.491	6.461	6.498	HH	683	11350	0.04%	0.003%
48	6.508	6.498	6.520	HH	751	8978	0.03%	0.002%
49	6.537	6.520	6.552	HH	788	12276	0.05%	0.003%
50	6.563	6.552	6.581	HH	757	10464	0.04%	0.002%
51	6.584	6.581	6.595	HH	559	4038	0.02%	0.001%
52	6.612	6.595	6.625	HH	1238	16979	0.07%	0.004%
53	6.638	6.625	6.645	HH	1170	12392	0.05%	0.003%
54	6.670	6.645	6.705	HH	28119	288565	1.11%	0.068%
55	6.718	6.705	6.742	HH	1805	24754	0.09%	0.006%
56	6.746	6.742	6.772	HH	755	11330	0.04%	0.003%
57	6.796	6.772	6.829	HH	2225	40055	0.15%	0.009%
58	6.847	6.829	6.874	HH	1092	24345	0.09%	0.006%
59	6.888	6.874	6.913	HH	1169	19844	0.08%	0.005%
60	6.939	6.913	6.963	HH	2513	39968	0.15%	0.009%
61	6.967	6.963	6.973	HH	869	5247	0.02%	0.001%
62	6.988	6.973	7.005	HH	970	15781	0.06%	0.004%
63	7.028	7.005	7.038	HH	904	15832	0.06%	0.004%
64	7.049	7.038	7.062	HH	970	12223	0.05%	0.003%
65	7.095	7.062	7.144	HH	197146	1855219	7.11%	0.434%
66	7.164	7.144	7.197	HH	3474	51161	0.20%	0.012%
67	7.244	7.197	7.266	HH	1618	46495	0.18%	0.011%
68	7.276	7.266	7.284	HH	905	9001	0.03%	0.002%
69	7.312	7.284	7.344	HH	1291	35397	0.14%	0.008%
70	7.394	7.344	7.415	HH	1841	46768	0.18%	0.011%
71	7.436	7.415	7.472	HH	1883	40252	0.15%	0.009%
72	7.484	7.472	7.491	HH	1091	10628	0.04%	0.002%
73	7.495	7.491	7.502	HH	1006	7040	0.03%	0.002%
74	7.518	7.502	7.542	HH	2250	33657	0.13%	0.008%
75	7.556	7.542	7.573	HH	1967	28785	0.11%	0.007%
76	7.586	7.573	7.602	HH	1608	23653	0.09%	0.006%
77	7.622	7.602	7.643	HH	1734	38206	0.15%	0.009%
78	7.654	7.643	7.667	HH	1897	23931	0.09%	0.006%
79	7.677	7.667	7.697	HH	1964	30233	0.12%	0.007%
80	7.699	7.697	7.712	HH	1471	12574	0.05%	0.003%
81	7.746	7.712	7.774	HH	33821	361973	1.39%	0.085%
82	7.784	7.774	7.789	HH	1916	16740	0.06%	0.004%
83	7.804	7.789	7.816	HH	2440	33433	0.13%	0.008%
84	7.818	7.816	7.829	HH	2084	15395	0.06%	0.004%
85	7.839	7.829	7.861	HH	2104	32715	0.13%	0.008%
86	7.884	7.861	7.915	HH	31767	329841	1.26%	0.077%
87	7.925	7.915	7.947	HH	1936	32238	0.12%	0.008%
88	7.961	7.947	7.972	HH	1605	21121	0.08%	0.005%
89	7.979	7.972	7.989	HH	1525	15582	0.06%	0.004%

					rteres			
90	8.026	7.989	8.071	HH	4554	109629	0.42%	0.026%
91	8.087	8.071	8.091	HH	1854	21085	0.08%	0.005%
92	8.107	8.091	8.126	HH	2074	39446	0.15%	0.009%
93	8.132	8.126	8.162	HH	1846	34672	0.13%	0.008%
94	8.184	8.162	8.189	HH	1780	25537	0.10%	0.006%
95	8.218	8.189	8.229	HH	2167	45517	0.17%	0.011%
96	8.239	8.229	8.261	HH	2268	38582	0.15%	0.009%
97	8.272	8.261	8.304	HH	1899	39825	0.15%	0.009%
98	8.326	8.304	8.333	HH	2136	30659	0.12%	0.007%
99	8.343	8.333	8.356	HH	2080	26062	0.10%	0.006%
100	8.360	8.356	8.392	HH	2019	38209	0.15%	0.009%
101	8.395	8.392	8.410	HH	1699	17914	0.07%	0.004%
102	8.434	8.410	8.447	HH	2513	46695	0.18%	0.011%
103	8.471	8.447	8.497	HH	19903	235290	0.90%	0.055%
104	8.506	8.497	8.537	HH	2890	58282	0.22%	0.014%
105	8.550	8.537	8.567	HH	2681	43486	0.17%	0.010%
106	8.578	8.567	8.583	HH	2638	23779	0.09%	0.006%
107	8.593	8.583	8.608	HH	2854	39533	0.15%	0.009%
108	8.630	8.608	8.667	HH	17456	263814	1.01%	0.062%
109	8.676	8.667	8.695	HH	3584	53156	0.20%	0.012%
110	8.728	8.695	8.736	HH	21037	243054	0.93%	0.057%
111	8.743	8.736	8.779	HH	19833	227334	0.87%	0.053%
112	8.797	8.779	8.816	HH	4784	82896	0.32%	0.019%
113	8.848	8.816	8.863	HH	43912	491986	1.88%	0.115%
114	8.897	8.863	8.921	HH	211363	2311378	8.85%	0.541%
115	8.928	8.921	8.945	HH	4885	60237	0.23%	0.014%
116	8.964	8.945	8.982	HH	5395	91701	0.35%	0.021%
117	9.010	8.982	9.066	HH	19096	522931	2.00%	0.122%
118	9.081	9.066	9.107	HH	5091	104365	0.40%	0.024%
119	9.124	9.107	9.152	HH	13271	189727	0.73%	0.044%
120	9.166	9.152	9.181	HH	4975	74293	0.28%	0.017%
121	9.197	9.181	9.216	HH	3722	74500	0.29%	0.017%
122	9.228	9.216	9.241	HH	3259	46074	0.18%	0.011%
123	9.248	9.241	9.252	HH	3257	21453	0.08%	0.005%
124	9.279	9.252	9.302	HH	13232	202753	0.78%	0.047%
125	9.332	9.302	9.352	HH	286408	2829735	10.84%	0.662%
126	9.365	9.352	9.410	HH	20953	331821	1.27%	0.078%
127	9.435	9.410	9.456	HH	13110	213991	0.82%	0.050%
128	9.472	9.456	9.501	HH	8530	177307	0.68%	0.041%
129	9.517	9.501	9.522	HH	5978	70952	0.27%	0.017%
130	9.534	9.522	9.541	HH	6256	66145	0.25%	0.015%
131	9.567	9.541	9.582	HH	31162	440259	1.69%	0.103%
132	9.601	9.582	9.623	HH	161969	1630870	6.25%	0.382%
133	9.634	9.623	9.664	HH	9640	169000	0.65%	0.040%
134	9.685	9.664	9.700	HH	10222	161828	0.62%	0.038%
135	9.732	9.700	9.750	HH	19520	337599	1.29%	0.079%
136	9.774	9.750	9.796	HH	22602	322032	1.23%	0.075%
137	9.800	9.796	9.819	HH	5986	74089	0.28%	0.017%
138	9.833	9.819	9.851	HH	5041	89635	0.34%	0.021%
139	9.890	9.851	9.906	HH	22259	339508	1.30%	0.079%
140	9.921	9.906	9.950	HH	20946	283191	1.08%	0.066%
141	9.974	9.950	9.987	HH	6199	124889	0.48%	0.029%

rteres								
142	10.025	9.987	10.047	HH	23055	426056	1.63%	0.100%
143	10.066	10.047	10.073	HH	8887	123143	0.47%	0.029%
144	10.082	10.073	10.087	HH	8693	67830	0.26%	0.016%
145	10.112	10.087	10.157	HH	274329	2925521	11.21%	0.685%
146	10.191	10.157	10.213	HH	26683	515880	1.98%	0.121%
147	10.229	10.213	10.243	HH	25709	297800	1.14%	0.070%
148	10.263	10.243	10.298	HH	60192	925135	3.54%	0.217%
149	10.322	10.298	10.356	HH	40382	633324	2.43%	0.148%
150	10.378	10.356	10.404	HH	87209	972953	3.73%	0.228%
151	10.428	10.404	10.453	HH	70235	887713	3.40%	0.208%
152	10.487	10.453	10.509	HH	206954	2353209	9.01%	0.551%
153	10.529	10.509	10.572	HH	91418	1360959	5.21%	0.319%
154	10.592	10.572	10.611	HH	22614	345571	1.32%	0.081%
155	10.620	10.611	10.645	HH	12273	193978	0.74%	0.045%
156	10.691	10.645	10.715	HH	11701	399215	1.53%	0.093%
157	10.727	10.715	10.759	HH	9987	199674	0.76%	0.047%
158	10.790	10.759	10.802	HH	8038	182229	0.70%	0.043%
159	10.811	10.802	10.823	HH	7977	100117	0.38%	0.023%
160	10.846	10.823	10.867	HH	15569	292687	1.12%	0.069%
161	10.878	10.867	10.886	HH	9670	105180	0.40%	0.025%
162	10.903	10.886	10.916	HH	15711	225586	0.86%	0.053%
163	10.923	10.916	10.936	HH	12121	132411	0.51%	0.031%
164	10.954	10.936	10.966	HH	25034	337560	1.29%	0.079%
165	10.987	10.966	11.009	HH	57811	836100	3.20%	0.196%
166	11.027	11.009	11.057	HH	36013	535227	2.05%	0.125%
167	11.103	11.057	11.120	HH	39695	753333	2.89%	0.176%
168	11.127	11.120	11.140	HH	21664	233089	0.89%	0.055%
169	11.160	11.140	11.193	HH	76054	1115449	4.27%	0.261%
170	11.198	11.193	11.207	HH	13664	111325	0.43%	0.026%
171	11.222	11.207	11.232	HH	18566	240850	0.92%	0.056%
172	11.239	11.232	11.249	HH	17433	175486	0.67%	0.041%
173	11.271	11.249	11.285	HH	43266	626518	2.40%	0.147%
174	11.313	11.285	11.332	HH	111137	1904391	7.30%	0.446%
175	11.336	11.332	11.354	HH	27886	292246	1.12%	0.068%
176	11.379	11.354	11.390	HH	17769	338513	1.30%	0.079%
177	11.408	11.390	11.427	HH	34559	531209	2.03%	0.124%
178	11.442	11.427	11.463	HH	20914	382244	1.46%	0.089%
179	11.483	11.463	11.489	HH	35668	415314	1.59%	0.097%
180	11.530	11.489	11.562	HH	1891774	24689658	94.58%	5.779%
181	11.593	11.562	11.647	HH	656863	7375721	28.25%	1.726%
182	11.667	11.647	11.702	HH	22104	577695	2.21%	0.135%
183	11.713	11.702	11.733	HH	17130	282149	1.08%	0.066%
184	11.752	11.733	11.767	HH	27166	397359	1.52%	0.093%
185	11.789	11.767	11.832	HH	140179	1847006	7.08%	0.432%
186	11.865	11.832	11.879	HH	18783	448895	1.72%	0.105%
187	11.919	11.879	11.952	HH	215782	2972671	11.39%	0.696%
188	11.979	11.952	11.983	HH	22021	346633	1.33%	0.081%
189	12.031	11.983	12.074	HH	65145	1735857	6.65%	0.406%
190	12.095	12.074	12.122	HH	34540	696803	2.67%	0.163%
191	12.156	12.122	12.175	HH	35648	748439	2.87%	0.175%
192	12.196	12.175	12.220	HH	26066	570205	2.18%	0.133%
193	12.233	12.220	12.244	HH	19791	270280	1.04%	0.063%
194	12.259	12.244	12.275	HH	24751	389042	1.49%	0.091%

					rteres			
195	12.307	12.275	12.322	HH	176642	2228603	8.54%	0.522%
196	12.339	12.322	12.367	HH	249361	2854829	10.94%	0.668%
197	12.375	12.367	12.381	HH	17851	143971	0.55%	0.034%
198	12.405	12.381	12.413	HH	123096	1342825	5.14%	0.314%
199	12.427	12.413	12.442	HH	247359	2713561	10.39%	0.635%
200	12.456	12.442	12.469	HH	103430	1213147	4.65%	0.284%
201	12.486	12.469	12.507	HH	159381	1950988	7.47%	0.457%
202	12.520	12.507	12.535	HH	27098	381814	1.46%	0.089%
203	12.559	12.535	12.572	HH	37310	629947	2.41%	0.147%
204	12.581	12.572	12.601	HH	30113	452134	1.73%	0.106%
205	12.622	12.601	12.642	HH	27723	586134	2.25%	0.137%
206	12.668	12.642	12.705	HH	112652	1831695	7.02%	0.429%
207	12.714	12.705	12.743	HH	25228	534434	2.05%	0.125%
208	12.768	12.743	12.789	HH	160837	2024883	7.76%	0.474%
209	12.803	12.789	12.812	HH	32001	406725	1.56%	0.095%
210	12.830	12.812	12.856	HH	65450	1016318	3.89%	0.238%
211	12.880	12.856	12.894	HH	23719	522427	2.00%	0.122%
212	12.917	12.894	12.936	HH	37603	723791	2.77%	0.169%
213	12.954	12.936	12.989	HH	30555	810573	3.11%	0.190%
214	13.018	12.989	13.032	HH	43404	851129	3.26%	0.199%
215	13.043	13.032	13.072	HH	38383	698607	2.68%	0.164%
216	13.090	13.072	13.103	HH	59246	810842	3.11%	0.190%
217	13.108	13.103	13.131	HH	43730	568020	2.18%	0.133%
218	13.165	13.131	13.186	HH	98926	1695235	6.49%	0.397%
219	13.222	13.186	13.250	HH	234478	4250263	16.28%	0.995%
220	13.255	13.250	13.297	HH	52834	1324010	5.07%	0.310%
221	13.346	13.297	13.371	HH	1749935	26104905	100.00%	6.110%
222	13.388	13.371	13.405	HH	49209	717286	2.75%	0.168%
223	13.419	13.405	13.433	HH	29984	470168	1.80%	0.110%
224	13.475	13.433	13.489	HH	59251	1386486	5.31%	0.325%
225	13.511	13.489	13.526	HH	107271	1637659	6.27%	0.383%
226	13.535	13.526	13.568	HH	65019	1254969	4.81%	0.294%
227	13.579	13.568	13.596	HH	37303	554816	2.13%	0.130%
228	13.644	13.596	13.660	HH	1548929	21592296	82.71%	5.054%
229	13.679	13.660	13.692	HH	241516	2837276	10.87%	0.664%
230	13.706	13.692	13.738	HH	232764	3130213	11.99%	0.733%
231	13.759	13.738	13.771	HH	33974	630338	2.41%	0.148%
232	13.790	13.771	13.805	HH	87321	1208349	4.63%	0.283%
233	13.824	13.805	13.852	HH	118244	1877447	7.19%	0.439%
234	13.883	13.852	13.907	HH	131585	2114764	8.10%	0.495%
235	13.956	13.907	13.977	HH	67813	1875151	7.18%	0.439%
236	14.011	13.977	14.050	HH	84308	2210345	8.47%	0.517%
237	14.075	14.050	14.100	HH	121019	2191198	8.39%	0.513%
238	14.112	14.100	14.129	HH	35841	579204	2.22%	0.136%
239	14.208	14.129	14.245	HH	275057	5974430	22.89%	1.398%
240	14.266	14.245	14.284	HH	56614	1075545	4.12%	0.252%
241	14.312	14.284	14.335	HH	203460	3167095	12.13%	0.741%
242	14.356	14.335	14.375	HH	141724	2131155	8.16%	0.499%
243	14.410	14.375	14.430	HH	227040	4119628	15.78%	0.964%
244	14.440	14.430	14.446	HH	73977	681032	2.61%	0.159%
245	14.458	14.446	14.468	HH	83625	1027423	3.94%	0.240%
246	14.484	14.468	14.503	HH	128038	1884778	7.22%	0.441%

rteres								
247	14.523	14.503	14.556	HH	125370	2281197	8.74%	0.534%
248	14.594	14.556	14.611	HH	77945	1847526	7.08%	0.432%
249	14.635	14.611	14.655	HH	56758	1391424	5.33%	0.326%
250	14.671	14.655	14.684	HH	49409	820441	3.14%	0.192%
251	14.701	14.684	14.717	HH	56904	970878	3.72%	0.227%
252	14.727	14.717	14.735	HH	47151	504653	1.93%	0.118%
253	14.743	14.735	14.768	HH	46456	911728	3.49%	0.213%
254	14.788	14.768	14.823	HH	47522	1406541	5.39%	0.329%
255	14.840	14.823	14.852	HH	42638	725022	2.78%	0.170%
256	14.876	14.852	14.886	HH	71079	1232064	4.72%	0.288%
257	14.904	14.886	14.920	HH	81172	1438495	5.51%	0.337%
258	14.939	14.920	14.961	HH	119703	2015867	7.72%	0.472%
259	14.974	14.961	14.983	HH	56623	742191	2.84%	0.174%
260	15.000	14.983	15.008	HH	61235	858573	3.29%	0.201%
261	15.039	15.008	15.084	HH	72671	2679598	10.26%	0.627%
262	15.117	15.084	15.153	HH	151819	3706381	14.20%	0.867%
263	15.180	15.153	15.205	HH	222789	4324746	16.57%	1.012%
264	15.221	15.205	15.230	HH	125771	1620445	6.21%	0.379%
265	15.243	15.230	15.270	HH	155298	2407665	9.22%	0.564%
266	15.304	15.270	15.340	HH	151460	3659536	14.02%	0.856%
267	15.364	15.340	15.397	HH	104717	2674047	10.24%	0.626%
268	15.404	15.397	15.415	HH	55338	569453	2.18%	0.133%
269	15.449	15.415	15.465	HH	99406	2190188	8.39%	0.513%
270	15.502	15.465	15.522	HH	871496	14267128	54.65%	3.339%
271	15.547	15.522	15.567	HH	783742	10381130	39.77%	2.430%
272	15.580	15.567	15.605	HH	70051	1478133	5.66%	0.346%
273	15.661	15.605	15.695	HH	269064	6123593	23.46%	1.433%
274	15.727	15.695	15.762	HH	136192	3439246	13.17%	0.805%
275	15.788	15.762	15.816	HH	130750	2947693	11.29%	0.690%
276	15.838	15.816	15.872	HH	122631	3433656	13.15%	0.804%
277	15.885	15.872	15.907	HH	96134	1764825	6.76%	0.413%
278	15.933	15.907	15.958	HH	94455	2558945	9.80%	0.599%
279	15.973	15.958	15.996	HH	83398	1703112	6.52%	0.399%
280	16.052	15.996	16.093	HH	87879	4486013	17.18%	1.050%
281	16.116	16.093	16.138	HH	104381	2427453	9.30%	0.568%
282	16.161	16.138	16.181	HH	199341	3380806	12.95%	0.791%
283	16.199	16.181	16.232	HH	135266	3114075	11.93%	0.729%
284	16.249	16.232	16.283	HH	120590	2940228	11.26%	0.688%
285	16.308	16.283	16.320	HH	170678	3007320	11.52%	0.704%
286	16.324	16.320	16.352	HH	159078	2272582	8.71%	0.532%
287	16.394	16.352	16.417	HH	126472	3774007	14.46%	0.883%
288	16.434	16.417	16.454	HH	84921	1786925	6.85%	0.418%
289	16.476	16.454	16.497	HH	111819	2407182	9.22%	0.563%
290	16.525	16.497	16.555	HH	279785	5327176	20.41%	1.247%
291	16.570	16.555	16.577	HH	99245	1273626	4.88%	0.298%
292	16.592	16.577	16.620	HH	107593	2451281	9.39%	0.574%
293	16.631	16.620	16.637	HH	84306	873440	3.35%	0.204%
294	16.654	16.637	16.673	HH	87614	1832294	7.02%	0.429%
295	16.685	16.673	16.700	HH	86902	1348669	5.17%	0.316%
296	16.749	16.700	16.774	HH	105538	4098215	15.70%	0.959%
297	16.791	16.774	16.809	HH	107657	2059516	7.89%	0.482%
298	16.834	16.809	16.878	HH	137219	4495672	17.22%	1.052%
299	16.905	16.878	16.933	HH	106759	3353762	12.85%	0.785%

						rters		
300	16.957	16.933	16.980	HH	140950	3347235	12.82%	0.783%
301	17.004	16.980	17.016	HH	119496	2440069	9.35%	0.571%
302	17.067	17.016	17.081	HH	776713	15700979	60.15%	3.675%
303	17.089	17.081	17.115	HH	517488	5852524	22.42%	1.370%
304	17.126	17.115	17.141	HH	110576	1722497	6.60%	0.403%
305	17.185	17.141	17.203	HH	277800	6091367	23.33%	1.426%
306	17.213	17.203	17.229	HH	138572	2036588	7.80%	0.477%
307	17.240	17.229	17.259	HH	123771	2112154	8.09%	0.494%
308	17.276	17.259	17.284	HH	123777	1832614	7.02%	0.429%
309	17.305	17.284	17.317	HH	139457	2635834	10.10%	0.617%
310	17.386	17.317	17.408	HH	563003	13813880	52.92%	3.233%
311	17.451	17.408	17.461	HHA	829208	13546539	51.89%	3.171%
					Sum of corrected areas:	427267569		

FE012325.M Mon Feb 03 02:19:51 2025

Report of Analysis

Client:	RU2 Engineering, LLC	Date Collected:	01/30/25
Project:	NYCDDC SANTWOBR Brooklyn Bridge BBMCR	Date Received:	01/30/25
Client Sample ID:	JPP-5.3-013025MSD	SDG No.:	Q1242
Lab Sample ID:	Q1241-05MSD	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	89.3
Sample Wt/Vol:	30.02 Units: g	Decanted:	
Soil Aliquot Vol:	uL	Final Vol:	1 mL
Extraction Type:		Test:	Diesel Range Organics
GPC Factor :	PH :	Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FE052182.D	1	01/31/25 08:50	01/31/25 17:40	PB166415

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	152000	E	207	1870	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	12.4		37 - 130	62%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
 Data File : FE052182.D
 Signal(s) : FID1B.ch
 Acq On : 31 Jan 2025 17:40
 Operator : YP\AJ
 Sample : Q1241-05MSD
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 JPP-5.3-013025MSD

Integration File: autoint1.e
 Quant Time: Feb 03 01:36:31 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
 Quant Title :
 QLast Update : Fri Jan 24 03:06:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.248	1234688	12.397 ug/ml
Target Compounds			
2) N-DECANE	4.978	1653958	18.075 ug/ml
3) N-DODECANE	7.099	1805020	18.065 ug/ml
4) N-TETRADECANE	8.852	403253	3.963 ug/ml
5) N-HEXADECANE	10.433	725075	6.804 ug/ml
6) N-OCTADECANE	11.869	119565	1.066 ug/ml
7) N-EICOSANE	13.170	970798	8.716 ug/ml
8) N-DOCOSANE	14.360	1318984	11.879 ug/ml
10) N-TETRACOSANE	15.453	606157	5.480 ug/ml
11) N-HEXACOSANE	16.478	426274	3.910 ug/ml
12) N-OCTACOSANE	17.454	10079391	93.380 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
Data File : FE052182.D
Signal(s) : FID1B.ch
Acq On : 31 Jan 2025 17:40
Operator : YP\AJ
Sample : Q1241-05MSD
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
JPP-5.3-013025MSD

Integration File: autoint1.e
Quant Time: Feb 03 01:36:31 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
Quant Title :
QLast Update : Fri Jan 24 03:06:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE


R.T.: 4.978 min
Delta R.T.: 0.045 min
Response: 1653958
Conc: 18.08 ug/ml

Instrument :
FID_E
ClientSampleId :
JPP-5.3-013025MSD




#3 N-DODECANE

R.T.: 7.099 min
Delta R.T.: 0.039 min
Response: 1805020
Conc: 18.07 ug/ml




#4 N-TETRADECANE

R.T.: 8.852 min
Delta R.T.: -0.012 min
Response: 403253
Conc: 3.96 ug/ml



#5 N-HEXADECANE


R.T.: 10.433 min
Delta R.T.: -0.003 min
Response: 725075
Conc: 6.80 ug/ml



#6 N-OCTADECANE


R.T.: 11.869 min
Delta R.T.: 0.000 min
Response: 119565
Conc: 1.07 ug/ml

Instrument :
FID_E
ClientSampleId :
JPP-5.3-013025MSD




#7 N-EICOSANE

R.T.: 13.170 min
Delta R.T.: 0.000 min
Response: 970798
Conc: 8.72 ug/ml




#8 N-DOCOSANE

R.T.: 14.360 min
Delta R.T.: -0.003 min
Response: 1318984
Conc: 11.88 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 15.248 min
Delta R.T.: -0.009 min
Response: 1234688
Conc: 12.40 ug/ml



#10 N-TETRACOSANE


R.T.: 15.453 min
Delta R.T.: -0.008 min
Response: 606157
Conc: 5.48 ug/ml

Instrument :
FID_E
ClientSampleId :
JPP-5.3-013025MSD



#11 N-HEXACOSANE

R.T.: 16.478 min
Delta R.T.: 0.001 min
Response: 426274
Conc: 3.91 ug/ml



#12 N-OCTACOSANE

R.T.: 17.454 min
Delta R.T.: 0.030 min
Response: 10079391
Conc: 93.38 ug/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE013125\
 Data File : FE052182.D
 Signal(s) : FID1B.ch
 Acq On : 31 Jan 2025 17:40
 Sample : Q1241-05MSD
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Integration File: Sample.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE012325.M
 Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.890	4.852	4.897	BH	-21	-1745	-0.01%	-0.000%
2	4.918	4.897	4.944	PH	188	1623	0.01%	0.000%
3	4.978	4.944	5.005	PH	174906	1654055	6.43%	0.382%
4	5.021	5.005	5.046	HH	2179	25035	0.10%	0.006%
5	5.051	5.046	5.076	HH	264	3969	0.02%	0.001%
6	5.083	5.076	5.088	HH	265	1425	0.01%	0.000%
7	5.092	5.088	5.104	HH	238	1856	0.01%	0.000%
8	5.137	5.104	5.172	HH	1666	29518	0.11%	0.007%
9	5.176	5.172	5.194	PH	154	1048	0.00%	0.000%
10	5.223	5.194	5.245	HH	502	8320	0.03%	0.002%
11	5.259	5.245	5.272	HH	388	4378	0.02%	0.001%
12	5.291	5.272	5.328	HH	495	9714	0.04%	0.002%
13	5.348	5.328	5.366	HH	763	10484	0.04%	0.002%
14	5.371	5.366	5.382	HH	419	3302	0.01%	0.001%
15	5.391	5.382	5.418	HH	507	8973	0.03%	0.002%
16	5.428	5.418	5.452	HH	319	4871	0.02%	0.001%
17	5.473	5.452	5.491	HH	476	6953	0.03%	0.002%
18	5.501	5.491	5.527	HH	324	4223	0.02%	0.001%
19	5.533	5.527	5.545	HH	118	701	0.00%	0.000%
20	5.564	5.545	5.585	PH	427	6103	0.02%	0.001%
21	5.594	5.585	5.607	HH	368	3952	0.02%	0.001%
22	5.619	5.607	5.640	HH	475	4793	0.02%	0.001%
23	5.646	5.640	5.658	HH	357	2794	0.01%	0.001%
24	5.665	5.658	5.672	HH	331	1901	0.01%	0.000%
25	5.677	5.672	5.688	HH	270	1849	0.01%	0.000%
26	5.690	5.688	5.705	HH	218	1190	0.00%	0.000%
27	5.737	5.705	5.752	PH	415	5487	0.02%	0.001%
28	5.772	5.752	5.798	HH	622	10053	0.04%	0.002%
29	5.813	5.798	5.856	PH	342	4057	0.02%	0.001%
30	5.860	5.856	5.876	HH	92	626	0.00%	0.000%
31	5.899	5.876	5.929	HH	2043	23417	0.09%	0.005%
32	5.933	5.929	5.942	HH	269	1505	0.01%	0.000%
33	5.946	5.942	5.952	HH	281	1086	0.00%	0.000%
34	5.963	5.952	5.969	HH	364	3023	0.01%	0.001%
35	5.974	5.969	6.011	HH	344	4260	0.02%	0.001%
36	6.015	6.011	6.019	HH	147	311	0.00%	0.000%

					rteres			
37	6.049	6.019	6.070	HH	281	3753	0.01%	0.001%
38	6.088	6.070	6.099	PH	1197	11154	0.04%	0.003%
39	6.115	6.099	6.166	HH	7713	84996	0.33%	0.020%
40	6.171	6.166	6.191	HH	269	3442	0.01%	0.001%
41	6.207	6.191	6.222	HH	590	6669	0.03%	0.002%
42	6.230	6.222	6.263	HH	276	5129	0.02%	0.001%
43	6.275	6.263	6.283	HH	407	3400	0.01%	0.001%
44	6.296	6.283	6.317	HH	853	11422	0.04%	0.003%
45	6.326	6.317	6.346	HH	689	8709	0.03%	0.002%
46	6.351	6.346	6.357	HH	474	2237	0.01%	0.001%
47	6.396	6.357	6.428	HH	1701	31398	0.12%	0.007%
48	6.446	6.428	6.463	HH	1140	13061	0.05%	0.003%
49	6.495	6.463	6.499	HH	573	8752	0.03%	0.002%
50	6.505	6.499	6.529	HH	702	10125	0.04%	0.002%
51	6.537	6.529	6.557	HH	749	9300	0.04%	0.002%
52	6.569	6.557	6.593	HH	670	9911	0.04%	0.002%
53	6.617	6.593	6.630	HH	1082	16719	0.06%	0.004%
54	6.643	6.630	6.649	HH	1150	11642	0.05%	0.003%
55	6.675	6.649	6.707	HH	27912	280664	1.09%	0.065%
56	6.723	6.707	6.741	HH	1759	21715	0.08%	0.005%
57	6.751	6.741	6.772	HH	647	9897	0.04%	0.002%
58	6.775	6.772	6.783	HH	548	3808	0.01%	0.001%
59	6.800	6.783	6.831	HH	2083	33730	0.13%	0.008%
60	6.848	6.831	6.878	HH	1062	22723	0.09%	0.005%
61	6.891	6.878	6.916	HH	1033	17883	0.07%	0.004%
62	6.943	6.916	6.963	HH	2388	35414	0.14%	0.008%
63	6.967	6.963	6.979	HH	794	7647	0.03%	0.002%
64	6.992	6.979	7.006	HH	885	12622	0.05%	0.003%
65	7.033	7.006	7.045	HH	874	16747	0.07%	0.004%
66	7.055	7.045	7.071	HH	909	12014	0.05%	0.003%
67	7.099	7.071	7.149	HH	195327	1829876	7.11%	0.422%
68	7.168	7.149	7.206	HH	3292	49944	0.19%	0.012%
69	7.226	7.206	7.236	HH	1172	17426	0.07%	0.004%
70	7.246	7.236	7.273	HH	1507	24367	0.09%	0.006%
71	7.312	7.273	7.353	HH	1210	40355	0.16%	0.009%
72	7.361	7.353	7.367	HH	737	5779	0.02%	0.001%
73	7.397	7.367	7.422	HH	1761	37243	0.14%	0.009%
74	7.439	7.422	7.475	HH	1854	35288	0.14%	0.008%
75	7.492	7.475	7.507	HH	999	16430	0.06%	0.004%
76	7.522	7.507	7.541	HH	2087	29176	0.11%	0.007%
77	7.561	7.541	7.577	HH	1953	28948	0.11%	0.007%
78	7.591	7.577	7.607	HH	1441	23286	0.09%	0.005%
79	7.635	7.607	7.646	HH	1673	33686	0.13%	0.008%
80	7.656	7.646	7.671	HH	1838	24582	0.10%	0.006%
81	7.686	7.671	7.714	HH	1852	38381	0.15%	0.009%
82	7.751	7.714	7.777	HH	33425	357192	1.39%	0.082%
83	7.808	7.777	7.834	HH	2264	63315	0.25%	0.015%
84	7.843	7.834	7.866	HH	2062	32099	0.12%	0.007%
85	7.888	7.866	7.921	HH	31037	323911	1.26%	0.075%
86	7.931	7.921	7.949	HH	1851	27058	0.11%	0.006%
87	7.966	7.949	7.972	HH	1481	18469	0.07%	0.004%
88	7.980	7.972	7.992	HH	1508	16054	0.06%	0.004%
89	8.030	7.992	8.077	HH	4513	108068	0.42%	0.025%

					rteres			
90	8.114	8.077	8.127	HH	1929	53655	0.21%	0.012%
91	8.136	8.127	8.172	HH	1785	40969	0.16%	0.009%
92	8.187	8.172	8.199	HH	1651	24464	0.10%	0.006%
93	8.224	8.199	8.234	HH	2133	38563	0.15%	0.009%
94	8.247	8.234	8.306	HH	2180	71080	0.28%	0.016%
95	8.333	8.306	8.339	HH	1971	32353	0.13%	0.007%
96	8.349	8.339	8.377	HH	1885	41343	0.16%	0.010%
97	8.380	8.377	8.392	HH	1756	14806	0.06%	0.003%
98	8.399	8.392	8.412	HH	1598	17618	0.07%	0.004%
99	8.435	8.412	8.451	HH	2293	46996	0.18%	0.011%
100	8.475	8.451	8.502	HH	19135	232136	0.90%	0.054%
101	8.508	8.502	8.540	HH	2684	52401	0.20%	0.012%
102	8.557	8.540	8.569	HH	2616	41208	0.16%	0.010%
103	8.581	8.569	8.587	HH	2496	24497	0.10%	0.006%
104	8.597	8.587	8.612	HH	2838	39589	0.15%	0.009%
105	8.634	8.612	8.670	HH	17144	254646	0.99%	0.059%
106	8.681	8.670	8.700	HH	3573	54078	0.21%	0.012%
107	8.732	8.700	8.740	HH	20635	236624	0.92%	0.055%
108	8.747	8.740	8.771	HH	19262	200082	0.78%	0.046%
109	8.774	8.771	8.779	HH	2966	14358	0.06%	0.003%
110	8.801	8.779	8.822	HH	4589	90677	0.35%	0.021%
111	8.852	8.822	8.867	HH	43834	481351	1.87%	0.111%
112	8.901	8.867	8.925	HH	204728	2278125	8.86%	0.525%
113	8.933	8.925	8.950	HH	4659	62080	0.24%	0.014%
114	8.968	8.950	8.984	HH	5323	83767	0.33%	0.019%
115	9.015	8.984	9.070	HH	19249	519411	2.02%	0.120%
116	9.085	9.070	9.110	HH	4976	100032	0.39%	0.023%
117	9.128	9.110	9.157	HH	12859	188583	0.73%	0.043%
118	9.169	9.157	9.186	HH	4763	70785	0.28%	0.016%
119	9.200	9.186	9.222	HH	3609	72839	0.28%	0.017%
120	9.235	9.222	9.242	HH	3163	37822	0.15%	0.009%
121	9.284	9.242	9.307	HH	13173	225355	0.88%	0.052%
122	9.336	9.307	9.357	HH	282381	2783724	10.82%	0.642%
123	9.369	9.357	9.417	HH	21121	331067	1.29%	0.076%
124	9.439	9.417	9.460	HH	12582	203635	0.79%	0.047%
125	9.477	9.460	9.506	HH	8415	177594	0.69%	0.041%
126	9.519	9.506	9.527	HH	5796	66856	0.26%	0.015%
127	9.539	9.527	9.546	HH	6142	68203	0.27%	0.016%
128	9.571	9.546	9.586	HH	30337	429889	1.67%	0.099%
129	9.605	9.586	9.627	HH	160395	1598935	6.22%	0.369%
130	9.638	9.627	9.666	HH	9423	163246	0.63%	0.038%
131	9.690	9.666	9.704	HH	10069	163932	0.64%	0.038%
132	9.736	9.704	9.754	HH	18994	332318	1.29%	0.077%
133	9.778	9.754	9.799	HH	22374	311271	1.21%	0.072%
134	9.805	9.799	9.825	HH	5858	80170	0.31%	0.018%
135	9.838	9.825	9.857	HH	5049	84905	0.33%	0.020%
136	9.893	9.857	9.910	HH	21337	329333	1.28%	0.076%
137	9.925	9.910	9.957	HH	20288	282702	1.10%	0.065%
138	9.982	9.957	9.993	HH	6056	121078	0.47%	0.028%
139	10.030	9.993	10.051	HH	22894	415425	1.61%	0.096%
140	10.069	10.051	10.078	HH	8674	120468	0.47%	0.028%
141	10.086	10.078	10.091	HH	8581	64469	0.25%	0.015%

rteres								
142	10.117	10.091	10.156	HH	269344	2853100	11.09%	0.658%
143	10.195	10.156	10.218	HH	25628	533642	2.07%	0.123%
144	10.234	10.218	10.247	HH	24769	291950	1.13%	0.067%
145	10.267	10.247	10.302	HH	60465	908183	3.53%	0.209%
146	10.327	10.302	10.361	HH	40338	627401	2.44%	0.145%
147	10.382	10.361	10.408	HH	85642	951741	3.70%	0.220%
148	10.433	10.408	10.458	HH	71141	879548	3.42%	0.203%
149	10.491	10.458	10.513	HH	204738	2311399	8.98%	0.533%
150	10.533	10.513	10.578	HH	90373	1348112	5.24%	0.311%
151	10.597	10.578	10.615	HH	22361	332482	1.29%	0.077%
152	10.625	10.615	10.647	HH	11850	179774	0.70%	0.041%
153	10.693	10.647	10.719	HH	11486	399195	1.55%	0.092%
154	10.731	10.719	10.763	HH	9808	194620	0.76%	0.045%
155	10.795	10.763	10.807	HH	7944	184925	0.72%	0.043%
156	10.815	10.807	10.827	HH	7990	90970	0.35%	0.021%
157	10.850	10.827	10.873	HH	15469	295287	1.15%	0.068%
158	10.881	10.873	10.891	HH	9631	99652	0.39%	0.023%
159	10.907	10.891	10.920	HH	15526	219361	0.85%	0.051%
160	10.927	10.920	10.939	HH	11907	123058	0.48%	0.028%
161	10.958	10.939	10.971	HH	24323	336088	1.31%	0.078%
162	10.992	10.971	11.013	HH	57198	823770	3.20%	0.190%
163	11.032	11.013	11.062	HH	35872	526935	2.05%	0.122%
164	11.107	11.062	11.125	HH	39702	745386	2.90%	0.172%
165	11.131	11.125	11.144	HH	21202	220167	0.86%	0.051%
166	11.164	11.144	11.198	HH	75028	1104081	4.29%	0.255%
167	11.204	11.198	11.211	HH	13725	107951	0.42%	0.025%
168	11.227	11.211	11.236	HH	18664	241504	0.94%	0.056%
169	11.244	11.236	11.254	HH	17216	173822	0.68%	0.040%
170	11.276	11.254	11.289	HH	42931	613220	2.38%	0.141%
171	11.318	11.289	11.337	HH	109704	1877245	7.30%	0.433%
172	11.341	11.337	11.360	HH	27695	291626	1.13%	0.067%
173	11.383	11.360	11.392	HH	17391	306122	1.19%	0.071%
174	11.413	11.392	11.432	HH	33250	542369	2.11%	0.125%
175	11.446	11.432	11.468	HH	20743	375740	1.46%	0.087%
176	11.488	11.468	11.494	HH	34930	421136	1.64%	0.097%
177	11.534	11.494	11.566	HH	1854896	24234629	94.20%	5.590%
178	11.598	11.566	11.649	HH	627392	7234087	28.12%	1.669%
179	11.673	11.649	11.707	HH	21530	582779	2.27%	0.134%
180	11.719	11.707	11.738	HH	16675	283272	1.10%	0.065%
181	11.757	11.738	11.772	HH	26671	393933	1.53%	0.091%
182	11.793	11.772	11.836	HH	136576	1819554	7.07%	0.420%
183	11.869	11.836	11.883	HH	18526	439532	1.71%	0.101%
184	11.923	11.883	11.956	HH	216088	2927931	11.38%	0.675%
185	11.982	11.956	11.987	HH	21437	340798	1.32%	0.079%
186	12.036	11.987	12.078	HH	63527	1722594	6.70%	0.397%
187	12.100	12.078	12.129	HH	34319	718872	2.79%	0.166%
188	12.161	12.129	12.182	HH	35068	747361	2.91%	0.172%
189	12.201	12.182	12.224	HH	25844	536232	2.08%	0.124%
190	12.238	12.224	12.248	HH	20155	278853	1.08%	0.064%
191	12.263	12.248	12.279	HH	25128	390833	1.52%	0.090%
192	12.312	12.279	12.327	HH	170981	2205307	8.57%	0.509%
193	12.344	12.327	12.372	HH	242731	2815489	10.94%	0.649%
194	12.379	12.372	12.387	HH	17741	154093	0.60%	0.036%

					rteres			
195	12.410	12.387	12.418	HH	122127	1345693	5.23%	0.310%
196	12.432	12.418	12.448	HH	244386	2666770	10.37%	0.615%
197	12.461	12.448	12.473	HH	102327	1186075	4.61%	0.274%
198	12.491	12.473	12.512	HH	149299	1935150	7.52%	0.446%
199	12.525	12.512	12.541	HH	27463	393627	1.53%	0.091%
200	12.563	12.541	12.577	HH	37170	631097	2.45%	0.146%
201	12.585	12.577	12.606	HH	30473	459018	1.78%	0.106%
202	12.626	12.606	12.646	HH	28321	571994	2.22%	0.132%
203	12.673	12.646	12.694	HH	111642	1606000	6.24%	0.370%
204	12.700	12.694	12.710	HH	26200	240757	0.94%	0.056%
205	12.718	12.710	12.746	HH	25895	518004	2.01%	0.119%
206	12.773	12.746	12.794	HH	160953	2043323	7.94%	0.471%
207	12.808	12.794	12.817	HH	32600	419531	1.63%	0.097%
208	12.834	12.817	12.857	HH	68053	1000058	3.89%	0.231%
209	12.871	12.857	12.878	HH	24283	287112	1.12%	0.066%
210	12.883	12.878	12.901	HH	24226	320794	1.25%	0.074%
211	12.921	12.901	12.942	HH	38868	729870	2.84%	0.168%
212	12.959	12.942	12.991	HH	31470	771316	3.00%	0.178%
213	13.023	12.991	13.036	HH	44467	888894	3.46%	0.205%
214	13.047	13.036	13.075	HH	38897	723698	2.81%	0.167%
215	13.094	13.075	13.107	HH	58963	824229	3.20%	0.190%
216	13.112	13.107	13.136	HH	44717	597853	2.32%	0.138%
217	13.170	13.136	13.190	HH	95699	1700201	6.61%	0.392%
218	13.225	13.190	13.254	HH	235213	4237559	16.47%	0.977%
219	13.261	13.254	13.301	HH	53228	1340248	5.21%	0.309%
220	13.351	13.301	13.377	HH	1726104	25726613	100.00%	5.934%
221	13.393	13.377	13.410	HH	50311	728368	2.83%	0.168%
222	13.423	13.410	13.438	HH	31370	491104	1.91%	0.113%
223	13.479	13.438	13.493	HH	58023	1410087	5.48%	0.325%
224	13.515	13.493	13.530	HH	106112	1629013	6.33%	0.376%
225	13.538	13.530	13.572	HH	66697	1297579	5.04%	0.299%
226	13.583	13.572	13.602	HH	38217	597090	2.32%	0.138%
227	13.649	13.602	13.665	HH	1514485	21271547	82.68%	4.906%
228	13.683	13.665	13.697	HH	247362	2822055	10.97%	0.651%
229	13.711	13.697	13.744	HH	229451	3155153	12.26%	0.728%
230	13.764	13.744	13.774	HH	35490	610937	2.37%	0.141%
231	13.795	13.774	13.809	HH	88733	1261339	4.90%	0.291%
232	13.829	13.809	13.860	HH	116313	1963987	7.63%	0.453%
233	13.887	13.860	13.912	HH	132563	2100590	8.17%	0.485%
234	13.961	13.912	13.983	HH	68736	1971712	7.66%	0.455%
235	14.016	13.983	14.055	HH	86696	2261974	8.79%	0.522%
236	14.080	14.055	14.105	HH	124364	2234525	8.69%	0.515%
237	14.116	14.105	14.136	HH	37234	643534	2.50%	0.148%
238	14.212	14.136	14.251	HH	271342	6040221	23.48%	1.393%
239	14.271	14.251	14.290	HH	58181	1129827	4.39%	0.261%
240	14.317	14.290	14.340	HH	201909	3185407	12.38%	0.735%
241	14.360	14.340	14.381	HH	145606	2202100	8.56%	0.508%
242	14.414	14.381	14.434	HH	229962	4119058	16.01%	0.950%
243	14.446	14.434	14.452	HH	76481	786388	3.06%	0.181%
244	14.463	14.452	14.473	HH	86015	1004351	3.90%	0.232%
245	14.488	14.473	14.508	HH	126433	1907521	7.41%	0.440%
246	14.528	14.508	14.562	HH	128079	2379712	9.25%	0.549%

rteres								
247	14.599	14.562	14.616	HH	81637	1947606	7.57%	0.449%
248	14.642	14.616	14.661	HH	60314	1486095	5.78%	0.343%
249	14.676	14.661	14.688	HH	53579	840865	3.27%	0.194%
250	14.705	14.688	14.722	HH	60062	1100899	4.28%	0.254%
251	14.733	14.722	14.742	HH	50776	595305	2.31%	0.137%
252	14.758	14.742	14.777	HH	50940	1012217	3.93%	0.233%
253	14.792	14.777	14.826	HH	51562	1398943	5.44%	0.323%
254	14.841	14.826	14.856	HH	47294	824331	3.20%	0.190%
255	14.880	14.856	14.891	HH	75083	1320727	5.13%	0.305%
256	14.907	14.891	14.926	HH	86243	1576745	6.13%	0.364%
257	14.944	14.926	14.965	HH	122928	2044867	7.95%	0.472%
258	14.975	14.965	14.990	HH	60149	863384	3.36%	0.199%
259	15.004	14.990	15.010	HH	63920	765753	2.98%	0.177%
260	15.044	15.010	15.090	HH	75276	2985781	11.61%	0.689%
261	15.121	15.090	15.158	HH	158132	3812210	14.82%	0.879%
262	15.184	15.158	15.208	HH	221266	4307309	16.74%	0.993%
263	15.225	15.208	15.234	HH	126069	1667769	6.48%	0.385%
264	15.248	15.234	15.278	HH	155087	2595442	10.09%	0.599%
265	15.308	15.278	15.332	HH	152432	3094902	12.03%	0.714%
266	15.369	15.332	15.405	HH	107842	3391374	13.18%	0.782%
267	15.411	15.405	15.422	HH	57551	593350	2.31%	0.137%
268	15.453	15.422	15.469	HH	102250	2161994	8.40%	0.499%
269	15.506	15.469	15.526	HH	875199	14107844	54.84%	3.254%
270	15.551	15.526	15.572	HH	785666	10312423	40.08%	2.379%
271	15.582	15.572	15.607	HH	72579	1468712	5.71%	0.339%
272	15.665	15.607	15.698	HH	270199	6275198	24.39%	1.447%
273	15.731	15.698	15.768	HH	132128	3653861	14.20%	0.843%
274	15.792	15.768	15.818	HH	136478	2874277	11.17%	0.663%
275	15.840	15.818	15.875	HH	123660	3583292	13.93%	0.827%
276	15.888	15.875	15.909	HH	101308	1804501	7.01%	0.416%
277	15.936	15.909	15.960	HH	96520	2648084	10.29%	0.611%
278	15.978	15.960	15.997	HH	89467	1779194	6.92%	0.410%
279	16.055	15.997	16.092	HH	93664	4671732	18.16%	1.078%
280	16.119	16.092	16.141	HH	109667	2805446	10.90%	0.647%
281	16.164	16.141	16.184	HH	208403	3527108	13.71%	0.814%
282	16.201	16.184	16.235	HH	140728	3284679	12.77%	0.758%
283	16.254	16.235	16.287	HH	127008	3146095	12.23%	0.726%
284	16.314	16.287	16.325	HH	176196	3228850	12.55%	0.745%
285	16.329	16.325	16.354	HH	165939	2279083	8.86%	0.526%
286	16.398	16.354	16.421	HH	133003	4078404	15.85%	0.941%
287	16.438	16.421	16.456	HH	91662	1864216	7.25%	0.430%
288	16.478	16.456	16.501	HH	117918	2691508	10.46%	0.621%
289	16.529	16.501	16.559	HH	287496	5534246	21.51%	1.276%
290	16.597	16.559	16.621	HH	115180	3830310	14.89%	0.883%
291	16.642	16.621	16.650	HH	92462	1564425	6.08%	0.361%
292	16.659	16.650	16.675	HH	94618	1401571	5.45%	0.323%
293	16.691	16.675	16.704	HH	94725	1612215	6.27%	0.372%
294	16.717	16.704	16.725	HH	94087	1156714	4.50%	0.267%
295	16.754	16.725	16.776	HH	112338	3154920	12.26%	0.728%
296	16.795	16.776	16.813	HH	114923	2351406	9.14%	0.542%
297	16.839	16.813	16.878	HH	142682	4539375	17.64%	1.047%
298	16.907	16.878	16.933	HH	115775	3567350	13.87%	0.823%
299	16.962	16.933	16.984	HH	148582	3878410	15.08%	0.895%

						rters		
300	17.006	16.984	17.022	HH	128521	2733705	10.63%	0.631%
301	17.070	17.022	17.085	HH	787244	15737693	61.17%	3.630%
302	17.093	17.085	17.120	HH	519694	6029801	23.44%	1.391%
303	17.134	17.120	17.147	HH	119684	1886059	7.33%	0.435%
304	17.188	17.147	17.207	HH	280539	6330112	24.61%	1.460%
305	17.217	17.207	17.235	HH	146304	2251555	8.75%	0.519%
306	17.247	17.235	17.267	HH	133467	2532480	9.84%	0.584%
307	17.278	17.267	17.290	HH	135018	1793902	6.97%	0.414%
308	17.307	17.290	17.320	HH	148777	2587042	10.06%	0.597%
309	17.338	17.320	17.350	HH	161353	2743570	10.66%	0.633%
310	17.390	17.350	17.413	HH	576614	11657904	45.31%	2.689%
311	17.454	17.413	17.461	HHA	826826	12839561	49.91%	2.961%
					Sum of corrected areas:	433549302		

FE012325.M Mon Feb 03 02:20:30 2025

Manual Integration Report

Sample ID	ClientID ID	File ID	Sequence ID	Parameter	Supervised By	Supervised On	Reason
.BLK		FE052167.D	FE013125	TETRACOSANE-d50 (SURROGA	Ankita	2/3/2025 1:08:00 PM	Peak Integrated by Software incorrectly
PB166415BS		FE052172.D	FE013125	N-OCTADECANE	Ankita	2/3/2025 1:07:23 PM	Peak Integrated by Software incorrectly
PB166415BS		FE052172.D	FE013125	TETRACOSANE-d50 (SURROGA	Ankita	2/3/2025 1:07:23 PM	Peak Integrated by Software incorrectly
Q1241-13		FE052176.D	FE013125	TETRACOSANE-d50 (SURROGA	Ankita	2/3/2025 1:07:25 PM	Peak Integrated by Software incorrectly
Q1242-01		FE052178.D	FE013125	TETRACOSANE-d50 (SURROGA	Ankita	2/3/2025 1:07:26 PM	Peak Integrated by Software incorrectly
50 PPM TRPH STD		FE052180.D	FE013125	N-OCTACOSANE	Ankita	2/3/2025 1:07:28 PM	Peak Integrated by Software incorrectly
50 PPM TRPH STD		FE052180.D	FE013125	TETRACOSANE-d50 (SURROGA	Ankita	2/3/2025 1:07:28 PM	Peak Integrated by Software incorrectly
Q1241-05		FE052184.D	FE013125	TETRACOSANE-d50 (SURROGA	Ankita	2/3/2025 1:07:30 PM	Peak Integrated by Software incorrectly
Q1241-09		FE052185.D	FE013125	TETRACOSANE-d50 (SURROGA	Ankita	2/3/2025 1:07:31 PM	Peak Integrated by Software incorrectly
Q1241-17		FE052187.D	FE013125	TETRACOSANE-d50 (SURROGA	Ankita	2/3/2025 1:07:33 PM	Peak Integrated by Software incorrectly
50 PPM TRPH STD		FE052190.D	FE013125	N-OCTACOSANE	Ankita	2/3/2025 1:07:34 PM	Peak Integrated by Software incorrectly
50 PPM TRPH STD		FE052192.D	FE013125	N-DOTRIACONTANE	Ankita	2/3/2025 1:07:35 PM	Peak Integrated by Software incorrectly
50 PPM TRPH STD		FE052192.D	FE013125	N-OCTACOSANE	Ankita	2/3/2025 1:07:35 PM	Peak Integrated by Software incorrectly
50 PPM TRPH STD		FE052192.D	FE013125	N-TRIACONTANE	Ankita	2/3/2025 1:07:35 PM	Peak Integrated by Software incorrectly
PB166433BS		FE052195.D	FE013125	N-DOTRIACONTANE	Ankita	2/3/2025 1:07:37 PM	Peak Integrated by Software incorrectly
Q1236-01MS		FE052197.D	FE013125	N-HEXATRIACONTANE	Ankita	2/3/2025 1:07:39 PM	Peak Integrated by Software incorrectly
Q1236-01MS		FE052197.D	FE013125	N-OCTACOSANE	Ankita	2/3/2025 1:07:39 PM	Peak Integrated by Software incorrectly
Q1236-01MS		FE052197.D	FE013125	N-OCTADECANE	Ankita	2/3/2025 1:07:39 PM	Peak Integrated by Software incorrectly
Q1236-01MS		FE052197.D	FE013125	N-TETRATRIACONTANE	Ankita	2/3/2025 1:07:39 PM	Peak Integrated by Software incorrectly
Q1236-01MSD		FE052198.D	FE013125	N-HEXATRIACONTANE	Ankita	2/3/2025 1:07:40 PM	Peak Integrated by Software incorrectly
Q1236-01MSD		FE052198.D	FE013125	N-OCTACOSANE	Ankita	2/3/2025 1:07:40 PM	Peak Integrated by Software incorrectly
Q1236-01MSD		FE052198.D	FE013125	N-OCTADECANE	Ankita	2/3/2025 1:07:40 PM	Peak Integrated by Software incorrectly

Manual Integration Report

.BLK		FE052200.D	FE013125	TETRACOSANE-d50 (SURROGA	Ankita	2/3/2025 1:07:42 PM	Peak Integrated by Software incorrectly
50 PPM TRPH STD		FE052201.D	FE013125	N-DOTRIACONTANE	Ankita	2/3/2025 1:07:43 PM	Peak Integrated by Software incorrectly

Instrument ID: FID_E

Daily Analysis Runlog For Sequence/QC Batch ID # FE012325

Review By	yogesh	Review On	1/23/2025 3:09:47 PM
Supervise By	sohil	Supervise On	1/24/2025 2:02:13 PM
SubDirectory	FE012325	HP Acquire Method	HP Processing Method FE012325
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	PP23961,PP23963,PP23964,PP23965,PP23966		
CCC Internal Standard/PEM	PP23963		
ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	PP23962,PP23967		

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	MECL2	FE052025.D	23 Jan 2025 21:06	YP\AJ	Ok
2	I.BLK	FE052026.D	23 Jan 2025 21:35	YP\AJ	Ok
3	100 TRPH STD	FE052027.D	23 Jan 2025 22:06	YP\AJ	Ok
4	50 TRPH STD	FE052028.D	23 Jan 2025 23:06	YP\AJ	Ok
5	20 TRPH STD	FE052029.D	23 Jan 2025 23:36	YP\AJ	Ok
6	10 TRPH STD	FE052030.D	24 Jan 2025 00:06	YP\AJ	Ok
7	5 TRPH STD	FE052031.D	24 Jan 2025 00:36	YP\AJ	Ok
8	FE012325ICV	FE052032.D	24 Jan 2025 01:06	YP\AJ	Ok

M : Manual Integration

Instrument ID: FID_E

Daily Analysis Runlog For Sequence/QC Batch ID # FE013125

Review By	yogesh	Review On	1/31/2025 12:39:58 PM
Supervise By	Ankita	Supervise On	2/3/2025 1:08:07 PM
SubDirectory	FE013125	HP Acquire Method	HP Processing Method FE012325
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	PP23961,PP23963,PP23964,PP23965,PP23966		
CCC Internal Standard/PEM	PP23963		
ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	PP23962,PP23967		

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	MECL2	FE052166.D	31 Jan 2025 09:26	YP\AJ	Ok
2	I.BLK	FE052167.D	31 Jan 2025 09:56	YP\AJ	Ok,M
3	50 PPM TRPH STD	FE052168.D	31 Jan 2025 10:26	YP\AJ	Ok
4	RT MARKER	FE052169.D	31 Jan 2025 11:07	YP\AJ	Ok
5	PP24162	FE052170.D	31 Jan 2025 11:37	YP\AJ	Ok
6	PB166415BL	FE052171.D	31 Jan 2025 12:08	YP\AJ	Ok
7	PB166415BS	FE052172.D	31 Jan 2025 12:38	YP\AJ	Ok,M
8	Q1241-01	FE052173.D	31 Jan 2025 13:08	YP\AJ	Dilution
9	Q1241-05	FE052174.D	31 Jan 2025 13:38	YP\AJ	Dilution
10	Q1241-09	FE052175.D	31 Jan 2025 14:08	YP\AJ	Dilution
11	Q1241-13	FE052176.D	31 Jan 2025 14:39	YP\AJ	Dilution
12	Q1241-17	FE052177.D	31 Jan 2025 15:09	YP\AJ	Dilution
13	Q1242-01	FE052178.D	31 Jan 2025 15:39	YP\AJ	Dilution
14	I.BLK	FE052179.D	31 Jan 2025 16:09	YP\AJ	Ok
15	50 PPM TRPH STD	FE052180.D	31 Jan 2025 16:40	YP\AJ	Ok,M
16	Q1241-05MS	FE052181.D	31 Jan 2025 17:10	YP\AJ	Ok
17	Q1241-05MSD	FE052182.D	31 Jan 2025 17:40	YP\AJ	Ok
18	Q1241-01	FE052183.D	31 Jan 2025 18:11	YP\AJ	Ok
19	Q1241-05	FE052184.D	31 Jan 2025 18:41	YP\AJ	Ok,M
20	Q1241-09	FE052185.D	31 Jan 2025 19:11	YP\AJ	Ok,M
21	Q1241-13	FE052186.D	31 Jan 2025 19:41	YP\AJ	Ok

Instrument ID: FID_E

Daily Analysis Runlog For Sequence/QC Batch ID # FE013125

Review By	yogesh	Review On	1/31/2025 12:39:58 PM
Supervise By	Ankita	Supervise On	2/3/2025 1:08:07 PM
SubDirectory	FE013125	HP Acquire Method	HP Processing Method FE012325
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	PP23961,PP23963,PP23964,PP23965,PP23966		
CCC Internal Standard/PEM	PP23963		
ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	PP23962,PP23967		

22	Q1241-17	FE052187.D	31 Jan 2025 20:12	YP\AJ	Ok,M
23	Q1242-01	FE052188.D	31 Jan 2025 20:42	YP\AJ	Ok
24	I.BLK	FE052189.D	31 Jan 2025 21:12	YP\AJ	Ok
25	50 PPM TRPH STD	FE052190.D	31 Jan 2025 22:12	YP\AJ	Ok,M
26	I.BLK	FE052191.D	31 Jan 2025 23:13	YP\AJ	Ok
27	50 PPM TRPH STD	FE052192.D	01 Feb 2025 00:13	YP\AJ	Ok,M
28	RT MARKER	FE052193.D	01 Feb 2025 01:14	YP\AJ	Ok
29	PB166433BL	FE052194.D	01 Feb 2025 02:14	YP\AJ	Ok
30	PB166433BS	FE052195.D	01 Feb 2025 02:44	YP\AJ	Ok,M
31	Q1236-01	FE052196.D	01 Feb 2025 03:15	YP\AJ	Ok
32	Q1236-01MS	FE052197.D	01 Feb 2025 03:45	YP\AJ	Ok,M
33	Q1236-01MSD	FE052198.D	01 Feb 2025 04:15	YP\AJ	Ok,M
34	Q1236-01	FE052199.D	01 Feb 2025 04:45	YP\AJ	Not Ok
35	I.BLK	FE052200.D	01 Feb 2025 05:15	YP\AJ	Ok,M
36	50 PPM TRPH STD	FE052201.D	01 Feb 2025 06:15	YP\AJ	Ok,M

M : Manual Integration

Instrument ID: FID_E

Daily Analysis Runlog For Sequence/QC Batch ID # FE012325

Review By	yogesh	Review On	1/23/2025 3:09:47 PM
Supervise By	sohil	Supervise On	1/24/2025 2:02:13 PM
SubDirectory	FE012325	HP Acquire Method	HP Processing Method FE012325

STD. NAME	STD REF.#
Tune/Reschk Initial Calibration Stds	PP23961,PP23963,PP23964,PP23965,PP23966
CCC	PP23963
Internal Standard/PEM	
ICV/I.BLK	PP23962,PP23967
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleID	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	MECL2		FE052025.D	23 Jan 2025 21:06		YP\AJ	Ok
2	I.BLK		FE052026.D	23 Jan 2025 21:35		YP\AJ	Ok
3	100 TRPH STD		FE052027.D	23 Jan 2025 22:06		YP\AJ	Ok
4	50 TRPH STD		FE052028.D	23 Jan 2025 23:06		YP\AJ	Ok
5	20 TRPH STD		FE052029.D	23 Jan 2025 23:36		YP\AJ	Ok
6	10 TRPH STD		FE052030.D	24 Jan 2025 00:06		YP\AJ	Ok
7	5 TRPH STD		FE052031.D	24 Jan 2025 00:36		YP\AJ	Ok
8	FE012325ICV		FE052032.D	24 Jan 2025 01:06		YP\AJ	Ok

M : Manual Integration

Instrument ID: FID_E

Daily Analysis Runlog For Sequence/QC Batch ID # FE013125

Review By	yogesh	Review On	1/31/2025 12:39:58 PM
Supervise By	Ankita	Supervise On	2/3/2025 1:08:07 PM
SubDirectory	FE013125	HP Acquire Method	HP Processing Method FE012325

STD. NAME	STD REF.#
Tune/Reschk Initial Calibration Stds	PP23961,PP23963,PP23964,PP23965,PP23966
CCC Internal Standard/PEM	PP23963
ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	PP23962,PP23967

Sr#	SampleID	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	MECL2		FE052166.D	31 Jan 2025 09:26		YP\AJ	Ok
2	I.BLK		FE052167.D	31 Jan 2025 09:56		YP\AJ	Ok,M
3	50 PPM TRPH STD		FE052168.D	31 Jan 2025 10:26		YP\AJ	Ok
4	RT MARKER		FE052169.D	31 Jan 2025 11:07		YP\AJ	Ok
5	PP24162		FE052170.D	31 Jan 2025 11:37		YP\AJ	Ok
6	PB166415BL		FE052171.D	31 Jan 2025 12:08		YP\AJ	Ok
7	PB166415BS		FE052172.D	31 Jan 2025 12:38		YP\AJ	Ok,M
8	Q1241-01		FE052173.D	31 Jan 2025 13:08	need 10x dilution	YP\AJ	Dilution
9	Q1241-05		FE052174.D	31 Jan 2025 13:38	need 10x dilution	YP\AJ	Dilution
10	Q1241-09		FE052175.D	31 Jan 2025 14:08	need 10x dilution	YP\AJ	Dilution
11	Q1241-13		FE052176.D	31 Jan 2025 14:39	need 10x dilution	YP\AJ	Dilution
12	Q1241-17		FE052177.D	31 Jan 2025 15:09	need 10x dilution	YP\AJ	Dilution
13	Q1242-01		FE052178.D	31 Jan 2025 15:39	need 10x dilution	YP\AJ	Dilution
14	I.BLK		FE052179.D	31 Jan 2025 16:09		YP\AJ	Ok
15	50 PPM TRPH STD		FE052180.D	31 Jan 2025 16:40		YP\AJ	Ok,M
16	Q1241-05MS		FE052181.D	31 Jan 2025 17:10		YP\AJ	Ok
17	Q1241-05MSD		FE052182.D	31 Jan 2025 17:40		YP\AJ	Ok
18	Q1241-01		FE052183.D	31 Jan 2025 18:11		YP\AJ	Ok

Instrument ID: FID_E

Daily Analysis Runlog For Sequence/QC Batch ID # FE013125

Review By	yogesh	Review On	1/31/2025 12:39:58 PM
Supervise By	Ankita	Supervise On	2/3/2025 1:08:07 PM
SubDirectory	FE013125	HP Acquire Method	HP Processing Method FE012325
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	PP23961,PP23963,PP23964,PP23965,PP23966		
CCC	PP23963		
Internal Standard/PEM	PP23962,PP23967		
ICV/I.BLK			
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

19	Q1241-05		FE052184.D	31 Jan 2025 18:41		YPIAJ	Ok,M
20	Q1241-09		FE052185.D	31 Jan 2025 19:11		YPIAJ	Ok,M
21	Q1241-13		FE052186.D	31 Jan 2025 19:41		YPIAJ	Ok
22	Q1241-17		FE052187.D	31 Jan 2025 20:12		YPIAJ	Ok,M
23	Q1242-01		FE052188.D	31 Jan 2025 20:42		YPIAJ	Ok
24	I.BLK		FE052189.D	31 Jan 2025 21:12		YPIAJ	Ok
25	50 PPM TRPH STD		FE052190.D	31 Jan 2025 22:12		YPIAJ	Ok,M
26	I.BLK		FE052191.D	31 Jan 2025 23:13		YPIAJ	Ok
27	50 PPM TRPH STD		FE052192.D	01 Feb 2025 00:13		YPIAJ	Ok,M
28	RT MARKER		FE052193.D	01 Feb 2025 01:14		YPIAJ	Ok
29	PB166433BL		FE052194.D	01 Feb 2025 02:14		YPIAJ	Ok
30	PB166433BS		FE052195.D	01 Feb 2025 02:44		YPIAJ	Ok,M
31	Q1236-01		FE052196.D	01 Feb 2025 03:15		YPIAJ	Ok
32	Q1236-01MS		FE052197.D	01 Feb 2025 03:45		YPIAJ	Ok,M
33	Q1236-01MSD		FE052198.D	01 Feb 2025 04:15		YPIAJ	Ok,M
34	Q1236-01		FE052199.D	01 Feb 2025 04:45	not required	YPIAJ	Not Ok
35	I.BLK		FE052200.D	01 Feb 2025 05:15		YPIAJ	Ok,M
36	50 PPM TRPH STD		FE052201.D	01 Feb 2025 06:15		YPIAJ	Ok,M

M : Manual Integration



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 2/3/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:35
In Date: 01/31/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:40
Out Date: 02/01/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB134497

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
Q1236-01	WASTE	17	1.14	8.55	9.69	8.12	81.6	
Q1236-02	VOC	18	1.13	8.71	9.84	8.3	82.3	
Q1236-03	1	19	1.17	8.50	9.67	8.2	82.7	
Q1236-04	2	20	1.17	8.60	9.77	8.2	81.7	
Q1236-05	3	21	1.15	8.84	9.99	8.35	81.4	
Q1236-06	4	22	1.16	8.53	9.69	8.24	83.0	
Q1236-07	5	23	1.15	8.82	9.97	8.48	83.1	
Q1241-01	JPP-3.5-013025	1	1.15	8.58	9.73	8.41	84.6	
Q1241-03	JPP-3.5-013025	2	1.12	8.76	9.88	8.3	82.0	
Q1241-05	JPP-5.3-013025	3	1.15	8.43	9.58	8.68	89.3	
Q1241-07	JPP-5.3-013025	4	1.11	8.77	9.88	8.81	87.8	
Q1241-09	JPP-5.2-013025	5	1.15	8.59	9.74	8.65	87.3	
Q1241-11	JPP-5.2-013025	6	1.12	8.41	9.53	8.58	88.7	
Q1241-13	JPP-5.4-013025	7	1.16	8.66	9.82	8.69	87.0	
Q1241-15	JPP-5.4-013025	8	1.18	8.45	9.63	8.5	86.6	
Q1241-17	JPP-51.4-013025	9	1.14	8.55	9.69	9.12	93.3	
Q1241-19	JPP-51.4-013025	10	1.16	8.51	9.67	9.09	93.2	
Q1242-01	JPP-6.2-013025	11	1.15	8.80	9.95	8.32	81.5	
Q1242-03	JPP-6.2-013025	12	1.13	8.60	9.73	8.11	81.2	
Q1243-01	CL-01-01302025	13	1.16	8.40	9.56	9.12	94.8	
Q1243-02	CL-01-01302025-E2	14	1.13	8.70	9.83	9.36	94.6	
Q1244-01	EO-02-01302025	15	1.18	8.71	9.89	9.36	93.9	
Q1244-02	EO-02-01302025-E2	16	1.12	8.80	9.92	9.42	94.3	
Q1254-01	OK-02-01312025	24	1.16	8.40	9.56	8.48	87.1	
Q1254-02	OK-02-01312025-E2	25	1.15	8.83	9.98	9.6	95.7	
Q1257-01	013025	42	1.00	1.00	2.00	2.00	100.0	wipe sample
Q1258-01	112224A	43	1.00	1.00	2.00	2.00	100.0	debris
Q1259-01	12825	44	1.14	8.70	9.84	8.7	86.9	



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 2/3/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:35
In Date: 01/31/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:40
Out Date: 02/01/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB134497

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
Q1260-01	12925-A	45	1.00	1.00	2.00	2.00	100.0	debris
Q1260-02	12925-BC	46	1.16	8.42	9.58	9.2	95.5	
Q1261-01	CHRT-20430	47	1.14	8.43	9.57	5.86	56.0	
Q1261-02	CHRT-20430-E2	48	1.12	8.77	9.89	5.93	54.8	
Q1262-01	ETGI-371	49	1.15	8.70	9.85	8.64	86.1	
Q1262-02	ETGI-371-E2	50	1.16	8.82	9.98	8.78	86.4	
Q1262-03	CONCRETE-PAD	51	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
Q1262-04	CONCRETE-PAD-E2	52	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
Q1262-05	3762	53	1.00	1.00	2.00	2.00	100.0	debris
Q1263-01	KMA9027-1-1	54	1.00	1.00	2.00	2.00	100.0	oilc
Q1263-02	KMA9027-1-2	55	1.00	1.00	2.00	2.00	100.0	oilc
Q1263-03	BC274653-1-1	56	1.00	1.00	2.00	2.00	100.0	oilc
Q1263-04	BC274653-1-2	57	1.00	1.00	2.00	2.00	100.0	oilc
Q1264-01	AUD-1606	26	1.18	8.62	9.8	9.63	98.0	
Q1264-02	AUD-25-0008	27	1.11	8.71	9.82	7.77	76.5	
Q1265-01	AUD-25-0006	28	1.00	1.00	2.00	2.00	100.0	wipe sample
Q1267-01	TRE-25-0003	29	1.00	1.00	2.00	2.00	100.0	wipe sample
Q1267-02	TRE-25-0009	30	1.00	1.00	2.00	2.00	100.0	wipe sample
Q1267-03	TRE-25-0011	31	1.00	1.00	2.00	2.00	100.0	wipe sample
Q1268-05	SVOC-GPC-BLANK	32	1.00	1.00	2.00	2.00	100.0	
Q1268-06	PEST-GPC-BLANK	33	1.00	1.00	2.00	2.00	100.0	
Q1268-07	PEST-GPC-BLANK-SPIKE	34	1.00	1.00	2.00	2.00	100.0	
Q1268-08	PCB-GPC-BLANK	35	1.00	1.00	2.00	2.00	100.0	
Q1268-09	PCB-GPC-BLANK-SPIKE	36	1.00	1.00	2.00	2.00	100.0	
Q1268-10	SVOC-GPC2-BLANK	37	1.00	1.00	2.00	2.00	100.0	
Q1268-11	PEST-GPC2-BLANK	38	1.00	1.00	2.00	2.00	100.0	
Q1268-12	PEST-GPC2-BLANK-SPIKE	39	1.00	1.00	2.00	2.00	100.0	
Q1268-13	PCB-GPC2-BLANK	40	1.00	1.00	2.00	2.00	100.0	



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 2/3/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:35
In Date: 01/31/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:40
Out Date: 02/01/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB134497

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
Q1268-14	PCB-GPC2-BLANK-SPIKE	41	1.00	1.00	2.00	2.00	100.0	
Q1269-01	VNJ-231	58	1.17	8.81	9.98	9.00	88.9	
Q1269-02	VNJ-231-E2	59	1.12	8.86	9.98	9.1	90.1	
Q1270-01	BC247799-1-1	60	1.00	1.00	2.00	2.00	100.0	oilc
Q1270-02	BC247799-1-2	61	1.00	1.00	2.00	2.00	100.0	oilc
Q1270-03	BC274768-1-1	62	1.00	1.00	2.00	2.00	100.0	oilc
Q1270-04	BC274768-1-2	63	1.00	1.00	2.00	2.00	100.0	oilc
Q1270-05	BC274768-2-1	64	1.00	1.00	2.00	2.00	100.0	oilc
Q1270-06	BC274768-2-2	65	1.00	1.00	2.00	2.00	100.0	oilc
Q1271-01	RBR200030	66	1.12	8.74	9.86	8.87	88.7	
Q1271-02	RBR200030-E2	67	1.17	8.53	9.7	9.02	92.0	
Q1271-03	3189-3196	68	1.00	1.00	2.00	2.00	100.0	oil sample

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

2134497

WorkList Name : %1-013125

WorkList ID : 187328

Department : Wet-Chemistry

Date : 01-31-2025 07:56:55

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1236-01	WASTE	Solid	Percent Solids	Cool 4 deg C	SCIA01	E11	01/30/2025	Chemtech -SO
Q1236-02	VOC	Solid	Percent Solids	Cool 4 deg C	SCIA01	E11	01/30/2025	Chemtech -SO
Q1236-03	1	Solid	Percent Solids	Cool 4 deg C	SCIA01	E11	01/30/2025	Chemtech -SO
Q1236-04	2	Solid	Percent Solids	Cool 4 deg C	SCIA01	E11	01/30/2025	Chemtech -SO
Q1236-05	3	Solid	Percent Solids	Cool 4 deg C	SCIA01	E11	01/30/2025	Chemtech -SO
Q1236-06	4	Solid	Percent Solids	Cool 4 deg C	SCIA01	E11	01/30/2025	Chemtech -SO
Q1236-07	5	Solid	Percent Solids	Cool 4 deg C	SCIA01	E11	01/30/2025	Chemtech -SO
Q1241-01	JPP-3.5-013025	Solid	Percent Solids	Cool 4 deg C	SCIA01	E11	01/30/2025	Chemtech -SO
Q1241-03	JPP-3.5-013025	Solid	Percent Solids	Cool 4 deg C	RUTW01	E11	01/30/2025	Chemtech -SO
Q1241-05	JPP-5.3-013025	Solid	Percent Solids	Cool 4 deg C	RUTW01	E11	01/30/2025	Chemtech -SO
Q1241-07	JPP-5.3-013025	Solid	Percent Solids	Cool 4 deg C	RUTW01	E11	01/30/2025	Chemtech -SO
Q1241-09	JPP-5.2-013025	Solid	Percent Solids	Cool 4 deg C	RUTW01	E11	01/30/2025	Chemtech -SO
Q1241-11	JPP-5.2-013025	Solid	Percent Solids	Cool 4 deg C	RUTW01	E11	01/30/2025	Chemtech -SO
Q1241-13	JPP-5.4-013025	Solid	Percent Solids	Cool 4 deg C	RUTW01	E11	01/30/2025	Chemtech -SO
Q1241-15	JPP-5.4-013025	Solid	Percent Solids	Cool 4 deg C	RUTW01	E11	01/30/2025	Chemtech -SO
Q1241-17	JPP-5.1.4-013025	Solid	Percent Solids	Cool 4 deg C	RUTW01	E11	01/30/2025	Chemtech -SO
Q1241-19	JPP-5.1.4-013025	Solid	Percent Solids	Cool 4 deg C	RUTW01	E11	01/30/2025	Chemtech -SO
Q1242-01	JPP-6.2-013025	Solid	Percent Solids	Cool 4 deg C	RUTW01	E11	01/30/2025	Chemtech -SO
Q1242-03	JPP-6.2-013025	Solid	Percent Solids	Cool 4 deg C	RUTW01	E11	01/30/2025	Chemtech -SO
Q1243-01	CL-01-01302025	Solid	Percent Solids	Cool 4 deg C	RUTW01	E11	01/30/2025	Chemtech -SO
Q1243-02	CL-01-01302025-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	N41	01/30/2025	Chemtech -SO

Date/Time 01/31/25 16:10
 Raw Sample Received by: JO GDC
 Raw Sample Relinquished by: RS C E A T - 1 a b

Date/Time 01/31/25 17:50
 Raw Sample Received by: RS C E A T - 1 a b
 Raw Sample Relinquished by: JO GDC

WORKLIST(Hardcopy Internal Chain)

13497

WorkList Name : %1-013125

WorkList ID : 187328

Department : Wet-Chemistry

Date : 01-31-2025 07:56:55

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1244-01	EO-02-01302025	Solid	Percent Solids	Cool 4 deg C	PSEG05	N51	01/30/2025	Chemtech -SO
Q1244-02	EO-02-01302025-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	N51	01/30/2025	Chemtech -SO
Q1254-01	OK-02-01312025	Solid	Percent Solids	Cool 4 deg C	PSEG05	N41	01/31/2025	Chemtech -SO
Q1254-02	OK-02-01312025-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	N41	01/31/2025	Chemtech -SO
Q1257-01	013025	Solid	Percent Solids	Cool 4 deg C	PSEG03	N41	01/31/2025	Chemtech -SO
Q1258-01	112224A	Solid	Percent Solids	Cool 4 deg C	PSEG03	N41	01/31/2025	Chemtech -SO
Q1259-01	12825	Solid	Percent Solids	Cool 4 deg C	PSEG03	N41	01/31/2025	Chemtech -SO
Q1260-01	12925-A	Solid	Percent Solids	Cool 4 deg C	PSEG03	N31	01/31/2025	Chemtech -SO
Q1260-02	12925-BC	Solid	Percent Solids	Cool 4 deg C	PSEG03	N31	01/31/2025	Chemtech -SO
Q1261-01	CHRT-20430	Solid	Percent Solids	Cool 4 deg C	PSEG03	N31	01/31/2025	Chemtech -SO
Q1261-02	CHRT-20430-E2	Solid	Percent Solids	Cool 4 deg C	PSEG03	N31	01/31/2025	Chemtech -SO
Q1262-01	ETGI-371	Solid	Percent Solids	Cool 4 deg C	PSEG03	N41	01/31/2025	Chemtech -SO
Q1262-02	ETGI-371-E2	Solid	Percent Solids	Cool 4 deg C	PSEG03	N41	01/31/2025	Chemtech -SO
Q1262-03	CONCRETE-PAD	Solid	Percent Solids	Cool 4 deg C	PSEG03	N41	01/31/2025	Chemtech -SO
Q1262-04	CONCRETE-PAD-E2	Solid	Percent Solids	Cool 4 deg C	PSEG03	N41	01/31/2025	Chemtech -SO
Q1262-05	3762	Solid	Percent Solids	Cool 4 deg C	PSEG03	N41	01/31/2025	Chemtech -SO
Q1263-01	KMA9027-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	N11	01/31/2025	Chemtech -SO
Q1263-02	KMA9027-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	N11	01/31/2025	Chemtech -SO
Q1263-03	BC274653-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	N11	01/31/2025	Chemtech -SO
Q1263-04	BC274653-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	N11	01/31/2025	Chemtech -SO
Q1264-01	AUD-1606	Solid	Percent Solids	Cool 4 deg C	PSEG03	N31	01/31/2025	Chemtech -SO

Date/Time 01/31/25 16:10
 Raw Sample Received by: SA wdcj
 Raw Sample Relinquished by: RJ c.EXT-1061

Date/Time 01/31/25 17:50
 Raw Sample Received by: RJ c.EXT-1061
 Raw Sample Relinquished by: SA wdcj

WORKLIST(Hardcopy Internal Chain)

134497

WorkList Name : %1-013125

WorkList ID : 187328

Department : Wet-Chemistry

Date : 01-31-2025 07:56:55

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1264-02	AUD-25-0008	Solid	Percent Solids	Cool 4 deg C	PSEG03	N31	01/31/2025	Chemtech -SO
Q1265-01	AUD-25-0006	Solid	Percent Solids	Cool 4 deg C	PSEG03	N41	01/31/2025	Chemtech -SO
Q1267-01	TRE-25-0003	Solid	Percent Solids	Cool 4 deg C	PSEG03	N41	01/31/2025	Chemtech -SO
Q1267-02	TRE-25-0009	Solid	Percent Solids	Cool 4 deg C	PSEG03	N41	01/31/2025	Chemtech -SO
Q1267-03	TRE-25-0011	Solid	Percent Solids	Cool 4 deg C	PSEG03	N41	01/31/2025	Chemtech -SO
Q1268-05	SVOC-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	D11	01/31/2025	Chemtech -SO
Q1268-06	PEST-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	D11	01/31/2025	Chemtech -SO
Q1268-07	PEST-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	D11	01/31/2025	Chemtech -SO
Q1268-08	PCB-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	D11	01/31/2025	Chemtech -SO
Q1268-09	PCB-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	D11	01/31/2025	Chemtech -SO
Q1268-10	SVOC-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	D11	01/31/2025	Chemtech -SO
Q1268-11	PEST-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	D11	01/31/2025	Chemtech -SO
Q1268-12	PEST-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	D11	01/31/2025	Chemtech -SO
Q1268-13	PCB-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	D11	01/31/2025	Chemtech -SO
Q1268-14	PCB-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	D11	01/31/2025	Chemtech -SO
Q1269-01	VNJ-231	Solid	Percent Solids	Cool 4 deg C	PSEG03	D11	01/31/2025	Chemtech -SO
Q1269-02	VNJ-231-E2	Solid	Percent Solids	Cool 4 deg C	PSEG03	D11	01/31/2025	Chemtech -SO
Q1270-01	BC247799-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	D31	01/31/2025	Chemtech -SO
Q1270-02	BC247799-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	D31	01/31/2025	Chemtech -SO
Q1270-03	BC24768-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	D31	01/31/2025	Chemtech -SO
Q1270-04	BC24768-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	D31	01/31/2025	Chemtech -SO

Date/Time 01/31/25 16:10
 Raw Sample Received by: SA WOC
 Raw Sample Relinquished by: RS (EST-104)

Date/Time 01/31/25 17:50
 Raw Sample Received by: RS (EST-104)
 Raw Sample Relinquished by: SA WOC

WORKLIST(Hardcopy Internal Chain)

1234567

WorkList Name : %1-013125

WorkList ID : 187328

Department : Wet-Chemistry

Date : 01-31-2025 07:56:55

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1270-05	BC274768-2-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	D31	01/31/2025	Chemtech -SO
Q1270-06	BC274768-2-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	D31	01/31/2025	Chemtech -SO
Q1271-01	RBR200030	Solid	Percent Solids	Cool 4 deg C	PSEG03	D21	01/31/2025	Chemtech -SO
Q1271-02	RBR200030-E2	Solid	Percent Solids	Cool 4 deg C	PSEG03	D21	01/31/2025	Chemtech -SO
Q1271-03	3189-3196	Solid	Percent Solids	Cool 4 deg C	PSEG03	D21	01/31/2025	Chemtech -SO

Date/Time 01/31/25 16:10
 Raw Sample Received by: J8 WPC
 Raw Sample Relinquished by: RJ C-ET-106

Date/Time 01/31/25 17:50
 Raw Sample Received by: RJ C-ET-106
 Raw Sample Relinquished by: J8 WPC

SOP ID: M3541-ASE Extraction-14
Clean Up SOP #: N/A
Matrix : Solid
Weigh By: EH
Balance check: RJ
Balance ID: EX-SC-2
pH Strip Lot#: N/A
Extraction By: RJ
Filter By: RJ
pH Meter ID: N/A
Hood ID: 3,7
Extraction Start Date : 01/31/2025
Extraction Start Time : 08:50
Extraction End Date : 01/31/2025
Extraction End Time : 11:50
Concentration By: EH
Supervisor By : rajesh

Extraction Method: ☐ Separatory Funnel ☐ Continuous Liquid/Liquid ☐ Sonication ☐ Waste Dilution ☒ Soxhlet

Standard Name	MLS USED	Concentration ug/mL	STD REF. # FROM LOG
Spike Sol 1	1.0ML	20 PPM	PP23913
Surrogate	1.0ML	20 PPM	PP23935
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
MeCl2/Acetone/1:1	N/A	EP2578
Baked Na2SO4	N/A	EP2580
Sand	N/A	E2865
Methylene Chloride	N/A	E3874
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

1.5 ML Vial lot# 2210673.

KD Bath ID: N/A

Envap ID: NEVAP-02

KD Bath Temperature: N/A

Envap Temperature: 40 °C


Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
01/31/25	RP (Ext. Lab)	J.P. Pestipog.
11:55	Preparation Group	Analysis Group

Analytical Method: M3541-ASE Extraction-14

Concentration Date: 01/31/2025

Sample ID	Client Sample ID	Test	g/ mL	PH	Surr/Spike By:		Final Vol. (mL)	JarID	Comments	Prep Pos
					AddedBy	VerifiedBy				
PB166415BL	PB166415BL	Diesel Range Organics	30.02	N/A	ritesh	Evelyn	1			U2-1
PB166415BS	PB166415BS	Diesel Range Organics	30.03	N/A	ritesh	Evelyn	1			2
Q1232-01	JPP-46.2-012925	Diesel Range Organics	30.07	N/A	ritesh	Evelyn	1	I		3
Q1232-05	JPP-46.1-012925	Diesel Range Organics	30.06	N/A	ritesh	Evelyn	1	I		4
Q1232-09	JPP-42.1-012925	Diesel Range Organics	30.02	N/A	ritesh	Evelyn	1	I		5
Q1232-13	JPP-42.2-012925	Diesel Range Organics	30.03	N/A	ritesh	Evelyn	1	I		6
Q1232-17	JPP-51.1-012925	Diesel Range Organics	30.01	N/A	ritesh	Evelyn	1	I		U3-1
Q1235-01	JPP-51.2-012925	Diesel Range Organics	30.05	N/A	ritesh	Evelyn	1	I		2
Q1235-05	JPP-16.1-012925	Diesel Range Organics	30.04	N/A	ritesh	Evelyn	1	I		3
Q1241-01	JPP-3.5-013025	Diesel Range Organics	30.07	N/A	ritesh	Evelyn	1	I		4
Q1241-05	JPP-5.3-013025	Diesel Range Organics	30.03	N/A	ritesh	Evelyn	1	I		5
Q1241-05MS	JPP-5.3-013025MS	Diesel Range Organics	30.05	N/A	ritesh	Evelyn	1	I		6
Q1241-05MS D	JPP-5.3-013025MSD	Diesel Range Organics	30.02	N/A	ritesh	Evelyn	1	I		U4-1
Q1241-09	JPP-5.2-013025	Diesel Range Organics	30.03	N/A	ritesh	Evelyn	1	I		2
Q1241-13	JPP-5.4-013025	Diesel Range Organics	30.06	N/A	ritesh	Evelyn	1	I		3
Q1241-17	JPP-51.4-013025	Diesel Range Organics	30.08	N/A	ritesh	Evelyn	1	I		4
Q1242-01	JPP-6.2-013025	Diesel Range Organics	30.01	N/A	ritesh	Evelyn	1	I		5

* Extracts relinquished on the same date as received.



WORKLIST(Hardcopy Internal Chain)

WorkList Name : Q1241

WorkList ID : 187331

Department : Extraction

Date : 01-31-2025 08:13:34

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1232-01	JPP-46.2-012925	Solid	Diesel Range Organics	Cool 4 deg C	RUTW01	E11	01/29/2025	8015D
Q1232-05	JPP-46.1-012925	Solid	Diesel Range Organics	Cool 4 deg C	RUTW01	E11	01/29/2025	8015D
Q1232-09	JPP-42.1-012925	Solid	Diesel Range Organics	Cool 4 deg C	RUTW01	E11	01/29/2025	8015D
Q1232-13	JPP-42.2-012925	Solid	Diesel Range Organics	Cool 4 deg C	RUTW01	E11	01/29/2025	8015D
Q1232-17	JPP-51.1-012925	Solid	Diesel Range Organics	Cool 4 deg C	RUTW01	E11	01/29/2025	8015D
Q1235-01	JPP-51.2-012925	Solid	Diesel Range Organics	Cool 4 deg C	RUTW01	E11	01/29/2025	8015D
Q1235-05	JPP-16.1-012925	Solid	Diesel Range Organics	Cool 4 deg C	RUTW01	E11	01/29/2025	8015D
Q1241-01	JPP-3.5-013025	Solid	Diesel Range Organics	Cool 4 deg C	RUTW01	E11	01/30/2025	8015D
Q1241-05	JPP-5.3-013025	Solid	Diesel Range Organics	Cool 4 deg C	RUTW01	E11	01/30/2025	8015D
Q1241-09	JPP-5.2-013025	Solid	Diesel Range Organics	Cool 4 deg C	RUTW01	E11	01/30/2025	8015D
Q1241-13	JPP-5.4-013025	Solid	Diesel Range Organics	Cool 4 deg C	RUTW01	E11	01/30/2025	8015D
Q1241-17	JPP-51.4-013025	Solid	Diesel Range Organics	Cool 4 deg C	RUTW01	E11	01/30/2025	8015D
Q1242-01	JPP-6.2-013025	Solid	Diesel Range Organics	Cool 4 deg C	RUTW01	E11	01/30/2025	8015D

Date/Time 01/31/25 8:47
 Raw Sample Received by: AS (Per last)
 Raw Sample Relinquished by: AS

Date/Time 01/31/25 9:10
 Raw Sample Received by: CP SM
 Raw Sample Relinquished by: AS (Per last)

Prep Standard - Chemical Standard Summary

Order ID : Q1242

Test : Diesel Range Organics

Prepbatch ID : PB166415,

Sequence ID/Qc Batch ID: FG013125,FE013125,

Standard ID :

EP2578,EP2580,PP23913,PP23935,PP23961,PP23962,PP23963,PP23964,PP23965,PP23966,PP23967,

Chemical ID :

E2865,E3551,E3822,E3828,E3846,E3848,E3874,P11958,P11959,P13104,P13109,P13213,P13218,P13219,P13492,P13493,P13494,P13495,

Extractions STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2017	1:1 ACETONE/METHYLENE CHLORIDE	EP2578	01/06/2025	06/18/2025	Rajesh Parikh	None	None	RUPESHKUMAR SHAH 01/06/2025

FROM 8000.00000ml of E3846 + 8000.00000ml of E3848 = Final Quantity: 16000.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3923	Baked Sodium Sulfate	EP2580	01/17/2025	07/01/2025	Rajesh Parikh	Extraction_SC ALE_2 (EX-SC-2)	None	RUPESHKUMAR SHAH 01/17/2025

FROM 4000.00000gram of E3551 = Final Quantity: 4000.000 gram

Pest/Pcb STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3609	20 PPM DRO SPIKE SOLUTION (RESTEK)	PP23913	10/25/2024	04/23/2025	Yogesh Patel	None	None	Ankita Jodhani
								10/25/2024

FROM 1.00000ml of P13104 + 1.00000ml of P13109 + 48.00000ml of E3822 = Final Quantity: 50.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
147	20 PPM DRO Surrogate Spike Solution	PP23935	11/01/2024	04/23/2025	Yogesh Patel	None	None	Ankita Jodhani
								11/04/2024

FROM 1.00000ml of P13492 + 1.00000ml of P13493 + 1.00000ml of P13494 + 1.00000ml of P13495 + 196.00000ml of E3822 = Final Quantity: 200.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
433	100/100 PPM DRO (Restek)	PP23961	11/13/2024	05/09/2025	Yogesh Patel	None	None	Ankita Jodhani 11/13/2024
<u>FROM</u>	1.00000ml of P11958 + 1.00000ml of P11959 + 1.00000ml of P13213 + 7.00000ml of E3828 = Final Quantity: 10.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3796	100/100 PPM DRO STD (CPI)	PP23962	11/13/2024	02/14/2025	Yogesh Patel	None	None	Ankita Jodhani
<u>FROM</u> 1.00000ml of P13213 + 1.00000ml of P13218 + 1.00000ml of P13219 + 7.00000ml of E3828 = Final Quantity: 10.000 ml								

Pest/Pcb STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
435	50 PPM ICC DRO STD (Restek)	PP23963	11/13/2024	05/09/2025	Yogesh Patel	None	None	Ankita Jodhani
								11/13/2024

FROM 0.50000ml of E3828 + 0.50000ml of PP23961 = Final Quantity: 1.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
437	20 PPM ICC DRO STD (Restek)	PP23964	11/13/2024	05/09/2025	Yogesh Patel	None	None	Ankita Jodhani
								11/13/2024

FROM 0.80000ml of E3828 + 0.20000ml of PP23961 = Final Quantity: 1.000 ml

Pest/Pcb STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
438	10 PPM ICC DRO STD (Restek)	PP23965	11/13/2024	05/09/2025	Yogesh Patel	None	None	Ankita Jodhani
								11/13/2024

FROM 0.90000ml of E3828 + 0.10000ml of PP23961 = Final Quantity: 1.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
439	5 PPM ICC DRO STD (Restek)	PP23966	11/13/2024	05/09/2025	Yogesh Patel	None	None	Ankita Jodhani
								11/13/2024

FROM 0.90000ml of E3828 + 0.10000ml of PP23963 = Final Quantity: 1.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3797	50 PPM DRO ICV STD (CPI)	PP23967	11/13/2024	02/14/2025	Yogesh Patel	None	None	Ankita Jodhani
<u>FROM</u>	0.80000ml of E3828 + 0.50000ml of PP23962 = Final Quantity: 1.000 ml							

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3382-05 / Sand, Purified (cs/4x2.5kg)	0000243821	06/30/2025	04/30/2020 / RAJESH	04/28/2020 / RAJESH	E2865

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19631-100 / SODIUM SULFATE, ANHYDROUS, PEST GRADE, 1	313201	07/01/2025	01/03/2024 / Rajesh	07/20/2023 / Rajesh	E3551

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L)	24I2662006	04/23/2025	10/24/2024 / Rajesh	10/24/2024 / Rajesh	E3822

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L)	24G0862003	05/09/2025	11/09/2024 / Rajesh	11/04/2024 / Rajesh	E3828

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	24H2762008	06/26/2025	12/26/2024 / Rajesh	12/13/2024 / Rajesh	E3846

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L)	24K1762005	06/18/2025	12/18/2024 / Rajesh	12/09/2024 / Rajesh	E3848

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L)	25A0262002	07/30/2025	01/30/2025 / Rajesh	01/20/2025 / Rajesh	E3874

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31266 / Florida TRPH Standard	A0186840	05/13/2025	11/13/2024 / yogesh	07/11/2022 / Yogesh	P11958

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31266 / Florida TRPH Standard	A0186840	05/13/2025	11/13/2024 / yogesh	07/11/2022 / Yogesh	P11959

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31266 / Florida TRPH Standard	A0204859	04/25/2025	10/25/2024 / yogesh	01/12/2024 / Yogesh	P13104

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31266 / Florida TRPH Standard	A0204859	04/25/2025	10/25/2024 / yogesh	01/12/2024 / Yogesh	P13109

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	72072 / n-Tetracosane-d50, 1000 ug/ml	101122	05/13/2025	11/13/2024 / yogesh	01/17/2024 / Ankita	P13213

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-110400-05-01 / TRPH Standard (C8-C40), 500 mg/L, 1 ml	514983	02/14/2025	08/14/2024 / yogesh	01/31/2024 / Ankita	P13218

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-110400-05-01 / TRPH Standard (C8-C40), 500 mg/L, 1 ml	514983	05/13/2025	11/13/2024 / yogesh	01/31/2024 / Ankita	P13219

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	72072 / n-Tetracosane-d50, 1000 ug/ml	101122	05/01/2025	11/01/2024 / yogesh	07/24/2024 / yogesh	P13492

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	72072 / n-Tetracosane-d50, 1000 ug/ml	101122	05/01/2025	11/01/2024 / yogesh	07/24/2024 / yogesh	P13493

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	72072 / n-Tetracosane-d50, 1000 ug/ml	101122	05/01/2025	11/01/2024 / yogesh	07/24/2024 / yogesh	P13494

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	72072 / n-Tetracosane-d50, 1000 ug/ml	101122	05/01/2025	11/01/2024 / yogesh	07/24/2024 / yogesh	P13495

Sand
Purified
Washed and Ignited



Material No.: 3382-05
Batch No.: 0000243821
Manufactured Date: 2018/04/09
Retest Date: 2025/04/07
Revision No: 1


Certificate of Analysis

Test	Specification	Result
Substances Soluble in HCl	$\leq 0.16\%$	0.01

For Laboratory, Research or Manufacturing Use
Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: US
Packaging Site: Paris Mfg Ctr & DC

E 2865


Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700



**PRODUCTOS
QUÍMICOS
MONTERREY, S.A. DE C.V.**

MIRADOR 201, COL. MIRADOR
MONTERREY, N.L. MEXICO
CP 64070
TEL +52 81 13 52 57 57
www.pqm.com.mx

CERTIFICATE OF ANALYSIS

PRODUCT :	SODIUM SULFATE CRYSTALS ANHYDROUS		
QUALITY :	ACS (CODE RMB3375)	FORMULA :	Na ₂ SO ₄
SPECIFICATION NUMBER :	6399	RELEASE DATE:	ABR/21/2023
LOT NUMBER :	313201		

TEST	SPECIFICATIONS	LOT VALUES
Assay (Na ₂ SO ₄)	Min. 99.0%	99.7 %
pH of a 5% solution at 25°C	5.2 - 9.2	6.1
Insoluble matter	Max. 0.01%	0.005 %
Loss on ignition	Max. 0.5%	0.1 %
Chloride (Cl)	Max. 0.001%	<0.001 %
Nitrogen compounds (as N)	Max. 5 ppm	<5 ppm
Phosphate (PO ₄)	Max. 0.001%	<0.001 %
Heavy metals (as Pb)	Max. 5 ppm	<5 ppm
Iron (Fe)	Max. 0.001%	<0.001 %
Calcium (Ca)	Max. 0.01%	0.002 %
Magnesium (Mg)	Max. 0.005%	0.001 %
Potassium (K)	Max. 0.008%	0.003 %
Extraction-concentration suitability	Passes test	Passes test
Appearance	Passes test	Passes test
Identification	Passes test	Passes test
Solubility and foreign matter	Passes test	Passes test
Retained on US Standard No. 10 sieve	Max. 1%	0.1 %
Retained on US Standard No. 60 sieve	Min. 94%	97.3 %
Through US Standard No. 60 sieve	Max. 5%	2.5 %
Through US Standard No. 100 sieve	Max. 10%	0.1 %

COMMENTS

QC: PhC Irma Belmares

If you need further details, please call our factory or contact our local distributor.

Recd. by R3 on 7/24/23 E 3551

RC-02-01, Ed. 3

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)



Material No.: 9266-A4

Batch No.: 24I2662006

Manufactured Date: 2024-08-29

Expiration Date: 2025-11-28

Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	2
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	≤ 10	3
Assay (CH_2Cl_2) (by GC, exclusive of preservative, corrected for water)	$\geq 99.8 \%$	99.9 %
Color (APHA)	≤ 10	5
Residue after Evaporation	$\leq 1.0 \text{ ppm}$	0.2 ppm
Titration Acid ($\mu\text{eq/g}$)	≤ 0.3	< 0.1
Chloride (Cl)	$\leq 10 \text{ ppm}$	$< 5 \text{ ppm}$
Water (by KF, coulometric)	$\leq 0.02 \%$	$< 0.01 \%$

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

E 3822

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials LLC

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)

 **avantor**™



Material No.: 9266-A4

Batch No.: 24J0862003

Manufactured Date: 2024-09-12

Expiration Date: 2025-12-12

Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	2
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	≤ 10	1
Assay (CH_2Cl_2) (by GC, exclusive of preservative, corrected for water)	$\geq 99.8\%$	100.0 %
Color (APHA)	≤ 10	5
Residue after Evaporation	≤ 1.0 ppm	0.2 ppm
Titration Acid ($\mu\text{eq/g}$)	≤ 0.3	< 0.1
Chloride (Cl)	≤ 10 ppm	< 5 ppm
Water (by KF, coulometric)	$\leq 0.02\%$	$< 0.01\%$

For Laboratory, Research, or Manufacturing Use

MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

E 3828



Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials LLC

Acetone
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis

 **avantors™**



Material No.: 9254-03

Batch No.: 24H2762008

Manufactured Date: 2024-04-18

Expiration Date: 2027-04-18

Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay ((CH ₃) ₂ CO) (by GC, corrected for water)	>= 99.4 %	100.0 %
Color (APHA)	<= 10	5
Residue after Evaporation	<= 1.0 ppm	0.0 ppm
Substances Reducing Permanganate	Passes Test	Passes Test
Titration Acid (µeq/g)	<= 0.3	0.2
Titration Base (µeq/g)	<= 0.6	<0.1
Water (H ₂ O)	<= 0.5 %	<0.1 %
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	<= 5	1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	<= 10	1

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

Rec'd by RP On 12/13/24

E 3846



Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials LLC

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)



Material No.: 9266-A4
Batch No.: 24K1762005
Manufactured Date: 2024-10-08
Expiration Date: 2026-01-07
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	≤ 10	2
Assay (CH_2Cl_2) (by GC, exclusive of preservative, corrected for water)	$\geq 99.8\%$	100.0 %
Color (APHA)	≤ 10	5
Residue after Evaporation	≤ 1.0 ppm	0.5 ppm
Titration Acid ($\mu\text{eq/g}$)	≤ 0.3	0.0
Chloride (Cl)	≤ 10 ppm	< 5 ppm
Water (by KF, coulometric)	$\leq 0.02\%$	0.01 %

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

E 3848

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA, 19087, U.S.A. Phone 610.386.1700

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)



Material No.: 9266-A4
Batch No.: 25A0262002
Manufactured Date: 2024-11-21
Expiration Date: 2026-02-20
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	≤ 10	4
Assay (CH_2Cl_2) (by GC, exclusive of preservative, corrected for water)	$\geq 99.8\%$	99.9%
Color (APHA)	≤ 10	10
Residue after Evaporation	≤ 1.0 ppm	0.8 ppm
Titration Acid ($\mu\text{eq/g}$)	≤ 0.3	< 0.1
Chloride (Cl)	≤ 10 ppm	< 5 ppm
Water (by KF, coulometric)	$\leq 0.02\%$	$< 0.01\%$

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

E 3874

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA, 19087, U.S.A. Phone 610.386.1700



CERTIFIED REFERENCE MATERIAL

110 Benner Circle


Bellefonte, PA 16823-8812

Tel: (800)356-1688

Fax: (814)353-1309

www.restek.com

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31266

Lot No.: A0186840

Description : Florida TRPH Standard

Florida TRPH Standard 500µg/mL, Hexane, 1mL/ampul

Container Size : 2 mL

Pkg Amt: > 1 mL

Expiration Date : July 31, 2029

Storage: 25°C nominal

Handling: Sonicate prior to use.

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)	
1	n-Octane (C8) CAS # 111-65-9 Purity 99%	505.0 µg/mL	+/- 2.9995 µg/mL +/- 12.5465 µg/mL +/- 15.0390 µg/mL	Gravimetric Unstressed Stressed
2	n-Decane (C10) CAS # 124-18-5 Purity 99%	503.0 µg/mL	+/- 2.9877 µg/mL +/- 12.4968 µg/mL +/- 14.9795 µg/mL	Gravimetric Unstressed Stressed
3	n-Dodecane (C12) CAS # 112-40-3 Purity 99%	503.5 µg/mL	+/- 2.9906 µg/mL +/- 12.5092 µg/mL +/- 14.9944 µg/mL	Gravimetric Unstressed Stressed
4	n-Tetradecane (C14) CAS # 629-59-4 Purity 99%	505.0 µg/mL	+/- 2.9995 µg/mL +/- 12.5465 µg/mL +/- 15.0390 µg/mL	Gravimetric Unstressed Stressed
5	n-Hexadecane (C16) CAS # 544-76-3 Purity 98%	504.7 µg/mL	+/- 2.9978 µg/mL +/- 12.5390 µg/mL +/- 15.0301 µg/mL	Gravimetric Unstressed Stressed
6	n-Octadecane (C18) CAS # 593-45-3 Purity 97%	504.4 µg/mL	+/- 2.9960 µg/mL +/- 12.5316 µg/mL +/- 15.0212 µg/mL	Gravimetric Unstressed Stressed
7	n-Eicosane (C20) CAS # 112-95-8 Purity 99%	503.5 µg/mL	+/- 2.9906 µg/mL +/- 12.5092 µg/mL +/- 14.9944 µg/mL	Gravimetric Unstressed Stressed

P11948 } 7.8
P11962 } 07/11/16

8	n-Docosane (C22) CAS # 629-97-0 Purity 99%	(Lot MKCL8918)	504.5 µg/mL	+/- 2.9966 +/- 12.5340 +/- 15.0241	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
9	n-Tetracosane (C24) CAS # 646-31-1 Purity 99%	(Lot MKCN2863)	503.5 µg/mL	+/- 2.9906 +/- 12.5092 +/- 14.9944	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
10	n-Hexacosane (C26) CAS # 630-01-3 Purity 99%	(Lot MKCD4540)	504.0 µg/mL	+/- 2.9936 +/- 12.5216 +/- 15.0093	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
11	n-Octacosane (C28) CAS # 630-02-4 Purity 99%	(Lot BCCG0084)	504.5 µg/mL	+/- 2.9966 +/- 12.5340 +/- 15.0241	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
12	n-Triacontane (C30) CAS # 638-68-6 Purity 99%	(Lot MKCN9321)	505.0 µg/mL	+/- 2.9995 +/- 12.5465 +/- 15.0390	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
13	n-Dotriacontane (C32) CAS # 544-85-4 Purity 99%	(Lot BCBW0661)	505.0 µg/mL	+/- 2.9995 +/- 12.5465 +/- 15.0390	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
14	n-Tetratriacontane (C34) CAS # 14167-59-0 Purity 99%	(Lot OML4N)	504.5 µg/mL	+/- 2.9966 +/- 12.5340 +/- 15.0241	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
15	n-Hexatriacontane (C36) CAS # 630-06-8 Purity 99%	(Lot U25B014)	504.0 µg/mL	+/- 2.9936 +/- 12.5216 +/- 15.0093	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
16	n-Octatriacontane (C38) CAS # 7194-85-6 Purity 97%	(Lot 0000127235)	504.4 µg/mL	+/- 2.9960 +/- 12.5316 +/- 15.0212	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
17	n-Tetracontane (C40) CAS # 4181-95-7 Purity 98%	(Lot PADGI)	504.7 µg/mL	+/- 2.9978 +/- 12.5390 +/- 15.0301	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed

Solvent: Hexane
CAS # 110-54-3
Purity 99%

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:


250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Brittany Federinko

Brittany Federinko - Operations Tech I

Date Mixed: 29-Jun-2022

Balance: 1128360905

Christie Mills

Christie Mills - Operations Tech II - ARM QC

Date Passed: 01-Jul-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k \sqrt{U_{gravimetric}^2 + U_{homogeneity}^2 + U_{storage\ stability}^2 + U_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-US for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-US.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.



CERTIFIED REFERENCE MATERIAL

110 Benner Circle


Bellefonte, PA 16823-8812

Tel: (800)356-1688

Fax: (814)353-1309

www.restek.com

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31266

Lot No.: A0186840

Description : Florida TRPH Standard

Florida TRPH Standard 500µg/mL, Hexane, 1mL/ampul

Container Size : 2 mL

Pkg Amt: > 1 mL

Expiration Date : July 31, 2029

Storage: 25°C nominal

Handling: Sonicate prior to use.

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)	
1	n-Octane (C8) CAS # 111-65-9 Purity 99%	505.0 µg/mL	+/- 2.9995 +/- 12.5465 +/- 15.0390	µg/mL Gravimetric Unstressed Stressed
2	n-Decane (C10) CAS # 124-18-5 Purity 99%	503.0 µg/mL	+/- 2.9877 +/- 12.4968 +/- 14.9795	µg/mL Gravimetric Unstressed Stressed
3	n-Dodecane (C12) CAS # 112-40-3 Purity 99%	503.5 µg/mL	+/- 2.9906 +/- 12.5092 +/- 14.9944	µg/mL Gravimetric Unstressed Stressed
4	n-Tetradecane (C14) CAS # 629-59-4 Purity 99%	505.0 µg/mL	+/- 2.9995 +/- 12.5465 +/- 15.0390	µg/mL Gravimetric Unstressed Stressed
5	n-Hexadecane (C16) CAS # 544-76-3 Purity 98%	504.7 µg/mL	+/- 2.9978 +/- 12.5390 +/- 15.0301	µg/mL Gravimetric Unstressed Stressed
6	n-Octadecane (C18) CAS # 593-45-3 Purity 97%	504.4 µg/mL	+/- 2.9960 +/- 12.5316 +/- 15.0212	µg/mL Gravimetric Unstressed Stressed
7	n-Eicosane (C20) CAS # 112-95-8 Purity 99%	503.5 µg/mL	+/- 2.9906 +/- 12.5092 +/- 14.9944	µg/mL Gravimetric Unstressed Stressed

P11948 } 7.8
P11962 } 07/11/16

8	n-Docosane (C22) CAS # 629-97-0 Purity 99%	(Lot MKCL8918)	504.5 µg/mL	+/- 2.9966 +/- 12.5340 +/- 15.0241	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
9	n-Tetracosane (C24) CAS # 646-31-1 Purity 99%	(Lot MKCN2863)	503.5 µg/mL	+/- 2.9906 +/- 12.5092 +/- 14.9944	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
10	n-Hexacosane (C26) CAS # 630-01-3 Purity 99%	(Lot MKCD4540)	504.0 µg/mL	+/- 2.9936 +/- 12.5216 +/- 15.0093	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
11	n-Octacosane (C28) CAS # 630-02-4 Purity 99%	(Lot BCCG0084)	504.5 µg/mL	+/- 2.9966 +/- 12.5340 +/- 15.0241	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
12	n-Triacontane (C30) CAS # 638-68-6 Purity 99%	(Lot MKCN9321)	505.0 µg/mL	+/- 2.9995 +/- 12.5465 +/- 15.0390	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
13	n-Dotriacontane (C32) CAS # 544-85-4 Purity 99%	(Lot BCBW0661)	505.0 µg/mL	+/- 2.9995 +/- 12.5465 +/- 15.0390	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
14	n-Tetratriacontane (C34) CAS # 14167-59-0 Purity 99%	(Lot OML4N)	504.5 µg/mL	+/- 2.9966 +/- 12.5340 +/- 15.0241	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
15	n-Hexatriacontane (C36) CAS # 630-06-8 Purity 99%	(Lot U25B014)	504.0 µg/mL	+/- 2.9936 +/- 12.5216 +/- 15.0093	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
16	n-Octatriacontane (C38) CAS # 7194-85-6 Purity 97%	(Lot 0000127235)	504.4 µg/mL	+/- 2.9960 +/- 12.5316 +/- 15.0212	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
17	n-Tetracontane (C40) CAS # 4181-95-7 Purity 98%	(Lot PADGI)	504.7 µg/mL	+/- 2.9978 +/- 12.5390 +/- 15.0301	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed

Solvent: Hexane
CAS # 110-54-3
Purity 99%

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:


250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Brittany Federinko

Brittany Federinko - Operations Tech I

Date Mixed: 29-Jun-2022

Balance: 1128360905

Christie Mills

Christie Mills - Operations Tech II - ARM QC

Date Passed: 01-Jul-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k \sqrt{U_{gravimetric}^2 + U_{homogeneity}^2 + U_{storage\ stability}^2 + U_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-US for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-US.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31266 **Lot No.:** A0204859

Description : Florida TRPH Standard

Florida TRPH Standard 500µg/mL, Hexane, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : December 31, 2030 **Storage:** 25°C nominal

Handling: Sonicate prior to use. **Ship:** Ambient

P13103 } Y.P.
↓
P13112 } 01/12/2024

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	n-Octane (C8)	111-65-9	SHBP9758	99%	504.4 µg/mL	+/- 13.0305
2	n-Decane (C10)	124-18-5	SHBQ1342	99%	503.6 µg/mL	+/- 13.0098
3	n-Dodecane (C12)	112-40-3	SHBP7054	99%	503.6 µg/mL	+/- 13.0098
4	n-Tetradecane (C14)	629-59-4	STBK5437	99%	504.0 µg/mL	+/- 13.0201
5	n-Hexadecane (C16)	544-76-3	SHBP8192	99%	504.0 µg/mL	+/- 13.0201
6	n-Octadecane (C18)	593-45-3	UE5NG	98%	504.1 µg/mL	+/- 13.0230
7	n-Eicosane (C20)	112-95-8	MKCN8767	97%	504.0 µg/mL	+/- 13.0204
8	n-Docosane (C22)	629-97-0	MKQC3882	99%	503.6 µg/mL	+/- 13.0098
9	n-Tetracosane (C24)	646-31-1	MKQC8345	99%	504.0 µg/mL	+/- 13.0201
10	n-Hexacosane (C26)	630-01-3	MKQC4814	99%	504.0 µg/mL	+/- 13.0201
11	n-Octacosane (C28)	630-02-4	BCCG0084	99%	504.0 µg/mL	+/- 13.0201
12	n-Triacontane (C30)	638-68-6	MKQC9436	97%	504.0 µg/mL	+/- 13.0204
13	n-Dotriacontane (C32)	544-85-4	BCBW0661	99%	504.0 µg/mL	+/- 13.0201
14	n-Tetratriacontane (C34)	14167-59-0	OML4N	99%	504.4 µg/mL	+/- 13.0305
15	n-Hexatriacontane (C36)	630-06-8	Z27H018	99%	504.0 µg/mL	+/- 13.0201
16	n-Octatriacontane (C38)	7194-85-6	0000145137	96%	503.8 µg/mL	+/- 13.0152
17	n-Tetracontane (C40)	4181-95-7	OKEGA	99%	503.6 µg/mL	+/- 13.0098

Solvent: Hexane
CAS # 110-54-3
Purity 99%

Quality Confirmation Test

Column:
30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:
hydrogen-constant pressure 10 psi.

Temp. Program:
40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)


Inj. Temp:
250°C

Det. Temp:
330°C

Det. Type:
FID

Split Vent:
2 ml/min.

Inj. Vol
1µl




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Dakota Parson - Operations Technician I

Date Mixed: 29-Nov-2023

Balance Serial # B442140311


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 01-Dec-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31266 **Lot No.:** A0204859

Description : Florida TRPH Standard

Florida TRPH Standard 500µg/mL, Hexane, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : December 31, 2030 **Storage:** 25°C nominal

Handling: Sonicate prior to use. **Ship:** Ambient

P13103 } Y.P.
↓
P13112 } 01/12/2024

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	n-Octane (C8)	111-65-9	SHBP9758	99%	504.4 µg/mL	+/- 13.0305
2	n-Decane (C10)	124-18-5	SHBQ1342	99%	503.6 µg/mL	+/- 13.0098
3	n-Dodecane (C12)	112-40-3	SHBP7054	99%	503.6 µg/mL	+/- 13.0098
4	n-Tetradecane (C14)	629-59-4	STBK5437	99%	504.0 µg/mL	+/- 13.0201
5	n-Hexadecane (C16)	544-76-3	SHBP8192	99%	504.0 µg/mL	+/- 13.0201
6	n-Octadecane (C18)	593-45-3	UE5NG	98%	504.1 µg/mL	+/- 13.0230
7	n-Eicosane (C20)	112-95-8	MKCN8767	97%	504.0 µg/mL	+/- 13.0204
8	n-Docosane (C22)	629-97-0	MKQC3882	99%	503.6 µg/mL	+/- 13.0098
9	n-Tetracosane (C24)	646-31-1	MKQC8345	99%	504.0 µg/mL	+/- 13.0201
10	n-Hexacosane (C26)	630-01-3	MKQC4814	99%	504.0 µg/mL	+/- 13.0201
11	n-Octacosane (C28)	630-02-4	BCCG0084	99%	504.0 µg/mL	+/- 13.0201
12	n-Triacontane (C30)	638-68-6	MKQC9436	97%	504.0 µg/mL	+/- 13.0204
13	n-Dotriacontane (C32)	544-85-4	BCBW0661	99%	504.0 µg/mL	+/- 13.0201
14	n-Tetratriacontane (C34)	14167-59-0	OML4N	99%	504.4 µg/mL	+/- 13.0305
15	n-Hexatriacontane (C36)	630-06-8	Z27H018	99%	504.0 µg/mL	+/- 13.0201
16	n-Octatriacontane (C38)	7194-85-6	0000145137	96%	503.8 µg/mL	+/- 13.0152
17	n-Tetracontane (C40)	4181-95-7	OKEGA	99%	503.6 µg/mL	+/- 13.0098

Solvent: Hexane
CAS # 110-54-3
Purity 99%

Quality Confirmation Test

Column:
30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:
hydrogen-constant pressure 10 psi.

Temp. Program:
40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)


Inj. Temp:
250°C

Det. Temp:
330°C

Det. Type:
FID

Split Vent:
2 ml/min.

Inj. Vol
1µl




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Dakota Parson - Operations Technician I

Date Mixed: 29-Nov-2023

Balance Serial # B442140311


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 01-Dec-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ μ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

CERTIFIED WEIGHT REPORT

Part Number:
Lot Number:
Description:

72072
101122
n-Tetracosane-d50

Solvent(s):
Methylene chloride

Lot#
105345

Expiration Date:
Recommended Storage:
Nominal Concentration (µg/mL):
NIST Test ID#:

101132
Ambient (20 °C)
1000
6UTB

5E-05 Balance Uncertainty
0.058 Flask Uncertainty

Weight(s) shown below were combined and diluted to (mL): 200.0


Formulated By:	Prashant Chauhan	101122	DATE
Reviewed By:	Pedro L. Renteria	101122	DATE

SDS Information

Expanded Uncertainty (Solvent Safety Info. On Attached pg.)
Actual Conc (µg/mL) (±) (µg/mL) CAS# OSHA PEL (TWA) LD50

Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Purity Uncertainty (%)	Assay (%D)	Target Weight(g)	Actual Weight(g)	Actual Conc (µg/mL)	Expanded Uncertainty (±) (µg/mL)	CAS#	OSHA PEL (TWA)	LD50
1. n-Tetracosane-d50	2072	PR-26606	1000	98.7	0.2	99.0	0.20471	0.20482	1000.6	4.1	16416-32-3	N/A	N/A

Method GC8MSD-3.M: Column:SPB-5 (30m X 0.25mm ID X 0.25µm film thickness) Temp 1 = 50°C (1min.), Temp 2 = 300°C (9min.), Rate = 10°C/min., Injector B= 250°C, Detector B = 275°C, Split Ratio = 100:1, Scan Rate = 2. Analysis performed by: Candice Warren.



The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
Standards are certified (±) 0.5% of the stated value, unless otherwise stated.
All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).



5580 Skylane Blvd
Santa Rosa, CA 95403

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date Received: _____

Certificate of Analysis

Page 1 of 1

Catalog No.: Lot No.: Storage:

Z-110400-05 514983 ≤ -10 Degrees C

Solvent:

Hexane

Exp. Date:

11/20/2028

Description:

TRPH Standard (C8-C40), 500 mg/L, 1 ml

-01

Compound

CAS No.

Purity (%)

Compound Lot No.

Concentration, mg/L

decane (C10)

124-18-5

99.7

415.7.2P

498.5 ± 6.92

docosane (C22)

629-97-0

98.8

420.9.1P

499.4 ± 6.93

dodecane (C12)

112-40-3

99.7

416.9.3P

502 ± 6.97

dotriacontane (C32)

544-85-4

97

425.9.2.2P

499.6 ± 8.53

eicosane (C20)

112-95-8

99.8

419.7.1P

501 ± 6.95

hexacosane (C26)

630-01-3

99.3

422.7.2.1P

501 ± 6.95

hexatriacontane (C36)

630-06-8

98

427.29.1.1P

499.3 ± 8.53

n-hexadecane (C16)

544-76-3

99.45

368.27.1.1P

498.7 ± 6.91

octacosane (C28)

630-02-4

99.1

423.24.1P

500.5 ± 6.95

n-octadecane (C18)

593-45-3

99.5

418.29.1P

499.5 ± 6.92

octane (C8)

111-65-9

99.4

385.7.2.1P

498.5 ± 6.92

octatriacontane (C38)

7194-85-6

95

428.1.2P

500.2 ± 6.94

tetracontane (C40)

4181-95-7

97

429.7.2P

499.6 ± 6.93

n-tetracosane (C24)

646-31-1

99.5

421.7.1P

499.5 ± 6.93

n-tetradecane (C14)

629-59-4

99.3

417.9.1P

500 ± 6.94

tetatriacontane (C34)

14167-59-0

96.1

426.7.2.2P

499.7 ± 8.53

triacontane (C30)

638-68-6

99.5

424.7.1.1P

500 ± 6.94

Let the standard warm to room temperature and sonicate before opening.

P13215

↓

P13224

AJ
01131124

*Not a certified value

Andrea Schaible

Certified By: _____
Andrea Schaible
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



5580 Skylane Blvd
Santa Rosa, CA 95403

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date Received: _____

Certificate of Analysis

Page 1 of 1

Catalog No.: Lot No.: Storage:

Z-110400-05 514983 ≤ -10 Degrees C

Solvent:

Hexane

Exp. Date:

11/20/2028

Description:

TRPH Standard (C8-C40), 500 mg/L, 1 ml

-01

Compound

CAS No.

Purity (%)

Compound Lot No.

Concentration, mg/L

decane (C10)

124-18-5

99.7

415.7.2P

498.5 ± 6.92

docosane (C22)

629-97-0

98.8

420.9.1P

499.4 ± 6.93

dodecane (C12)

112-40-3

99.7

416.9.3P

502 ± 6.97

dotriacontane (C32)

544-85-4

97

425.9.2.2P

499.6 ± 8.53

eicosane (C20)

112-95-8

99.8

419.7.1P

501 ± 6.95

hexacosane (C26)

630-01-3

99.3

422.7.2.1P

501 ± 6.95

hexatriacontane (C36)

630-06-8

98

427.29.1.1P

499.3 ± 8.53

n-hexadecane (C16)

544-76-3

99.45

368.27.1.1P

498.7 ± 6.91

octacosane (C28)

630-02-4

99.1

423.24.1P

500.5 ± 6.95

n-octadecane (C18)

593-45-3

99.5

418.29.1P

499.5 ± 6.92

octane (C8)

111-65-9

99.4

385.7.2.1P

498.5 ± 6.92

octatriacontane (C38)

7194-85-6

95

428.1.2P

500.2 ± 6.94

tetracontane (C40)

4181-95-7

97

429.7.2P

499.6 ± 6.93

n-tetracosane (C24)

646-31-1

99.5

421.7.1P

499.5 ± 6.93

n-tetradecane (C14)

629-59-4

99.3

417.9.1P

500 ± 6.94

tetatriacontane (C34)

14167-59-0

96.1

426.7.2.2P

499.7 ± 8.53

triacontane (C30)

638-68-6

99.5

424.7.1.1P

500 ± 6.94

Let the standard warm to room temperature and sonicate before opening.

P 13215

↓

P 13224

AJ
01131124

*Not a certified value

Andrea Schaible

Andrea Schaible
Chemist

Certified By: _____

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.

ABSOLUTE STANDARDS, INC.

ISO - 17034



Certificate of Analysis



Certified Reference Material (CRM)

Conformance: The "Certificate of Analysis" is applicable for CRM's, fulfilling the requirements in the current version of: ISO 17034.

Health & Safety: See the attached SDS & Certified Weight Report before use.

Intended Use: This Certified Reference Material (CRM) is intended primarily for use in the characterization of unknowns and the establishment of analyzer or instrument response factors by qualified personnel. Typical instrumental organic assays include: GC & LC, and inorganic assays include: ICP & AA. This product is for laboratory use only.

Characterization Values: In production, gravimetric/volumetric readings are certified to be within $\pm 0.5\%$ of the stated value & are valid between 18 °C & 30 °C. The measured characterization of uncertainty can be found on the Certified Weight Report. All product weighings are performed on an analytical balance that is calibrated to NIST Traceable standard weights & certified by the manufacturer. The volumetric glassware used is Class "A" type & conforms to ASTM E-288 unless otherwise stated. The solvents & compounds used are of the highest practical purity & typically meet or exceed ACS Reagent Grade & ACS Standards Grade specifications. The expanded uncertainty field on Certified Wt. Report represents CRM uncertainty as described in ISO 17034.

Homogeneity: Uncertainties that are due to the analytical procedure(s) are within $\pm 5\%$ unless specifically stated on the Certified Wt. Report.

Verification: Uncertainties that are due to the analytical procedure(s) are within $\pm 5\%$ unless specifically stated on the Certified Wt. Report.

Stability: Uncertainties for short-term stability are determined in accordance with ISO 17034. Long-term stability is determined in accordance with ISO 17034. The shelf life is limited by the stated expiration for each product. Expiration dates and additional technical information can be found on the Certified Weight Report and on the product label.

Uncertainty: UCRM is the expanded uncertainty which utilizes a $K = 2$ (coverage factor of 2), in accordance with ISO 17034 as listed above (Characterization, Homogeneity, Verification, and Stability).

Purity & Identity: Organic solutions are typically formulated from neat materials whose purity & identity have been characterized by GC-MSD & LC-PDA techniques with comparison to a NIST Traceable library of mass spectra when available. Additional characterization techniques may include but are not limited to: refractive index measurements of liquids, melting point measurements of solids, & GC-FID, ECD, PID, ELCD, LC-PDA measurements for purity. Inorganic solutions & neats are typically formulated from materials whose purity & identity have been characterized by ICPMS with comparison to a NIST SRM® when available. Additional characterization techniques may include but are not limited to: titrimetry, and densitometry.

Storage: Sealed ampules and other containers should be stored in the dark and at temperatures indicated on the Certified Weight Report or product label. Certification by Absolute Standards, Inc. is typically valid for 3 years from the date of manufacture. Each product will show its own expiration date as the limit of certification. Certified values are not applicable to opened ampules or for any materials stored in re-sealable containers. Please see the "Certified Weight Report" for specific values and any exceptions.

Usage: Ampules & bottles should be brought to room temperature (18 to 30 °C) before opening. Sonication may be required for high concentration solutions or solutions that may precipitate during storage. After opening, care should be exercised to avoid concentration changes owing to evaporation of the solvent or essential components. We recommend that a suitable re-sealable container be available before opening an ampule to decant the standard for short-term storage and use.

Minimum Sample Size: 0.5 uL for analytical applications.

Legal Notice: Warranty of products are as described when shipped. No warranty as to fitness for any particular application is expressed or implied. Errant shipments and/or quality claims must be made within 10 days of receipt. Liability is limited solely to the replacement of the product or refund of purchase price.

Certifying Officer: Stephen J. Arpie, M.S., Director General

Page 1 of 2



Absolute Standards, Inc. • 44 Rossotto Drive • Hamden, CT 06514
Voice: 800-368-1131 • Fax: 800-410-2577 • eMail: StephenArpie@AbsoluteStandards.com
Document Identification: Certificate of Analysis Rev 14, Date Issued: 05/30/2019



ABSOLUTE STANDARDS, INC.

ISO - 17034

Understanding the Certified Weight Report

Each Certified Reference Material (CRM) is supported by a Certified Weight Report. Assigned values for concentrations and associated uncertainties are based upon NIST traceable masses & volumes used in production.

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

ISO 17034 Accredited
Scope: http://AbsoluteStandards.com

CERTIFIED WEIGHT REPORT

Part # 10009R
Lot # 070716
Shelf Life Description: CLP Priority Pollutant Internal Standards
GC/MS Calibration - 6 components
070721
Expiration Date: Ambient (20 °C)
Recommended Storage: 4000
Nominal Concentration (µg/mL): 822-275872-11
NIST Test ID#: 5E-05 Balance Uncertainty
0.058 Mass Uncertainty

Solvent(s): Methylene chloride
Lot# 78782

Formulated By: Paul Barron
Reviewed By: Pedro L. Rentes

070716
070716

Weight(s) shown below were combined and diluted to (mL): 500.0

Compound	SMW	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity	Target Weight (µg)	Actual Weight (µg)	Actual Conc (µg/mL)	Expanded Uncertainty (µg/mL)	CAS#	MSDS Information (Solvent Safety Info. On Attached pg.)	OSHA PEL (TWA)	LD50
1. 1,4-Dichlorobenzene-d4	118	PR-1845M07287CB1	4000	98	0.2	2.04093	2.04335	4004.7	15.4	2055-02-1	N/A	en-ra 500mg/kg	
2. Naphthalene-d8	223	PR-2339M031612HP1	4000	99	0.2	2.02032	2.02084	4001.0	15.2	1146-85-2	10 ppm (50mg/m3/8h)	en-ra 400mg/kg	
3. Acenaphthene-d10	2	PR-25444	4000	99	0.2	2.02032	2.02245	4004.2	15.2	15067-28-2	N/A	en-ra 500mg/kg	
4. Phenanthrene-d10	248	PR-2305M081711PM1	4000	98	0.2	2.04093	2.04136	4000.8	15.4	1517-25-2	N/A	N/A	
5. Chrysene-d12	92	I-19290	4000	98	0.2	2.04093	2.04159	4001.3	15.4	1719-03-5	N/A	N/A	
6. Perylene-d12	247	PR-24113	4000	98	0.2	2.04093	2.04156	4001.2	15.4	1503-58-3	N/A	N/A	

Run 35, "P10009R L070716 [4000µg/mL in MeCl2]"

Run Length: 40.00 min, 23900 points at 10 points/second.
Created: Sat, Jul 9, 2016 at 1:54:53 PM.
Sampled: Sequence "070716-GC/MS2", Method "GC-MS2".
Analyzed using Method "GC-MS2".

Comments:
GC-MS2 Analysis by Melissa Siciric
Column ID SPB-5 30 meter x 0.53mm x 1.5um Film Thickness.
Flow rates: Total Flow = 300 mL/min, Helium (carrier) = 0.5 mL, Helium (make-up) = 25 mL.
Hydrogen (detector) = 30 mL, Air (detector) = 300 mL, Oven Temp 1 = 50°C (1 min).
Rise = 10°C/min, Oven Temp 2 = 300°C (14 min), Total Run Time = 40 Minutes, Injector Temp = 250°C.
FID Temp = 300°C, FID Signal = aDaq Channel 1.
Gas Chromatograph = HP 5890, Auto Sampler = HP 7673, Standard Injection = 0.5 µL, Range = 4

Peak No. Name FID RT (min)

1	1,4-Dichlorobenzene-d4	8.34
2	Naphthalene-d8	8.98
3	Acenaphthene-d10	12.97
4	Phenanthrene-d10	16.37
5	Chrysene-d12	22.62
6	Perylene-d12	25.75

Printed: 5/8/2019, 12:55:50 PM

Part # 10009R Lot # 041219 1 of 2

Formulator
Reviewer

Actual
Concentration

Uncertainty
Values

Health &
Safety

3rd Party
Comparison

For More Information, Contact:

StephenArpie@AbsoluteStandards.com

Page 2 of 2



CERTIFIED WEIGHT REPORT

Part Number: 72072
Lot Number: 101122
Description: n-Tetracosane-d50

Solvent(s): Methylene chloride **Lot#** 105345


Expiration Date: 101132
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 1000
NIST Test ID#: 6UB3
Weight(s) shown below were combined and diluted to (mL): 200.0 **Balance Uncertainty** 5E-05 **Flask Uncertainty** 0.058

Handwritten: P13437 } X.F.
P13496 } 07/24/24

Formulated By: <i>Prashant Chauhan</i>	101122
Reviewed By: <i>Pedro L. Rentas</i>	101122
DATE	DATE

Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%D)	Target Weight(g)	Actual Weight(g)	Actual Conc (µg/mL)	Expanded Uncertainty (+/-) (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.)	LD50
1. n-Tetracosane-d50	2072	PR-26606	1000	98.7	0.2	99.0	0.20471	0.20482	1000.6	4.1	16416-32-3	N/A

Method GC8MSD-3.M: Column:SPB-5 (30m X 0.25mm ID X 0.25µm film thickness) Temp 1 = 50°C (1min.), Temp 2 = 300°C (9min.), Rate = 10°C/min., Injector B = 250°C, Detector B = 275°C, Split Ratio = 100:1, Scan Rate = 2. Analysis performed by: Candice Warren.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N., and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1996).

ABSOLUTE STANDARDS, INC.

ISO - 17034



Certificate of Analysis



Certified Reference Material (CRM)

Conformance: The "Certificate of Analysis" is applicable for CRM's, fulfilling the requirements in the current version of: ISO 17034.

Health & Safety: See the attached SDS & Certified Weight Report before use.

Intended Use: This Certified Reference Material (CRM) is intended primarily for use in the characterization of unknowns and the establishment of analyzer or instrument response factors by qualified personnel. Typical instrumental organic assays include: GC & LC, and inorganic assays include: ICP & AA. This product is for laboratory use only.

Characterization Values: In production, gravimetric/volumetric readings are certified to be within $\pm 0.5\%$ of the stated value & are valid between 18 °C & 30 °C. The measured characterization of uncertainty can be found on the Certified Weight Report. All product weighings are performed on an analytical balance that is calibrated to NIST Traceable standard weights & certified by the manufacturer. The volumetric glassware used is Class "A" type & conforms to ASTM E-288 unless otherwise stated. The solvents & compounds used are of the highest practical purity & typically meet or exceed ACS Reagent Grade & ACS Standards Grade specifications. The expanded uncertainty field on Certified Wt. Report represents CRM uncertainty as described in ISO 17034.

Homogeneity: Uncertainties that are due to the analytical procedure(s) are within $\pm 5\%$ unless specifically stated on the Certified Wt. Report.

Verification: Uncertainties that are due to the analytical procedure(s) are within $\pm 5\%$ unless specifically stated on the Certified Wt. Report.

Stability: Uncertainties for short-term stability are determined in accordance with ISO 17034. Long-term stability is determined in accordance with ISO 17034. The shelf life is limited by the stated expiration for each product. Expiration dates and additional technical information can be found on the Certified Weight Report and on the product label.

Uncertainty: UCRM is the expanded uncertainty which utilizes a $K = 2$ (coverage factor of 2), in accordance with ISO 17034 as listed above (Characterization, Homogeneity, Verification, and Stability).

Purity & Identity: Organic solutions are typically formulated from neat materials whose purity & identity have been characterized by GC-MSD & LC-PDA techniques with comparison to a NIST Traceable library of mass spectra when available. Additional characterization techniques may include but are not limited to: refractive index measurements of liquids, melting point measurements of solids, & GC-FID, ECD, PID, ELCD, LC-PDA measurements for purity. Inorganic solutions & neats are typically formulated from materials whose purity & identity have been characterized by ICPMS with comparison to a NIST SRM® when available. Additional characterization techniques may include but are not limited to: titrimetry, and densitometry.

Storage: Sealed ampules and other containers should be stored in the dark and at temperatures indicated on the Certified Weight Report or product label. Certification by Absolute Standards, Inc. is typically valid for 3 years from the date of manufacture. Each product will show its own expiration date as the limit of certification. Certified values are not applicable to opened ampules or for any materials stored in re-sealable containers. Please see the "Certified Weight Report" for specific values and any exceptions.

Usage: Ampules & bottles should be brought to room temperature (18 to 30 °C) before opening. Sonication may be required for high concentration solutions or solutions that may precipitate during storage. After opening, care should be exercised to avoid concentration changes owing to evaporation of the solvent or essential components. We recommend that a suitable re-sealable container be available before opening an ampule to decant the standard for short-term storage and use.

Minimum Sample Size: 0.5 uL for analytical applications.

Legal Notice: Warranty of products are as described when shipped. No warranty as to fitness for any particular application is expressed or implied. Errant shipments and/or quality claims must be made within 10 days of receipt. Liability is limited solely to the replacement of the product or refund of purchase price.

Certifying Officer: Stephen J. Arpie, M.S., Director General

Page 1 of 2



Absolute Standards, Inc. • 44 Rossotto Drive • Hamden, CT 06514
Voice: 800-368-1131 • Fax: 800-410-2577 • eMail: StephenArpie@AbsoluteStandards.com
Document Identification: Certificate of Analysis Rev 14, Date Issued: 05/30/2019



ABSOLUTE STANDARDS, INC.

ISO - 17034



Understanding the Certified Weight Report



Each Certified Reference Material (CRM) is supported by a Certified Weight Report. Assigned values for concentrations and associated uncertainties are based upon NIST traceable masses & volumes used in production.

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

ISO 17034 Accredited
Scope: http://AbsoluteStandards.com

CERTIFIED WEIGHT REPORT

Part # 10009R
Lot # 070716
Shelf Life 070716

Part Number: 10009R
Lot Number: 070716
Description: CLP Priority Pollutant Internal Standards
GC/MS Calibration - 6 components
070721
Expiration Date: Ambient (20 °C)
Recommended Storage: 4000
Nominal Concentration (µg/mL): 822-275872-11
NIST Test ID#: 5E-05 Balance Uncertainty
0.058 Mass Uncertainty

Solvent(s): Methylene chloride
Lot# 78782

Formulated By: Paul Barron
Reviewed By: Pedro L. Rentes

070716
070716

Weight(s) shown below were combined and diluted to (mL): 500.0

Compound	SMW	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity	Target Weight (µg)	Actual Weight (µg)	Actual Conc (µg/mL)	Expanded Uncertainty (µg/mL)	MSDS Information (Solvent Safety Info. On Attached pg.)	CAS#	OSHA PEL (TWA)	LD50
1. 1,4-Dichlorobenzene-d4	118	PR-1845M07287CB1	4000	98	0.2	2.04093	2.04335	4004.7	15.4	2055-02-1	N/A	N/A	or-rat 500mg/kg
2. Naphthalene-d8	223	PR-2339M031612HP1	4000	99	0.2	2.02032	2.02084	4001.0	15.2	1146-85-2	10 ppm (50mg/m3/8h)	N/A	or-rat 400mg/kg
3. Acenaphthene-d10	2	PR-25444	4000	99	0.2	2.02032	2.02245	4004.2	15.2	15067-28-2	N/A	N/A	or-rat 500mg/kg
4. Phenanthrene-d10	248	PR-2305M081711PM1	4000	98	0.2	2.04093	2.04135	4000.8	15.4	1517-25-2	N/A	N/A	N/A
5. Chrysene-d12	92	I-19290	4000	98	0.2	2.04093	2.04150	4001.3	15.4	1719-03-5	N/A	N/A	N/A
6. Perylene-d12	247	PR-24113	4000	98	0.2	2.04093	2.04155	4001.2	15.4	1503-58-3	N/A	N/A	N/A

Run 35, "P10009R L070716 [4000µg/mL in MeCl2]"

Run Length: 40.00 min, 23900 points at 10 points/second.
Created: Sat, Jul 9, 2016 at 1:54:53 PM.
Sampled: Sequence "070716-GC/MS", Method "GC-MS".
Analyzed using Method "GC-MS".

Comments:
GC-MS Analysis by Melissa Siciric
Column ID SPB-5 30 meter x 0.53mm x 1.5um Film Thickness.
Flow rates: Total Flow = 300 mL/min, Helium (carrier) = 0.5 mL, Helium (make-up) = 25 mL.
Hydrogen (detector) = 30 mL, Air (detector) = 300 mL, Oven Temp 1 = 50°C (1 min).
Rise = 10°C/min, Oven Temp 2 = 300°C (14 min), Total Run Time = 40 Minutes, Injector Temp = 250°C.
FID Temp = 300°C, FID Signal = aDaq Channel 1.
Gas Chromatograph = HP 5890, Auto Sampler = HP 7673, Standard Injection = 0.5 µL, Range = 4

Peak No. Name FID RT (min)

1	1,4-Dichlorobenzene-d4	6.34
2	Naphthalene-d8	8.98
3	Acenaphthene-d10	12.97
4	Phenanthrene-d10	16.37
5	Chrysene-d12	22.62
6	Perylene-d12	25.75

Printed: 5/8/2019, 12:55:50 PM

Formulator
Reviewer

Actual
Concentration
Uncertainty
Values

Health &
Safety

3rd Party
Comparison

For More Information, Contact:

StephenArpie@AbsoluteStandards.com

Page 2 of 2





CERTIFIED WEIGHT REPORT

Part Number: **72072**
Lot Number: **101122**
Description: **n-Tetracosane-d50**

Solvent(s):
Methylene chloride
Lot#
105345


Expiration Date: **101132**
Recommended Storage: **Ambient (20 °C)**
Nominal Concentration (µg/mL): **1000**
NIST Test ID#: **6UB3**
Weight(s) shown below were combined and diluted to (mL): **200.0**
5E-05 Balance Uncertainty
0.058 Flask Uncertainty

P13437
13436
07/24/24
X.F.

Formulated By:	<i>Prashant Chauhan</i>	101122
Reviewed By:	<i>Pedro L. Rentas</i>	101122
DATE		

Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight(g)	Actual Weight(g)	Actual Conc (µg/mL)	Expanded Uncertainty (+/-) (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.)	LD50
1. n-Tetracosane-d50	2072	PR-26606	1000	98.7	0.2	99.0	0.20471	0.20482	1000.6	4.1	16416-32-3	N/A

Method GC8MSD-3.M: Column:SPB-5 (30m X 0.25mm ID X 0.25µm film thickness) Temp 1 = 50°C (1min.), Temp 2 = 300°C (9min.), Rate = 10°C/min., Injector B = 250°C, Detector B = 275°C, Split Ratio = 100:1, Scan Rate = 2. Analysis performed by: Candice Warren.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N., and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

ABSOLUTE STANDARDS, INC.

ISO - 17034



Certificate of Analysis



Certified Reference Material (CRM)

Conformance: The "Certificate of Analysis" is applicable for CRM's, fulfilling the requirements in the current version of: ISO 17034.

Health & Safety: See the attached SDS & Certified Weight Report before use.

Intended Use: This Certified Reference Material (CRM) is intended primarily for use in the characterization of unknowns and the establishment of analyzer or instrument response factors by qualified personnel. Typical instrumental organic assays include: GC & LC, and inorganic assays include: ICP & AA. This product is for laboratory use only.

Characterization Values: In production, gravimetric/volumetric readings are certified to be within $\pm 0.5\%$ of the stated value & are valid between 18 °C & 30 °C. The measured characterization of uncertainty can be found on the Certified Weight Report. All product weighings are performed on an analytical balance that is calibrated to NIST Traceable standard weights & certified by the manufacturer. The volumetric glassware used is Class "A" type & conforms to ASTM E-288 unless otherwise stated. The solvents & compounds used are of the highest practical purity & typically meet or exceed ACS Reagent Grade & ACS Standards Grade specifications. The expanded uncertainty field on Certified Wt. Report represents CRM uncertainty as described in ISO 17034.

Homogeneity: Uncertainties that are due to the analytical procedure(s) are within $\pm 5\%$ unless specifically stated on the Certified Wt. Report.

Verification: Uncertainties that are due to the analytical procedure(s) are within $\pm 5\%$ unless specifically stated on the Certified Wt. Report.

Stability: Uncertainties for short-term stability are determined in accordance with ISO 17034. Long-term stability is determined in accordance with ISO 17034. The shelf life is limited by the stated expiration for each product. Expiration dates and additional technical information can be found on the Certified Weight Report and on the product label.

Uncertainty: UCRM is the expanded uncertainty which utilizes a $K = 2$ (coverage factor of 2), in accordance with ISO 17034 as listed above (Characterization, Homogeneity, Verification, and Stability).

Purity & Identity: Organic solutions are typically formulated from neat materials whose purity & identity have been characterized by GC-MSD & LC-PDA techniques with comparison to a NIST Traceable library of mass spectra when available. Additional characterization techniques may include but are not limited to: refractive index measurements of liquids, melting point measurements of solids, & GC-FID, ECD, PID, ELCD, LC-PDA measurements for purity. Inorganic solutions & neats are typically formulated from materials whose purity & identity have been characterized by ICPMS with comparison to a NIST SRM® when available. Additional characterization techniques may include but are not limited to: titrimetry, and densitometry.

Storage: Sealed ampules and other containers should be stored in the dark and at temperatures indicated on the Certified Weight Report or product label. Certification by Absolute Standards, Inc. is typically valid for 3 years from the date of manufacture. Each product will show its own expiration date as the limit of certification. Certified values are not applicable to opened ampules or for any materials stored in re-sealable containers. Please see the "Certified Weight Report" for specific values and any exceptions.

Usage: Ampules & bottles should be brought to room temperature (18 to 30 °C) before opening. Sonication may be required for high concentration solutions or solutions that may precipitate during storage. After opening, care should be exercised to avoid concentration changes owing to evaporation of the solvent or essential components. We recommend that a suitable re-sealable container be available before opening an ampule to decant the standard for short-term storage and use.

Minimum Sample Size: 0.5 uL for analytical applications.

Legal Notice: Warranty of products are as described when shipped. No warranty as to fitness for any particular application is expressed or implied. Errant shipments and/or quality claims must be made within 10 days of receipt. Liability is limited solely to the replacement of the product or refund of purchase price.

Certifying Officer: Stephen J. Arpie, M.S., Director General

Page 1 of 2



Absolute Standards, Inc. • 44 Rossotto Drive • Hamden, CT 06514
Voice: 800-368-1131 • Fax: 800-410-2577 • eMail: StephenArpie@AbsoluteStandards.com
Document Identification: Certificate of Analysis Rev 14, Date Issued: 05/30/2019



ABSOLUTE STANDARDS, INC.

ISO - 17034



Understanding the Certified Weight Report



Each Certified Reference Material (CRM) is supported by a Certified Weight Report. Assigned values for concentrations and associated uncertainties are based upon NIST traceable masses & volumes used in production.

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

ISO 17034 Accredited
Scope: http://AbsoluteStandards.com

CERTIFIED WEIGHT REPORT

Part # 10009R
Lot # 070716
Shelf Life 070716

Part Number: 10009R
Lot Number: 070716
Description: CLP Priority Pollutant Internal Standards
GC/MS Calibration - 6 components
070716
Expiration Date: Ambient (20 °C)
Recommended Storage: 4000
Nominal Concentration (µg/mL): 822-275872-11
NIST Test ID#: 5E-05 Balance Uncertainty
0.058 Mass Uncertainty

Solvent(s): Methylene chloride
Lot# 78782

Formulated By: Paul Barron
Reviewed By: Pedro L. Rentes

070716
070716

Weight(s) shown below were combined and diluted to (mL): 500.0

Compound	SMW	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity	Target Weight (µg)	Actual Weight (µg)	Actual Conc (µg/mL)	Expanded Uncertainty (µg/mL)	MSDS Information (Solvent Safety Info. On Attached pg.)	CAS#	OSHA PEL (TWA)	LD50
1. 1,4-Dichlorobenzene-d4	118	PR-1848M07287CB1	4000	98	0.2	2.04093	2.04335	4004.7	15.4	2055-02-1	N/A	N/A	or-rat 500mg/kg
2. Naphthalene-d8	223	PR-2339M031612HP1	4000	99	0.2	2.02032	2.02084	4001.0	15.2	1148-65-2	10 ppm (50mg/m3/8h)	N/A	or-rat 400mg/kg
3. Acenaphthene-d10	2	PR-25444	4000	99	0.2	2.02032	2.02245	4004.2	15.2	15067-28-2	N/A	N/A	or-rat 500mg/kg
4. Phenanthrene-d10	248	PR-2305M081711PM1	4000	98	0.2	2.04093	2.04136	4000.8	15.4	1517-25-2	N/A	N/A	N/A
5. Chrysene-d12	92	I-19280	4000	98	0.2	2.04093	2.04159	4001.3	15.4	1719-03-5	N/A	N/A	N/A
6. Perylene-d12	247	PR-24113	4000	98	0.2	2.04093	2.04156	4001.2	15.4	1503-58-3	N/A	N/A	N/A

Run 35, "P10009R L070716 [4000µg/mL in MeCl2]"

Run Length: 40.00 min, 23900 points at 10 points/second.
Created: Sat, Jul 9, 2016 at 1:54:53 PM.
Sampled: Sequence "070716-GC/MS", Method "GC-MS".
Analyzed using Method "GC-MS".

Comments:
GC-MS Analysis by Melissa Siciric
Column ID SPB-5 30 meter x 0.53mm x 1.5um Film Thickness.
Flow rates: Total Flow = 300 mL/min, Helium (carrier) = 0.5 mL, Helium (make-up) = 25 mL.
Hydrogen (detector) = 30 mL, Air (detector) = 300 mL, Oven Temp 1 = 50°C (1 min).
Rise = 10°C/min, Oven Temp 2 = 300°C (14 min), Total Run Time = 40 Minutes, Injector Temp = 250°C.
FID Temp = 300°C, FID Signal = aDaq Channel 1.
Gas Chromatograph = HP 5890, Auto Sampler = HP 7673, Standard Injection = 0.5 µL, Range = 4

Peak No. Name FID RT (min)

1	1,4-Dichlorobenzene-d4	8.34
2	Naphthalene-d8	8.98
3	Acenaphthene-d10	12.97
4	Phenanthrene-d10	16.37
5	Chrysene-d12	22.62
6	Perylene-d12	25.75

Printed: 5/8/2019, 12:55:50 PM

Formulator
Reviewer

Actual
Concentration
Uncertainty
Values

Health &
Safety

3rd Party
Comparison

For More Information, Contact:

StephenArpie@AbsoluteStandards.com

Page 2 of 2





CERTIFIED WEIGHT REPORT

Part Number: 72072
Lot Number: 101122
Description: n-Tetracosane-d50

Solvent(s): Methylene chloride **Lot#** 105345

Expiration Date: 101132
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 1000
NIST Test ID#: 6UB3
Weight(s) shown below were combined and diluted to (mL): 200.0 **Balance Uncertainty** 5E-05 **Flask Uncertainty** 0.058


Handwritten: P13437 } X.F.
P13496 } 07/24/24

Formulated By: <i>Prashant Chauhan</i>	Lot# <u>101122</u>
Reviewed By: <i>Pedro L. Rentas</i>	DATE <u>101122</u>

Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight(g)	Actual Weight(g)	Actual Conc (µg/mL)	Expanded Uncertainty (+/-) (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.)	LD50
----------	-----	------------	----------------------	------------	------------------------	-----------	------------------	------------------	---------------------	------------------------------------	--	------

1. n-Tetracosane-d50 2072 PR-26606 1000 98.7 0.2 99.0 0.20471 0.20482 1000.6 4.1 16416-32-3 N/A

Method GC8MSD-3.M: Column:SPB-5 (30m X 0.25mm ID X 0.25µm film thickness) Temp 1 = 50°C (1min.), Temp 2 = 300°C (9min.), Rate = 10°C/min., Injector B = 250°C, Detector B = 275°C, Split Ratio = 100:1, Scan Rate = 2. Analysis performed by: Candice Warren.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N., and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

ABSOLUTE STANDARDS, INC.

ISO - 17034



Certificate of Analysis



Certified Reference Material (CRM)

Conformance: The "Certificate of Analysis" is applicable for CRM's, fulfilling the requirements in the current version of: ISO 17034.

Health & Safety: See the attached SDS & Certified Weight Report before use.

Intended Use: This Certified Reference Material (CRM) is intended primarily for use in the characterization of unknowns and the establishment of analyzer or instrument response factors by qualified personnel. Typical instrumental organic assays include: GC & LC, and inorganic assays include: ICP & AA. This product is for laboratory use only.

Characterization Values: In production, gravimetric/volumetric readings are certified to be within $\pm 0.5\%$ of the stated value & are valid between 18 °C & 30 °C. The measured characterization of uncertainty can be found on the Certified Weight Report. All product weighings are performed on an analytical balance that is calibrated to NIST Traceable standard weights & certified by the manufacturer. The volumetric glassware used is Class "A" type & conforms to ASTM E-288 unless otherwise stated. The solvents & compounds used are of the highest practical purity & typically meet or exceed ACS Reagent Grade & ACS Standards Grade specifications. The expanded uncertainty field on Certified Wt. Report represents CRM uncertainty as described in ISO 17034.

Homogeneity: Uncertainties that are due to the analytical procedure(s) are within $\pm 5\%$ unless specifically stated on the Certified Wt. Report.

Verification: Uncertainties that are due to the analytical procedure(s) are within $\pm 5\%$ unless specifically stated on the Certified Wt. Report.

Stability: Uncertainties for short-term stability are determined in accordance with ISO 17034. Long-term stability is determined in accordance with ISO 17034. The shelf life is limited by the stated expiration for each product. Expiration dates and additional technical information can be found on the Certified Weight Report and on the product label.

Uncertainty: UCRM is the expanded uncertainty which utilizes a $K = 2$ (coverage factor of 2), in accordance with ISO 17034 as listed above (Characterization, Homogeneity, Verification, and Stability).

Purity & Identity: Organic solutions are typically formulated from neat materials whose purity & identity have been characterized by GC-MSD & LC-PDA techniques with comparison to a NIST Traceable library of mass spectra when available. Additional characterization techniques may include but are not limited to: refractive index measurements of liquids, melting point measurements of solids, & GC-FID, ECD, PID, ELCD, LC-PDA measurements for purity. Inorganic solutions & neats are typically formulated from materials whose purity & identity have been characterized by ICPMS with comparison to a NIST SRM® when available. Additional characterization techniques may include but are not limited to: titrimetry, and densitometry.

Storage: Sealed ampules and other containers should be stored in the dark and at temperatures indicated on the Certified Weight Report or product label. Certification by Absolute Standards, Inc. is typically valid for 3 years from the date of manufacture. Each product will show its own expiration date as the limit of certification. Certified values are not applicable to opened ampules or for any materials stored in re-sealable containers. Please see the "Certified Weight Report" for specific values and any exceptions.

Usage: Ampules & bottles should be brought to room temperature (18 to 30 °C) before opening. Sonication may be required for high concentration solutions or solutions that may precipitate during storage. After opening, care should be exercised to avoid concentration changes owing to evaporation of the solvent or essential components. We recommend that a suitable re-sealable container be available before opening an ampule to decant the standard for short-term storage and use.

Minimum Sample Size: 0.5 uL for analytical applications.

Legal Notice: Warranty of products are as described when shipped. No warranty as to fitness for any particular application is expressed or implied. Errant shipments and/or quality claims must be made within 10 days of receipt. Liability is limited solely to the replacement of the product or refund of purchase price.

Certifying Officer: Stephen J. Arpie, M.S., Director General

Page 1 of 2



Absolute Standards, Inc. • 44 Rossotto Drive • Hamden, CT 06514
Voice: 800-368-1131 • Fax: 800-410-2577 • eMail: StephenArpie@AbsoluteStandards.com
Document Identification: Certificate of Analysis Rev 14, Date Issued: 05/30/2019



ABSOLUTE STANDARDS, INC.

ISO - 17034

Understanding the Certified Weight Report

Each Certified Reference Material (CRM) is supported by a Certified Weight Report. Assigned values for concentrations and associated uncertainties are based upon NIST traceable masses & volumes used in production.

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

ISO 17034 Accredited
Scope: http://AbsoluteStandards.com

CERTIFIED WEIGHT REPORT

Part # 10009R
Lot # 070716
Shelf Life Description: CLP Priority Pollutant Internal Standards
GC/MS Calibration - 6 components
070721
Expiration Date: Ambient (20 °C)
Recommended Storage: 4000
Nominal Concentration (µg/mL): 822-275872-11
NIST Test ID#: 5E-05 Balance Uncertainty
0.058 Mass Uncertainty

Solvent(s): Methylene chloride
Lot# 78782

Formulated By: Paul Barron
Reviewed By: Pedro L. Rentes

070716
070716

Weight(s) shown below were combined and diluted to (mL): 500.0

Compound	SMW	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity	Target Weight (µg)	Actual Weight (µg)	Actual Conc (µg/mL)	Expanded Uncertainty (µg/mL)	CAS#	OSHA PEL (TWA)	LD50
1. 1,4-Dichlorobenzene-d4	118	PR-1845M07287CB1	4000	98	0.2	2.04093	2.04335	4004.7	15.4	2055-02-1	N/A	or-rat 500mg/kg
2. Naphthalene-d8	223	PR-2339M031612HP1	4000	99	0.2	2.02032	2.02084	4001.0	15.2	1146-85-2	10 ppm (50mg/m3/8h)	or-rat 400mg/kg
3. Acenaphthene-d10	2	PR-25444	4000	99	0.2	2.02032	2.02245	4004.2	15.2	15067-28-2	N/A	or-rat 500mg/kg
4. Phenanthrene-d10	248	PR-2305M081711PM1	4000	98	0.2	2.04093	2.04136	4000.8	15.4	1517-25-2	N/A	N/A
5. Chrysene-d12	92	I-19290	4000	98	0.2	2.04093	2.04159	4001.3	15.4	1719-03-5	N/A	N/A
6. Perylene-d12	247	PR-24113	4000	98	0.2	2.04093	2.04156	4001.2	15.4	1503-58-3	N/A	N/A

Run 35, "P10009R L070716 [4000µg/mL in MeCl2]"

Run Length: 40.00 min, 23900 points at 10 points/second.
Created: Sat, Jul 9, 2016 at 1:54:53 PM.
Sampled: Sequence "070716-GC/MS", Method "GC-MS".
Analyzed using Method "GC-MS".

Comments:
GC-MS Analysis by Melissa Siciric
Column ID SPB-5 30 meter x 0.53mm x 1.5um Film Thickness.
Flow rates: Total Flow = 300 mL/min, Helium (carrier) = 0.5 mL, Helium (make-up) = 25 mL.
Hydrogen (detector) = 30 mL, Air (detector) = 300 mL, Oven Temp 1 = 50°C (1 min).
Rise = 10°C/min, Oven Temp 2 = 300°C (14 min), Total Run Time = 40 Minutes, Injector Temp = 250°C.
FID Temp = 300°C, FID Signal = sData Channel 1.
Gas Chromatograph = HP 5890, Auto Sampler = HP 7673, Standard Injection = 0.5 µL, Range = 4

Peak No. Name FID RT (min)

1	1,4-Dichlorobenzene-d4	8.34
2	Naphthalene-d8	8.98
3	Acenaphthene-d10	12.97
4	Phenanthrene-d10	16.37
5	Chrysene-d12	22.62
6	Perylene-d12	25.75

Qualitative Quantitative

Printed: 5/8/2019, 12:55:50 PM

Part # 10009R Lot # 041219 1 of 2

Formulator
Reviewer

Actual
Concentration

Uncertainty
Values

Health &
Safety

3rd Party
Comparison

For More Information, Contact:

StephenArpie@AbsoluteStandards.com

Page 2 of 2



CERTIFIED WEIGHT REPORT

Part Number: **72072**
Lot Number: **101122**
Description: **n-Tetracosane-d50**

Solvent(s):
Methylene chloride
Lot# **105345**


Expiration Date: **101132**
Recommended Storage: **Ambient (20 °C)**
Nominal Concentration (µg/mL): **1000**
NIST Test ID#: **6UB3**
Weight(s) shown below were combined and diluted to (mL): **200.0**
5E-05 Balance Uncertainty
0.058 Flask Uncertainty

P13437
13496
07/24/24
X.F.

Formulated By:	<i>Prashant Chauhan</i>	101122
Reviewed By:	<i>Pedro L. Rentas</i>	101122
	Pedro L. Rentas	DATE

Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight(g)	Actual Weight(g)	Actual Conc (µg/mL)	Expanded Uncertainty (+/-) (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.)	LD50
1. n-Tetracosane-d50	2072	PR-26606	1000	98.7	0.2	99.0	0.20471	0.20482	1000.6	4.1	16416-32-3	N/A

Method GC8MSD-3.M: Column:SPB-5 (30m X 0.25mm ID X 0.25µm film thickness) Temp 1 = 50°C (1min.), Temp 2 = 300°C (9min.), Rate = 10°C/min., Injector B = 250°C, Detector B = 275°C, Split Ratio = 100:1, Scan Rate = 2. Analysis performed by: Candice Warren.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N., and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).



SHIPPING DOCUMENTS

CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

CHEMTECH PROJECT NO. **Q1242**
QUOTE NO.
COC Number **2041688**

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: **RU2 Engineering LLC**
ADDRESS: **2 Melinda Drive**
Monroe Twp, NJ 08831
CITY: _____ ZIP: _____
ATTENTION: **Rutu Manani**
PHONE: **609-409-4564** FAX: _____

CLIENT PROJECT INFORMATION

PROJECT NAME: **SANDTWO BMLR Project**
PROJECT NO.: _____ LOCATION: **Brooklyn, NYC**
PROJECT MANAGER: **Rutu Manani**
e-mail: **Rmanani@ru2eng.com**
PHONE: _____ FAX: _____

CLIENT BILLING INFORMATION

BILL TO: **Same as Company address** PO#: _____
ADDRESS: _____
CITY: _____ STATE: _____ ZIP: _____
ATTENTION: _____ PHONE: _____

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) **Standard 10 days** DAYS*
HARDCOPY (DATA PACKAGE): **Standard 10 days** DAYS*
EDD: **Standard 10 days** DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☒ NYS ASP B
+ Raw Data ☐ Other _____
☐ EDD FORMAT _____

1. TOL VOCs + TLCS
2. TCLP VOCs
3. TPH
4. GRO-PRO
5. TCL SVOCs + TLCS
6. TAL Metals
7. Pesticides, PCBs
8. PCRA Characterization
9. Point Filter
Full TCLP

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS	
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	← Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICP F-OTHER	
1.	JPP-6.2-013025	Soil		G	1/30/25	12:44	3	X	X	X								
2.	JPP-6.2-013025	Soil	L		1/30/25	12:52	8			X	X	X	X	X	X	X		
3.																		
4.																		
5.																		
6.																		
7.																		
8.																		
9.																		
10.																		

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. LA	DATE/TIME: 1-30-25	RECEIVED BY: [Signature]	Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 4.1 °C
RELINQUISHED BY SAMPLER: 2.	DATE/TIME:	RECEIVED BY:	Comments: Preserve extra Sample Jar if additional analysis is Required
RELINQUISHED BY SAMPLER: 3.	DATE/TIME:	RECEIVED BY:	Page 2 of 2

CLIENT: ☐ Hand Delivered ☐ Other _____
CHEMTECH: ☐ Picked Up ☐ Field Sampling
Shipment Complete
☐ YES ☐ NO



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q1242 RUTW01

Order Date : 1/30/2025 3:02:00 PM

Project Mgr :

Client Name : RU2 Engineering, LLC

Project Name : NYCDDC SANTWOBR B1

Report Type : NYS ASP B

Client Contact : Rutu Manani

Receive DateTime : 1/30/2025 2:53:00 PM

EDD Type : Excel NY

Invoice Name : RU2 Engineering, LLC

Purchase Order :

Hard Copy Date :

Invoice Contact : Rutu Manani

Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q1242-01	JPP-6.2-013025	Solid	01/30/2025	12:44		VOCMS Group1	8260D		10 Bus. Days

Relinquished By :

Date / Time : 1-30-25 15:50

Received By :

Date / Time : 1/30/25 1530

Storage Area : VOA Refridgerator Room

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q1242 RUTW01

Order Date : 1/30/2025 3:02:00 PM

Project Mgr :

Client Name : RU2 Engineering, LLC

Project Name : NYCDDC SANTWOBR B₁

Report Type : NYS ASP B

Client Contact : Rutu Manani

Receive DateTime : 1/30/2025 2:53:00 PM

EDD Type : Excel NY

Invoice Name : RU2 Engineering, LLC

Purchase Order :

Hard Copy Date :

Invoice Contact : Rutu Manani

Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q1242-01	JPP-6.2-013025	Solid	01/30/2025	12:44	Gasoline Range Organics		8015D		10 Bus. Days

Relinquished By :

Date / Time : 1-30-25 / 550

Received By :

Date / Time :

Storage Area : VOA Refridgerator Room