

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012925\
 Data File : BF141298.D
 Acq On : 29 Jan 2025 17:31
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ICVBF012925

Quant Time: Jan 30 03:16:08 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 17:41:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.798	152	133318	20.000	ng	0.00
21) Naphthalene-d8	8.081	136	525644	20.000	ng	0.00
39) Acenaphthene-d10	9.839	164	279764	20.000	ng	0.00
64) Phenanthrene-d10	11.322	188	450291	20.000	ng	0.00
76) Chrysene-d12	13.969	240	257177	20.000	ng	0.00
86) Perylene-d12	15.421	264	279455	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.404	112	650985	74.963	ng	0.00
7) Phenol-d6	6.428	99	824574	74.641	ng	-0.01
23) Nitrobenzene-d5	7.363	82	754118	75.630	ng	0.00
42) 2,4,6-Tribromophenol	10.628	330	192773	75.161	ng	0.00
45) 2-Fluorobiphenyl	9.157	172	1325725	72.938	ng	0.00
79) Terphenyl-d14	12.910	244	1208358	72.460	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.487	88	142440	37.296	ng	100
3) Pyridine	3.216	79	353478	38.413	ng	100
4) n-Nitrosodimethylamine	3.169	42	199637	37.977	ng	100
6) Aniline	6.463	93	368792	39.437	ng	99
8) 2-Chlorophenol	6.581	128	349085	37.505	ng	99
9) Benzaldehyde	6.346	77	236537	36.965	ng	100
10) Phenol	6.440	94	443695	37.888	ng	99
11) bis(2-Chloroethyl)ether	6.534	93	335702	37.387	ng	100
12) 1,3-Dichlorobenzene	6.740	146	382682	37.288	ng	99
13) 1,4-Dichlorobenzene	6.816	146	390597	37.885	ng	99
14) 1,2-Dichlorobenzene	6.969	146	359529	37.241	ng	100
15) Benzyl Alcohol	6.940	79	286519	37.952	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.075	45	587637	37.636	ng	100
17) 2-Methylphenol	7.051	107	276450	36.544	ng	99
18) Hexachloroethane	7.310	117	144890	38.094	ng	99
19) n-Nitroso-di-n-propyla...	7.210	70	241878	36.848	ng	100
20) 3+4-Methylphenols	7.204	107	347046	37.364	ng	99
22) Acetophenone	7.210	105	458757	36.717	ng	100
24) Nitrobenzene	7.381	77	391907	37.927	ng	99
25) Isophorone	7.622	82	645309	37.439	ng	100
26) 2-Nitrophenol	7.698	139	186592	38.289	ng	99
27) 2,4-Dimethylphenol	7.734	122	222665	35.897	ng	100
28) bis(2-Chloroethoxy)met...	7.834	93	411851	37.460	ng	99
29) 2,4-Dichlorophenol	7.940	162	286090	37.675	ng	99
30) 1,2,4-Trichlorobenzene	8.022	180	316431	36.488	ng	100
31) Naphthalene	8.104	128	1030995	37.128	ng	100
32) Benzoic acid	7.845	122	236833	41.534	ng	99
33) 4-Chloroaniline	8.151	127	350423	37.214	ng	99
34) Hexachlorobutadiene	8.222	225	186523	36.676	ng	99
35) Caprolactam	8.522	113	93403	37.662	ng	97
36) 4-Chloro-3-methylphenol	8.634	107	305288	37.480	ng	99
37) 2-Methylnaphthalene	8.792	142	651222	36.898	ng	99
38) 1-Methylnaphthalene	8.892	142	651341	37.570	ng	99
40) 1,2,4,5-Tetrachloroben...	8.957	216	296277	37.226	ng	99
41) Hexachlorocyclopentadiene	8.945	237	93930	39.961	ng	98
43) 2,4,6-Trichlorophenol	9.069	196	201214	38.625	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012925\
 Data File : BF141298.D
 Acq On : 29 Jan 2025 17:31
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 10 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 ICVBF012925


Quant Time: Jan 30 03:16:08 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 17:41:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.110	196	209611	36.969	ng	100
46) 1,1'-Biphenyl	9.257	154	809694	37.111	ng	100
47) 2-Chloronaphthalene	9.281	162	626457	36.837	ng	100
48) 2-Nitroaniline	9.381	65	203104	37.970	ng	98
49) Acenaphthylene	9.698	152	890709	37.416	ng	100
50) Dimethylphthalate	9.563	163	697300	36.904	ng	100
51) 2,6-Dinitrotoluene	9.622	165	164343	37.459	ng	99
52) Acenaphthene	9.869	154	632756	37.206	ng	99
53) 3-Nitroaniline	9.792	138	164042	38.150	ng	98
54) 2,4-Dinitrophenol	9.892	184	81034	39.734	ng	# 85
55) Dibenzofuran	10.045	168	842555	37.012	ng	100
56) 4-Nitrophenol	9.945	139	122925	39.089	ng	99
57) 2,4-Dinitrotoluene	10.022	165	217705	38.327	ng	99
58) Fluorene	10.386	166	643639	36.451	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.163	232	169067	37.902	ng	99
60) Diethylphthalate	10.263	149	683674	37.316	ng	99
61) 4-Chlorophenyl-phenyle...	10.381	204	312065	36.180	ng	99
62) 4-Nitroaniline	10.404	138	159227	37.665	ng	99
63) Azobenzene	10.539	77	678905	37.020	ng	100
65) 4,6-Dinitro-2-methylph...	10.433	198	111635	41.913	ng	99
66) n-Nitrosodiphenylamine	10.498	169	564452	38.757	ng	99
67) 4-Bromophenyl-phenylether	10.869	248	199009	39.477	ng	98
68) Hexachlorobenzene	10.933	284	208171	38.929	ng	99
69) Atrazine	11.028	200	190958	39.215	ng	99
70) Pentachlorophenol	11.128	266	128300	40.973	ng	99
71) Phenanthrene	11.351	178	922625	38.117	ng	100
72) Anthracene	11.398	178	912703	38.484	ng	100
73) Carbazole	11.557	167	813036	38.661	ng	100
74) Di-n-butylphthalate	11.892	149	984759	38.639	ng	100
75) Fluoranthene	12.539	202	902637	37.768	ng	100
77) Benzidine	12.663	184	405163	49.142	ng	99
78) Pyrene	12.769	202	894269	36.225	ng	99
80) Butylbenzylphthalate	13.392	149	324793	37.660	ng	99
81) Benzo(a)anthracene	13.957	228	631556	35.587	ng	99
82) 3,3'-Dichlorobenzidine	13.921	252	218850	38.774	ng	99
83) Chrysene	13.992	228	610038	37.508	ng	100
84) Bis(2-ethylhexyl)phtha...	13.951	149	400642	36.620	ng	100
85) Di-n-octyl phthalate	14.569	149	642439	37.807	ng	99
87) Indeno(1,2,3-cd)pyrene	16.868	276	678653	37.626	ng	99
88) Benzo(b)fluoranthene	14.998	252	683111	38.861	ng	100
89) Benzo(k)fluoranthene	15.027	252	556960	35.766	ng	99
90) Benzo(a)pyrene	15.363	252	567574	38.209	ng	99
91) Dibenzo(a,h)anthracene	16.886	278	551534	38.007	ng	99
92) Benzo(g,h,i)perylene	17.304	276	559807	37.101	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Jan 30 03:16:08 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 29 17:41:25 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.798 min Scan# 800
 Delta R.T. -0.006 min
 Lab File: BF141298.D
 Acq: 29 Jan 2025 17:31




Instrument :
 BNA_F
 ClientSampleId :
 ICVBF012925


Tgt Ion:152 Resp: 133318
 Ion Ratio Lower Upper
 152 100
 150 161.0 125.9 188.9
 115 64.0 49.7 74.5



#2
 1,4-Dioxane
 Concen: 37.296 ng
 RT: 2.487 min Scan# 67
 Delta R.T. -0.006 min
 Lab File: BF141298.D
 Acq: 29 Jan 2025 17:31


Tgt Ion: 88 Resp: 142440
 Ion Ratio Lower Upper
 88 100
 58 87.8 70.2 105.4
 43 34.7 27.6 41.4








#3
Pyridine
Concen: 38.413 ng
RT: 3.216 min Scan# 191
Delta R.T. -0.012 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31


Instrument :
BNA_F
ClientSampleId :
ICVBF012925





Tgt Ion: 79 Resp: 353478
Ion Ratio Lower Upper
79 100
52 88.3 70.3 105.5
51 42.7 34.3 51.5




#4
n-Nitrosodimethylamine
Concen: 37.977 ng
RT: 3.169 min Scan# 183
Delta R.T. -0.029 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31



Tgt Ion: 42 Resp: 199637
Ion Ratio Lower Upper
42 100
74 112.9 90.3 135.5
44 7.1 5.7 8.5









#5
2-Fluorophenol
Concen: 74.963 ng
RT: 5.404 min Scan# 50
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:112 Resp: 650985
Ion Ratio Lower Upper
112 100
64 60.9 49.8 74.8
63 32.6 26.1 39.1



#6
Aniline
Concen: 39.437 ng
RT: 6.463 min Scan# 743
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion: 93 Resp: 368792
Ion Ratio Lower Upper
93 100
66 40.3 32.5 48.7
65 20.9 17.0 25.6









#7
Phenol-d6
Concen: 74.641 ng
RT: 6.428 min Scan# 711
Delta R.T. -0.012 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion: 99 Resp: 824574
Ion Ratio Lower Upper
99 100
42 21.3 17.1 25.7
71 33.5 26.9 40.3



#8
2-Chlorophenol
Concen: 37.505 ng
RT: 6.581 min Scan# 763
Delta R.T. -0.012 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:128 Resp: 349085
Ion Ratio Lower Upper
128 100
130 32.1 12.5 52.5
64 53.2 32.9 72.9









#9
Benzaldehyde
Concen: 36.965 ng
RT: 6.346 min Scan# 723
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion: 77 Resp: 236537
Ion Ratio Lower Upper
77 100
105 99.5 79.4 119.4
106 95.3 74.6 114.6



#10
Phenol
Concen: 37.888 ng
RT: 6.440 min Scan# 739
Delta R.T. -0.012 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion: 94 Resp: 443695
Ion Ratio Lower Upper
94 100
65 30.5 10.8 50.8
66 43.8 23.3 63.3





#11

bis(2-Chloroethyl)ether

Concen: 37.387 ng

RT: 6.534 min Scan# 755

Delta R.T. -0.012 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :





BNA_F

ClientSampleId :

ICVBF012925

Tgt Ion: 93 Resp: 335702

Ion	Ratio	Lower	Upper
93	100		
63	84.6	65.0	105.0
95	32.8	12.4	52.4



#12

1,3-Dichlorobenzene

Concen: 37.288 ng

RT: 6.740 min Scan# 790




Delta R.T. -0.006 min


Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Tgt Ion: 146 Resp: 382682

Ion	Ratio	Lower	Upper
146	100		
148	64.8	51.2	76.8
75	32.4	26.2	39.4





#13

1,4-Dichlorobenzene

Concen: 37.885 ng

RT: 6.816 min Scan# 803

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925





Tgt Ion:146 Resp: 390597

Ion Ratio Lower Upper

146 100

148 63.6 51.2 76.8

111 42.5 35.0 52.4



#14

1,2-Dichlorobenzene

Concen: 37.241 ng

RT: 6.969 min Scan# 829

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31




Tgt Ion:146 Resp: 359529


Ion Ratio Lower Upper

146 100

148 63.3 50.5 75.7

111 46.1 36.6 55.0









#15
Benzyl Alcohol
Concen: 37.952 ng
RT: 6.940 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion: 79 Resp: 286519
Ion Ratio Lower Upper
79 100
108 76.8 61.4 92.0
77 62.0 49.9 74.9



#16
2,2'-oxybis(1-Chloropropane)
Concen: 37.636 ng
RT: 7.075 min Scan# 847
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion: 45 Resp: 587637
Ion Ratio Lower Upper
45 100
77 11.6 0.0 31.8
79 9.2 0.0 29.1









#17
2-Methylphenol
Concen: 36.544 ng
RT: 7.051 min Scan# 843
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:	107	Resp:	276450
Ion	Ratio	Lower	Upper
107	100		
108	114.8	90.8	136.2
77	46.1	36.2	54.4
79	45.0	35.7	53.5



#18
Hexachloroethane
Concen: 38.094 ng
RT: 7.310 min Scan# 887
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:	117	Resp:	144890
Ion	Ratio	Lower	Upper
117	100		
119	96.6	76.6	114.8
201	93.3	74.8	112.2









#19
n-Nitroso-di-n-propylamine
Concen: 36.848 ng
RT: 7.210 min Scan# 870
Delta R.T. -0.018 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion: 70 Resp: 241878
Ion Ratio Lower Upper
70 100
42 71.3 56.8 85.2
101 9.8 7.7 11.5
130 21.2 16.8 25.2



#20
3+4-Methylphenols
Concen: 37.364 ng
RT: 7.204 min Scan# 869
Delta R.T. -0.012 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31


Tgt Ion: 107 Resp: 347046
Ion Ratio Lower Upper
107 100
108 90.2 70.9 110.9
77 119.7 98.5 138.5
79 30.0 9.5 49.5








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.081 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Instrument :
BNA_F
ClientSampleId :
ICVBF012925







Tgt Ion:	136	Resp:	525644
Ion Ratio	Lower	Upper	
136	100		
137	11.0	8.6	13.0
54	10.0	7.8	11.8
68	6.1	4.9	7.3



#22
Acetophenone
Concen: 36.717 ng
RT: 7.210 min Scan# 870
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:	105	Resp:	458757
Ion Ratio	Lower	Upper	
105	100		
71	8.3	6.8	10.2
51	40.9	32.6	49.0
120	22.0	17.4	26.0





#23

Nitrobenzene-d5

Concen: 75.630 ng

RT: 7.363 min Scan# 896

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925





Tgt Ion: 82 Resp: 754118

Ion Ratio Lower Upper

82 100

128 44.2 35.7 53.5

54 58.2 47.1 70.7



#24

Nitrobenzene

Concen: 37.927 ng

RT: 7.381 min Scan# 899

Delta R.T. -0.012 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31




Tgt Ion: 77 Resp: 391907


Ion Ratio Lower Upper

77 100

123 45.6 37.3 55.9

65 14.4 11.8 17.6









#25
Isophorone
Concen: 37.439 ng
RT: 7.622 min Scan# 940
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion: 82 Resp: 645309
Ion Ratio Lower Upper
82 100
95 7.1 5.8 8.6
138 18.3 14.7 22.1



#26
2-Nitrophenol
Concen: 38.289 ng
RT: 7.698 min Scan# 953
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:139 Resp: 186592
Ion Ratio Lower Upper
139 100
109 29.6 23.8 35.6
65 53.5 42.2 63.4





#27

2,4-Dimethylphenol

Concen: 35.897 ng

RT: 7.734 min Scan# 91

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925





Tgt Ion:122 Resp: 222665

Ion Ratio Lower Upper

122 100

107 112.0 89.9 134.9

121 57.9 46.1 69.1



#28

bis(2-Chloroethoxy)methane

Concen: 37.460 ng

RT: 7.834 min Scan# 976

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31




Tgt Ion: 93 Resp: 411851


Ion Ratio Lower Upper

93 100

95 32.3 26.2 39.2

123 12.3 10.2 15.4





#29

2,4-Dichlorophenol

Concen: 37.675 ng

RT: 7.940 min Scan# 994

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925





Tgt Ion:162 Resp: 286090

Ion Ratio Lower Upper

162 100

164 65.1 44.2 84.2

98 37.7 18.2 58.2



#30

1,2,4-Trichlorobenzene

Concen: 36.488 ng

RT: 8.022 min Scan# 1008

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31




Tgt Ion:180 Resp: 316431


Ion Ratio Lower Upper

180 100

182 95.4 76.4 114.6


145 31.4 24.9 37.3








#31
Naphthalene
Concen: 37.128 ng
RT: 8.104 min Scan# 1022
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Instrument :
BNA_F
ClientSampleId :
ICVBF012925







Tgt Ion:128 Resp: 1030995
Ion Ratio Lower Upper
128 100
129 11.1 8.9 13.3
127 13.4 10.6 15.8



#32
Benzoic acid
Concen: 41.534 ng
RT: 7.845 min Scan# 978
Delta R.T. -0.035 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:122 Resp: 236833
Ion Ratio Lower Upper
122 100
105 124.7 103.4 143.4
77 92.8 70.9 110.9









#33
4-Chloroaniline
Concen: 37.214 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:	127	Resp:	350423
Ion	Ratio	Lower	Upper
127	100		
129	32.3	25.7	38.5
65	32.3	26.4	39.6
92	19.3	15.1	22.7



#34
Hexachlorobutadiene
Concen: 36.676 ng
RT: 8.222 min Scan# 1042
Delta R.T. -0.000 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:	225	Resp:	186523
Ion	Ratio	Lower	Upper
225	100		
223	64.0	50.4	75.6
227	64.2	51.3	76.9









#35
 Caprolactam
 Concen: 37.662 ng
 RT: 8.522 min Scan# 1093
 Delta R.T. -0.024 min
 Lab File: BF141298.D
 Acq: 29 Jan 2025 17:31




Instrument :
 BNA_F
 ClientSampleId :
 ICVBF012925


Tgt Ion:113 Resp: 93403
 Ion Ratio Lower Upper
 113 100
 55 196.8 182.9 222.9
 56 146.7 127.9 167.9



#36
 4-Chloro-3-methylphenol
 Concen: 37.480 ng
 RT: 8.634 min Scan# 1112
 Delta R.T. -0.006 min
 Lab File: BF141298.D
 Acq: 29 Jan 2025 17:31

Tgt Ion:107 Resp: 305288
 Ion Ratio Lower Upper
 107 100
 144 25.5 20.7 31.1
 142 79.1 63.8 95.8









#37
2-Methylnaphthalene
Concen: 36.898 ng
RT: 8.792 min Scan# 1139
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:142 Resp: 651222
Ion Ratio Lower Upper
142 100
141 88.6 71.3 106.9



#38
1-Methylnaphthalene
Concen: 37.570 ng
RT: 8.892 min Scan# 1156
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31


Tgt Ion:142 Resp: 651341
Ion Ratio Lower Upper
142 100
141 90.3 73.2 109.8








#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.839 min Scan# 1167
Delta R.T. -0.000 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31


Instrument :
BNA_F
ClientSampleId :
ICVBF012925





Tgt Ion:164 Resp: 279764
Ion Ratio Lower Upper
164 100
162 99.8 80.6 121.0
160 45.1 35.8 53.6




#40
1,2,4,5-Tetrachlorobenzene
Concen: 37.226 ng
RT: 8.957 min Scan# 1167
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31



Tgt Ion:216 Resp: 296277
Ion Ratio Lower Upper
216 100
214 78.4 63.2 94.8
179 22.0 17.8 26.8
108 19.0 15.0 22.6









#41
Hexachlorocyclopentadiene
Concen: 39.961 ng
RT: 8.945 min Scan# 1165
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:237 Resp: 93930
Ion Ratio Lower Upper
237 100
235 64.9 42.9 82.9
272 13.1 0.0 32.8



#42
2,4,6-Tribromophenol
Concen: 75.161 ng
RT: 10.628 min Scan# 1451
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:330 Resp: 192773
Ion Ratio Lower Upper
330 100
332 95.5 76.1 114.1
141 35.5 28.8 43.2





#43

2,4,6-Trichlorophenol

Concen: 38.625 ng

RT: 9.069 min Scan# 1186

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925





Tgt Ion:196 Resp: 201214

Ion Ratio Lower Upper

196 100

198 102.5 81.8 122.6

200 32.4 26.3 39.5



#44

2,4,5-Trichlorophenol

Concen: 36.969 ng

RT: 9.110 min Scan# 1193

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Tgt Ion:196 Resp: 209611




Ion Ratio Lower Upper


196 100

198 100.6 80.5 120.7

97 53.3 42.8 64.2

132 29.6 23.5 35.3





#45

2-Fluorobiphenyl

Concen: 72.938 ng

RT: 9.157 min Scan# 1201

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925





Tgt Ion:172 Resp: 1325725

Ion Ratio Lower Upper

172 100

171 35.0 28.8 43.2

170 23.4 19.0 28.6



#46

1,1'-Biphenyl

Concen: 37.111 ng

RT: 9.257 min Scan# 1218

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31




Tgt Ion:154 Resp: 809694


Ion Ratio Lower Upper

154 100

153 40.1 20.0 60.0

76 12.8 0.0 32.8





#47

2-Chloronaphthalene

Concen: 36.837 ng

RT: 9.281 min Scan# 1222

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925





Tgt Ion:162 Resp: 626457

Ion Ratio Lower Upper

162 100

127 42.0 33.7 50.5

164 32.5 25.9 38.9



#48

2-Nitroaniline

Concen: 37.970 ng

RT: 9.381 min Scan# 1239

Delta R.T. -0.000 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31




Tgt Ion: 65 Resp: 203104


Ion Ratio Lower Upper

65 100

92 68.1 53.3 79.9

138 106.7 83.6 125.4





#49

Acenaphthylene

Concen: 37.416 ng

RT: 9.698 min Scan# 1293

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925





Tgt Ion:152 Resp: 890709

Ion Ratio Lower Upper

152 100

151 20.3 16.2 24.2

153 14.0 11.0 16.6



#50

Dimethylphthalate

Concen: 36.904 ng

RT: 9.563 min Scan# 1270

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31




Tgt Ion:163 Resp: 697300


Ion Ratio Lower Upper

163 100

194 3.8 3.0 4.6

164 10.2 8.0 12.0









#51
2,6-Dinitrotoluene
Concen: 37.459 ng
RT: 9.622 min Scan# 1280
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:165 Resp: 164343
Ion Ratio Lower Upper
165 100
63 59.9 48.1 72.1
89 54.7 44.9 67.3



#52
Acenaphthene
Concen: 37.206 ng
RT: 9.869 min Scan# 1322
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:154 Resp: 632756
Ion Ratio Lower Upper
154 100
153 111.8 89.0 133.4
152 50.6 40.2 60.4









#53
3-Nitroaniline
Concen: 38.150 ng
RT: 9.792 min Scan# 1309
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:138 Resp: 164042
Ion Ratio Lower Upper
138 100
108 10.5 8.6 12.8
92 112.1 91.0 136.6



#54
2,4-Dinitrophenol
Concen: 39.734 ng
RT: 9.892 min Scan# 1326
Delta R.T. -0.012 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:184 Resp: 81034
Ion Ratio Lower Upper
184 100
63 75.3 54.1 81.1
154 79.6 50.7 76.1#









#55
Dibenzenofuran
Concen: 37.012 ng
RT: 10.045 min Scan# 1352
Delta R.T. -0.000 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:168 Resp: 842555
Ion Ratio Lower Upper
168 100
139 38.2 30.6 46.0
169 13.4 10.8 16.2



#56
4-Nitrophenol
Concen: 39.089 ng
RT: 9.945 min Scan# 1335
Delta R.T. -0.012 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:139 Resp: 122925
Ion Ratio Lower Upper
139 100
109 69.7 50.2 90.2
65 102.4 80.6 120.6









#57
2,4-Dinitrotoluene
Concen: 38.327 ng
RT: 10.022 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:165 Resp: 217705
Ion Ratio Lower Upper
165 100
63 48.8 39.2 58.8
89 72.8 56.9 85.3
182 2.7 2.2 3.2



#58
Fluorene
Concen: 36.451 ng
RT: 10.386 min Scan# 1410
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:166 Resp: 643639
Ion Ratio Lower Upper
166 100
165 96.9 77.5 116.3
167 13.6 10.9 16.3









#59
 2,3,4,6-Tetrachlorophenol
 Concen: 37.902 ng
 RT: 10.163 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF141298.D
 Acq: 29 Jan 2025 17:31

Instrument :
 BNA_F
 ClientSampleId :
 ICVBF012925

Tgt Ion:232 Resp: 169067




Ion	Ratio	Lower	Upper
232	100		
131	46.5	36.4	54.6
130	2.4	1.9	2.9
166	30.6	24.1	36.1




#60
 Diethylphthalate
 Concen: 37.316 ng
 RT: 10.263 min Scan# 1389
 Delta R.T. -0.006 min
 Lab File: BF141298.D
 Acq: 29 Jan 2025 17:31

Tgt Ion:149 Resp: 683674

Ion	Ratio	Lower	Upper
149	100		
177	22.9	18.5	27.7
150	12.1	10.0	15.0









#61
4-Chlorophenyl-phenylether
Concen: 36.180 ng
RT: 10.381 min Scan# 1409
Delta R.T. -0.000 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:204 Resp: 312065
Ion Ratio Lower Upper
204 100
206 32.8 25.9 38.9
141 62.6 49.5 74.3



#62
4-Nitroaniline
Concen: 37.665 ng
RT: 10.404 min Scan# 1413
Delta R.T. -0.012 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:138 Resp: 159227
Ion Ratio Lower Upper
138 100
92 49.5 30.1 70.1
108 71.9 53.1 93.1





#63

Azobenzene

Concen: 37.020 ng

RT: 10.539 min Scan# 1436

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925

Tgt Ion: 77 Resp: 678905





Ion Ratio Lower Upper

77 100

182 25.2 5.1 45.1

105 22.0 1.8 41.8

51 34.0 14.0 54.0



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.322 min Scan# 1569

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31




Tgt Ion:188 Resp: 450291


Ion Ratio Lower Upper

188 100

94 10.7 7.8 11.6

80 11.1 8.2 12.4









#65
4,6-Dinitro-2-methylphenol
Concen: 41.913 ng
RT: 10.433 min Scan# 1418
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:198 Resp: 111635
Ion Ratio Lower Upper
198 100
51 52.5 33.4 73.4
105 44.4 24.4 64.4



#66
n-Nitrosodiphenylamine
Concen: 38.757 ng
RT: 10.498 min Scan# 1429
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:169 Resp: 564452
Ion Ratio Lower Upper
169 100
168 66.6 53.0 79.4
167 36.3 28.8 43.2









#67
4-Bromophenyl-phenylether
Concen: 39.477 ng
RT: 10.869 min Scan# 1492
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:248 Resp: 199009
Ion Ratio Lower Upper
248 100
250 98.4 79.0 118.4
141 75.9 63.7 95.5



#68
Hexachlorobenzene
Concen: 38.929 ng
RT: 10.933 min Scan# 1503
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:284 Resp: 208171
Ion Ratio Lower Upper
284 100
142 35.8 29.5 44.3
249 31.3 25.4 38.2





#69

Atrazine

Concen: 39.215 ng

RT: 11.028 min Scan# 1519

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925





Tgt Ion:200 Resp: 190958

Ion Ratio Lower Upper

200 100

173 25.7 5.9 45.9

215 46.1 25.2 65.2



#70

Pentachlorophenol

Concen: 40.973 ng

RT: 11.128 min Scan# 1536

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31




Tgt Ion:266 Resp: 128300


Ion Ratio Lower Upper

266 100

268 63.6 49.9 74.9

264 63.0 51.0 76.4









#71
Phenanthrene
Concen: 38.117 ng
RT: 11.351 min Scan# 1574
Delta R.T. -0.000 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:178 Resp: 922625
Ion Ratio Lower Upper
178 100
176 19.2 15.3 22.9
179 15.5 12.5 18.7



#72
Anthracene
Concen: 38.484 ng
RT: 11.398 min Scan# 1582
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31


Tgt Ion:178 Resp: 912703
Ion Ratio Lower Upper
178 100
176 18.7 15.0 22.6
179 15.6 12.3 18.5








#73
 Carbazole
 Concen: 38.661 ng
 RT: 11.557 min Scan# 1609
 Delta R.T. -0.000 min
 Lab File: BF141298.D
 Acq: 29 Jan 2025 17:31


Instrument :
 BNA_F
 ClientSampleId :
 ICVBF012925





Tgt Ion:167 Resp: 813036
 Ion Ratio Lower Upper
 167 100
 166 21.5 17.0 25.6
 139 13.1 10.6 16.0




#74
 Di-n-butylphthalate
 Concen: 38.639 ng
 RT: 11.892 min Scan# 1666
 Delta R.T. 0.000 min
 Lab File: BF141298.D
 Acq: 29 Jan 2025 17:31




Tgt Ion:149 Resp: 984759
 Ion Ratio Lower Upper
 149 100
 150 9.2 7.4 11.2
 104 4.9 3.9 5.9







#75
Fluoranthene
Concen: 37.768 ng
RT: 12.539 min Scan# 1776
Delta R.T. -0.000 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Instrument :
BNA_F
ClientSampleId :
ICVBF012925







Tgt Ion:202 Resp: 902637
Ion Ratio Lower Upper
202 100
101 11.7 0.0 31.7
203 17.4 0.0 37.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.969 min Scan# 2019
Delta R.T. -0.006 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:240 Resp: 257177
Ion Ratio Lower Upper
240 100
120 12.0 10.0 15.0
236 25.6 19.7 29.5









#77
Benzidine
Concen: 49.142 ng
RT: 12.663 min Scan# 1797
Delta R.T. -0.000 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:184 Resp: 405163
Ion Ratio Lower Upper
184 100
185 14.5 11.9 17.9
183 11.9 9.5 14.3



#78
Pyrene
Concen: 36.225 ng
RT: 12.769 min Scan# 1815
Delta R.T. -0.000 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:202 Resp: 894269
Ion Ratio Lower Upper
202 100
200 20.9 17.0 25.4
203 17.5 14.3 21.5









#79
 Terphenyl-d14
 Concen: 72.460 ng
 RT: 12.910 min Scan# 1839
 Delta R.T. -0.006 min
 Lab File: BF141298.D
 Acq: 29 Jan 2025 17:31




Instrument :
 BNA_F
 ClientSampleId :
 ICVBF012925


Tgt Ion:244 Resp: 1208358
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.4 8.0
 122 12.2 8.8 13.2



#80
 Butylbenzylphthalate
 Concen: 37.660 ng
 RT: 13.392 min Scan# 1921
 Delta R.T. -0.000 min
 Lab File: BF141298.D
 Acq: 29 Jan 2025 17:31

Tgt Ion:149 Resp: 324793
 Ion Ratio Lower Upper
 149 100
 91 72.2 58.6 87.8
 206 21.0 16.7 25.1





#81

Benzo(a)anthracene

Concen: 35.587 ng

RT: 13.957 min Scan# 2017

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925





Tgt Ion:228 Resp: 631556

Ion Ratio Lower Upper

228 100

226 27.3 21.4 32.2

229 19.7 15.5 23.3



#82

3,3'-Dichlorobenzidine

Concen: 38.774 ng

RT: 13.921 min Scan# 2011

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31




Tgt Ion:252 Resp: 218850


Ion Ratio Lower Upper

252 100

254 64.7 51.3 76.9

126 12.0 10.0 15.0





#83

Chrysene

Concen: 37.508 ng

RT: 13.992 min Scan# 20

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925





Tgt Ion:228 Resp: 610038

Ion Ratio Lower Upper

228 100

226 29.8 24.1 36.1

229 19.6 15.6 23.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 36.620 ng

RT: 13.951 min Scan# 2016

Delta R.T. -0.006 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31




Tgt Ion:149 Resp: 400642


Ion Ratio Lower Upper

149 100

167 27.2 21.8 32.8

279 3.9 3.3 4.9









#85
Di-n-octyl phthalate
Concen: 37.807 ng
RT: 14.569 min Scan# 2124
Delta R.T. -0.018 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31




Instrument :
BNA_F
ClientSampleId :
ICVBF012925


Tgt Ion:149 Resp: 642439
Ion Ratio Lower Upper
149 100
167 1.5 1.3 1.9
43 12.1 9.8 14.8



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.421 min Scan# 2266
Delta R.T. -0.018 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:264 Resp: 279455
Ion Ratio Lower Upper
264 100
260 23.7 18.6 27.8
265 21.5 16.7 25.1





#87

Indeno(1,2,3-cd)pyrene

Concen: 37.626 ng

RT: 16.868 min Scan# 2194

Delta R.T. -0.029 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925





Tgt Ion:276 Resp: 678653

Ion Ratio Lower Upper

276 100

138 27.3 21.7 32.5

277 25.7 20.3 30.5



#88

Benzo(b)fluoranthene

Concen: 38.861 ng

RT: 14.998 min Scan# 2194

Delta R.T. -0.024 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31




Tgt Ion:252 Resp: 683111


Ion Ratio Lower Upper

252 100

253 21.9 17.4 26.2

125 11.0 8.6 12.8





#89

Benzo(k)fluoranthene

Concen: 35.766 ng

RT: 15.027 min Scan# 2199

Delta R.T. -0.024 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31

Instrument :

BNA_F

ClientSampleId :

ICVBF012925





Tgt Ion:252 Resp: 556960

Ion Ratio Lower Upper

252 100

253 21.8 17.6 26.4

125 11.0 8.4 12.6



#90

Benzo(a)pyrene

Concen: 38.209 ng

RT: 15.363 min Scan# 2256

Delta R.T. -0.018 min

Lab File: BF141298.D

Acq: 29 Jan 2025 17:31




Tgt Ion:252 Resp: 567574


Ion Ratio Lower Upper

252 100

253 21.7 17.2 25.8

125 11.2 9.4 14.2









#91
Dibenzo(a,h)anthracene
Concen: 38.007 ng
RT: 16.886 min Scan# 2515
Delta R.T. -0.035 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Instrument :
BNA_F
ClientSampleId :
ICVBF012925

Tgt Ion:278 Resp: 551534
Ion Ratio Lower Upper
278 100
139 18.0 13.9 20.9
279 23.2 18.8 28.2



#92
Benzo(g,h,i)perylene
Concen: 37.101 ng
RT: 17.304 min Scan# 2586
Delta R.T. -0.041 min
Lab File: BF141298.D
Acq: 29 Jan 2025 17:31

Tgt Ion:276 Resp: 559807
Ion Ratio Lower Upper
276 100
277 23.8 19.2 28.8
138 24.4 19.0 28.4

