

DATA PACKAGE

GENERAL CHEMISTRY

PROJECT NAME: PRE TREATMENT PLANT

HOLLAND MANUFACTURING CO.

15 Main Street

P.O. Box 404

Succasunna, NJ - 07876

Phone No: 973-584-8141

ORDER ID: Q1252

ATTENTION: Todd Holland







Table Of Contents for Q1252

1) Signature Page	3					
2) Case Narrative	4					
2.1) Genchem- Case Narrative	4					
3) Qualifier Page						
4) QA Checklist	7					
5) Genchem Data	8					
6) Shipping Document	16					
6.1) CHAIN OF CUSTODY	17					
6.2) Lab Certificate	18					

Q1252 **2 of 18**



Cover Page

Order ID: Q1252

Project ID: Pre Treatment Plant

Client: Holland Manufacturing Co.

Lab Sample Number

Client Sample Number

Q1252-01	EFFLUENT
Q1252-02	EFFLUENTMS
Q1252-03	EFFLUENTMSD
Q1252-04	AERATION 1
Q1252-05	INFLUENT

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : APPROVED

By Nimisha Pandya, QA/QC Supervisor at 3:47 pm, Feb 10, 2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

2/10/2025

Date:

Q1252 3 of 18



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Holland Manufacturing Co.

Project Name: Pre Treatment Plant

Project # N/A

Chemtech Project # O1252

Test Name: Oil and Grease, Phosphorus-Ortho, Ammonia, Phosphorus-

Total,BOD5,TSS

A. Number of Samples and Date of Receipt:

5 Water samples were received on 01/31/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Ammonia, BOD5, Oil and Grease, Phosphorus-Ortho, Phosphorus-Total and TSS. This data package contains results for Oil and Grease, Phosphorus-Ortho, Ammonia, Phosphorus-Total, BOD5, TSS.

C. Analytical Techniques:

The analysis of Oil and Grease was based on method 1664A, The analysis of Phosphorus-Total was based on method 365.3, The analysis of TSS was based on method SM2540 D, The analysis of Ammonia was based on method SM4500-NH3, The analysis of Phosphorus-Ortho was based on method SM4500-P E and The analysis of BOD5 was based on method SM5210 B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

Sample EFFLUENT was diluted due to high concentrations for Ammonia as N & Sample INFLUENT was diluted due to high concentrations for Ammonia as N.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike (EFFLUENTMS) analysis met criteria for all samples except for Phosphorus-Total due to matrix interference.

The Matrix Spike Duplicate (EFFLUENTMSD) analysis met criteria for all samples except for Phosphorus-Total due to matrix interference.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed

Q1252 4 of 18



above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature	APPROVED
<i></i>	By Nimisha Pandya, QA/QC Supervisor at 3:47 pm, Feb 10, 2025

Q1252 **5 of 18**



DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following "Results Qualifiers" are used:

- J Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
- U Indicates the analyte was analyzed for, but not detected.
- ND Indicates the analyte was analyzed for, but not detected
- E Indicates the reported value is estimated because of the presence of interference
- M Indicates Duplicate injection precision not met.
- N Indicates the spiked sample recovery is not within control limits.
- S Indicates the reported value was determined by the Method of Standard Addition (MSA).
- * Indicates that the duplicate analysis is not within control limits.
- + Indicates the correlation coefficient for the MSA is less than 0.995.
- D Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
- M Method qualifiers
 - **"P"** for ICP instrument
 - "PM" for ICP when Microwave Digestion is used
 - "CV" for Manual Cold Vapor AA
 - "AV" for automated Cold Vapor AA
 - "CA" for MIDI-Distillation Spectrophotometric "AS" for Semi –Automated Spectrophotometric
 - "C" for Manual Spectrophotometric
 - **"T"** for Titrimetric
 - "NR" for analyte not required to be analyzed
- OR Indicates the analyte's concentration exceeds the calibrated range of the
 - instrument for that specific analysis.
- Q Indicates the LCS did not meet the control limits requirements
- H Sample Analysis Out Of Hold Time

Aliance

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1252

	Completed
For thorough review, the report must have the following:	
GENERAL:	
Are all original paperwork present (chain of custody, record of communication, airbill, sample management lab chronicle, login page)	<u> </u>
Check chain-of-custody for proper relinquish/return of samples	✓
Is the chain of custody signed and complete	✓
Check internal chain-of-custody for proper relinquish/return of samples /sample extracts	' ' '
Collect information for each project id from server. Were all requirements followed	<u> </u>
COVER PAGE:	_
Do numbers of samples correspond to the number of samples in the Chain of Custody on login page	✓
Do lab numbers and client Ids on cover page agree with the Chain of Custody	<u> </u>
CHAIN OF CUSTODY:	_
Do requested analyses on Chain of Custody agree with form I results	<u> </u>
Do requested analyses on Chain of Custody agree with the log-in page	✓
Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody	<u> </u>
Were the samples received within hold time	✓
Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle	_ ✓
ANALYTICAL:	
Was method requirement followed?	<u> </u>
Was client requirement followed?	<u> </u>
Does the case narrative summarize all QC failure?	' ' ' ' ' ' ' '
All runlogs and manual integration are reviewed for requirements	<u></u>
All manual calculations and /or hand notations verified	<u> </u>

QA Review Signature: SOHIL JODHANI Date: 02/10/2025

Q1252 **7 of 18**



SAMPLE DATA







Q1252 8 of 18



Q1252-01

Lab Sample ID:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Matrix:

WATER

Report of Analysis

Client: Holland Manufacturing Co. Date Collected: 01/31/25 09:30

Project:Pre Treatment PlantDate Received:01/31/25Client Sample ID:EFFLUENTSDG No.:Q1252

% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	542	OR	1	2.30	5.00	mg/L	02/03/25 08:50	02/03/25 13:50	SM 4500-NH3
									B plus G-11
BOD5	4600		1	0.17	2.00	mg/L		01/31/25 17:10	SM 5210 B-16
Oil and Grease	12.0		1	0.40	5.00	mg/L		02/01/25 11:30	1664A
Orthophosphate as P	0.11		1	0.0040	0.050	mg/L		01/31/25 15:07	SM 4500-P
									E-11
Phosphorus, Total	0.14		1	0.0050	0.050	mg/L	01/31/25 12:45	01/31/25 15:42	365.3
TSS	1630		1	1.00	4.00	mg/L		02/05/25 09:30	SM 2540 D-15

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



Lab Sample ID:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Matrix:

WATER

Report of Analysis

Client: Holland Manufacturing Co. Date Collected: 01/31/25 09:30

Project: Pre Treatment Plant Date Received: 01/31/25

Client Sample ID: EFFLUENTDL SDG No.: Q1252

% Solid: 0

Q1252-01DL

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	537	D	10	22.5	50.0	mg/L	02/03/25 08:50	02/03/25 14:31	SM 4500-NH3
									B plus G-11

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



Q1252-04

Lab Sample ID:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Matrix:

WATER

Report of Analysis

Client: Holland Manufacturing Co. Date Collected: 01/31/25 09:30

Project:Pre Treatment PlantDate Received:01/31/25Client Sample ID:AERATION 1SDG No.:Q1252

% Solid: 0

Parameter	Conc. Qua.	DF MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TSS	633	1 1.00	4.00	mg/L		02/05/25 09:30	SM 2540 D-15

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



Client:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Report of Analysis

Holland Manufacturing Co. Date Collected: 01/31/25 09:30

Project: Pre Treatment Plant Date Received: 01/31/25

Client Sample ID: INFLUENT SDG No.: Q1252

Lab Sample ID: Q1252-05 Matrix: WATER

% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	102	OR	1	2.30	5.00	mg/L	02/03/25 08:50	02/03/25 13:50	SM 4500-NH3 B plus G-11
BOD5	5250		1	0.17	2.00	mg/L		01/31/25 17:10	1

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



Lab Sample ID:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Matrix:

WATER

Report of Analysis

Client: Holland Manufacturing Co. Date Collected: 01/31/25 09:30

Project: Pre Treatment Plant Date Received: 01/31/25

Client Sample ID: INFLUENTDL SDG No.: Q1252

% Solid: 0

Q1252-05DL

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	96.6	D	2	4.50	10.0	mg/L	02/03/25 08:50	02/03/25 14:31	SM 4500-NH3
									B plus G-11

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



LAB CHRONICLE

OrderID: Q1252

Client: Holland Manufacturing Co.

Contact: Todd Holland

OrderDate: 1/31/2025 11:41:00 AM

Project: Pre Treatment Plant

Location: E11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1252-01	EFFLUENT	WATER			01/31/25 09:30			01/31/25
			Ammonia	SM4500-NH3		02/03/25	02/03/25 13:50	
			BOD5	SM5210 B			01/31/25 17:10	
			Oil and Grease	1664A			02/01/25 11:30	
			Phosphorus-Ortho	SM4500-P E			01/31/25 15:07	
			Phosphorus-Total	365.3		01/31/25	01/31/25 15:42	
			TSS	SM2540 D			02/05/25 09:30	
Q1252-01DL	EFFLUENTDL	WATER			01/31/25 09:30			01/31/25
			Ammonia	SM4500-NH3		02/03/25	02/03/25 14:31	
Q1252-04	AERATION 1	WATER			01/31/25 09:30			01/31/25
			TSS	SM2540 D			02/05/25 09:30	
Q1252-05	INFLUENT	WATER			01/31/25 09:30			01/31/25
			Ammonia	SM4500-NH3		02/03/25	02/03/25 13:50	
			BOD5	SM5210 B			01/31/25 17:10	

Q1252 **14 of 18**



LAB CHRONICLE

Q1252-05DL INFLUENTDL WATER 01/31/25 09:30

Ammonia SM4500-NH3 02/03/25 02/03/25 14:31

Q1252 **15 of 18**



SHIPPING DOCUMENTS

Q1252 **16 of 18**



284 Sheffield Street, Mountainside, NJ 07092 (908) 789-8900 • Fax (908) 789-8922 www.chemtech.net

CHEMTECH PROJECT	NO. 01252
QUOTE NO.	4 TV > V
COC Number = = =	4 =

	CLIENT INFORMATION				CLIENT PROJECT INFORMATION						CLIENT BILLING INFORMATION					F V 12			
	HOUAND MFG CO	PROJEC	T N.	AME	: H1	MC 1	Pri	etke	4TMi	ENT		BILLT	ГО:					PO#:	
ADDRESS:	15 MAIN ST	PROJECT	NO.	.:			LOCA	TION:				ADDRESS:							
	CASUNDA STATE: NT ZIP: 0787	PROJECT	MA	NAG	ER:	TODA	Ho	illep	de			CITY					STATE: ZIP:		ZIP:
ATTENTION:		e-mail:										ATTE	NTION:				PHO	NE:	
PHONE:	FAX:	PHONE:					FAX	γ.								ANA	ALYSIS		
	DATA TURNAROUND INFORMATION	THORE:	D.	ATA	DELI	/ERAB	_		ATION					1 81		سر		الإلكار	والمراجع المراجع
FAX (RUSH) HARDCOPY (D) EDD: *TO BE APPRO STANDARD HA	Level 1 Level 2 Level 3 + Raw EDD FC	(Res (Res Data	ults + ults +	QC) [NJR	educed ASP A	d 🗆 U	S EPA CI	P /	3/2/3	/ 4	/ 5	070	7	/8	/9			
CHEMTECH				PLE		AMPLE		LES				PRES	SERVA	TIVES		18. 4	167		MMENTS fy Preservatives
SAMPLE	PROJECT SAMPLE IDENTIFICATION	SAMPLL	TYF	GRAB I	DAT	LLECTI		OF BOTTLES	3	3	C	C	C	C				A-HCI B-HN03	D-NaOH E-ICE
			COMP	GR.	DAI	+-	IME	<u>o</u>	1	2	3	4	5	6	7	8	9	C-H2SO4	F-OTHER
1.	EFFLUENT	w	1	4	13	9:	30		X	·×	X	×	大	X					
2.	AEKATION 1	w		시	1/3	1 9:	30			X									
3.	INFLUENT	W		U	1 3	1 9	30		×					X					
4.																			
5.								**											
6.										,									
7.																			
8.																			
9.																			
10.																			
	SAMPLE CUSTODY MUST BE DO Y SAMPLER: DATE/TIME: 1110 RECEIVED BY	UMENTED E	BELG	ow i	EACH	TIME S	AMPI	LES C	HANGE	POSS	ESSIO	N INCL	UDING	COUR	IER DE	LIVER		1000	
RELINQUISHED BY RELINQUISHED BY 2.				Com	ments.			s at receip		COMPLIANT	r a noi	N COMPLI	ANT O	COOLER TI	EMP	3.1 -21	Cente	C .	
RELINQUISHED BY	Y SAMPLEB DATE/TIME: RECEIVED BY: 3.				Pag	ge	_ of		CLIENT CHEMTI			Delivered Other Shipment (



Laboratory Certification

Certified By	License No.
ocienieu 2,	Discuss No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
	20040
New Jersey	20012
New York	11376
NOW TOTAL	11370
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

QA Control Code: A2070148

Q1252 18 of 18