

DATA PACKAGE

GENERAL CHEMISTRY

PROJECT NAME : PRE TREATMENT PLANT

HOLLAND MANUFACTURING CO.

15 Main Street

P.O. Box 404

Succasunna, NJ - 07876

Phone No: 973-584-8141

ORDER ID : Q1252 ATTENTION : Todd Holland



Laboratory Certification ID # 20012







1) Signature Page	3
2) Case Narrative	4
2.1) Genchem- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) Genchem Data	8
6) Shipping Document	16
6.1) CHAIN OF CUSTODY	17
6.2) Lab Certificate	18



Cover Page

- **Order ID :** Q1252
- **Project ID :** Pre Treatment Plant
 - **Client :** Holland Manufacturing Co.

Lab Sample Number

Q1252-01 Q1252-02 Q1252-03 Q1252-04 Q1252-05

Client Sample Number

EFFLUENT EFFLUENTMSD AERATION 1 INFLUENT

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

Date: 2/10/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

2.1

Holland Manufacturing Co. Project Name: Pre Treatment Plant Project # N/A Chemtech Project # Q1252 Test Name: Oil and Grease,Phosphorus-Ortho,Ammonia,Phosphorus-Total,BOD5,TSS

A. Number of Samples and Date of Receipt:

5 Water samples were received on 01/31/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Ammonia, BOD5, Oil and Grease, Phosphorus-Ortho, Phosphorus-Total and TSS. This data package contains results for Oil and Grease, Phosphorus-Ortho, Ammonia, Phosphorus-Total, BOD5, TSS.

C. Analytical Techniques:

The analysis of Oil and Grease was based on method 1664A, The analysis of Phosphorus-Total was based on method 365.3, The analysis of TSS was based on method SM2540 D, The analysis of Ammonia was based on method SM4500-NH3, The analysis of Phosphorus-Ortho was based on method SM4500-P E and The analysis of BOD5 was based on method SM5210 B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

Sample EFFLUENT was diluted due to high concentrations for Ammonia as N & Sample INFLUENT was diluted due to high concentrations for Ammonia as N.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike (EFFLUENTMS) analysis met criteria for all samples except for Phosphorus-Total due to matrix interference.

The Matrix Spike Duplicate (EFFLUENTMSD) analysis met criteria for all samples except for Phosphorus-Total due to matrix interference.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed



above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following " Results Qualifiers" are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
Ε	Indicates the reported value is estimated because of the presence of interference
Μ	Indicates Duplicate injection precision not met.
Ν	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M OR	 Method qualifiers "P" for ICP instrument "PM" for ICP when Microwave Digestion is used "CV" for Manual Cold Vapor AA "AV" for automated Cold Vapor AA "CA" for MIDI-Distillation Spectrophotometric "AS" for Semi – Automated Spectrophotometric "C" for Manual Spectrophotometric "T" for Titrimetric "NR" for analyte not required to be analyzed Indicates the analyte's concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
Н	Sample Analysis Out Of Hold Time



APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1252

Completed

For thorough review, the report must have the following:	
GENERAL:	
Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)	<u> </u>
Check chain-of-custody for proper relinquish/return of samples	✓
Is the chain of custody signed and complete	✓ ✓ ✓ ✓
Check internal chain-of-custody for proper relinquish/return of samples /sample extracts	✓
Collect information for each project id from server. Were all requirements followed	✓
COVER PAGE:	
Do numbers of samples correspond to the number of samples in the Chain of Custody on login page	✓
Do lab numbers and client Ids on cover page agree with the Chain of Custody	✓
CHAIN OF CUSTODY:	
Do requested analyses on Chain of Custody agree with form I results	✓
Do requested analyses on Chain of Custody agree with the log-in page	✓
Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody	✓ ✓ ✓
Were the samples received within hold time	✓
Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle	<u>√</u>
ANALYTICAL:	
Was method requirement followed?	✓
Was client requirement followed?	✓
Does the case narrative summarize all QC failure?	<u>√</u>
All runlogs and manual integration are reviewed for requirements	✓ ✓ ✓ ✓
All manual calculations and /or hand notations verified	<u> </u>

QA Review Signature: SOHIL JODHANI





5

В



Client:	Holland N	lanufa	cturing Co.			Date Collected:	01/31/25 0	9:30
Project:	Pre Treatr	nent P	lant			Date Received:	01/31/25	
Client Sample ID:	EFFLUE	νT				SDG No.:	Q1252	
Lab Sample ID:	Q1252-01					Matrix:	WATER	
						% Solid:	0	
Parameter	Conc. Qua	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
				- (- (- I		
Ammonia as N	542 OR		2.30	5.00	mg/L	02/03/25 08:50	02/03/25 13:50	SM 4500-NH3
Ammonia as N BOD5			2.30 0.17		mg/L mg/L	-	02/03/25 13:50 01/31/25 17:10	
	542 OR			5.00	C	-		SM 4500-NH3 B plus G-11
BOD5	542 OR 4600		0.17	5.00	mg/L	-	01/31/25 17:10	SM 4500-NH3 B plus G-11 SM 5210 B-16
BOD5 Oil and Grease	542 OR 4600 12.0		0.17 0.40	5.00 2.00 5.00	mg/L mg/L	-	01/31/25 17:10 02/01/25 11:30	SM 4500-NH3 B plus G-11 SM 5210 B-16 1664A SM 4500-P

Comments:

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- * = indicates the duplicate analysis is not within control limits.
- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits

в



Ammonia as N	537 I	D 10	22.5	50.0	mg/L	02/03/25 08:50	02/03/25 14:31	SM 4500-NH3 B plus G-11
Parameter	Conc. Qı	ıa. DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
						% Solid:	0	
Lab Sample ID:	Q1252-	01DL				Matrix:	WATER	
Client Sample ID:	EFFLU	ENTDL				SDG No.:	Q1252	
Project:	Pre Trea	atment Pla	nt			Date Received:	01/31/25	
Client:	Holland	l Manufac	turing Co.			Date Collected:	01/31/25 0	9:30

Comments:

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- * = indicates the duplicate analysis is not within control limits.
- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits

5



Client:	Holland M	Ianufacturing Co.		-	Date Collected:	01/31/25	09:30
Project:	Pre Treatr	Pre Treatment Plant			Date Received:	01/31/25	
Client Sample ID:	AERATIC	DN 1		1	SDG No.:	Q1252	
Lab Sample ID:	Q1252-04				Matrix:	WATER	
					% Solid:	0	
Parameter	Conc. Qua.	DF MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TSS	633	1 1.00	4.00	mg/L		02/05/25 09:30) SM 2540 D-15

Comments:

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- * = indicates the duplicate analysis is not within control limits.
- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits

В



Client:	Holland Manufact	uring Co.	Date Collected:	01/31/25 09:30
Project:	Pre Treatment Plar	ıt	Date Received:	01/31/25
Client Sample ID:	INFLUENT		SDG No.:	Q1252
Lab Sample ID:	Q1252-05		Matrix:	WATER
			% Solid:	0
Parameter	Conc. Qua. DF	MDL LOQ / CRQL	Units Prep Date	Date Ana. Ana Met.
Ammonia as N	102 OR 1	2.30 5.00	mg/L 02/03/25 08:50	02/03/25 13:50 SM 4500-NH3 B plus G-11
BOD5	5250 1	0.17 2.00	mg/L	01/31/25 17:10 SM 5210 B-16

Comments:

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- * = indicates the duplicate analysis is not within control limits.
- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits

В



Ammonia as N	96.6 D	2 4.50	10.0	mg/L	02/03/25 08:50	02/03/25 14:31	SM 4500-NH3 B plus G-11
Parameter	Conc. Qua	DF MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
					% Solid:	0	
Lab Sample ID:	Q1252-05	DL			Matrix:	WATER	
Client Sample ID:	INFLUEN	NTDL			SDG No.:	Q1252	
Project:	Pre Treatr	nent Plant			Date Received:	01/31/25	
Client:	Holland N	Ianufacturing Co.			Date Collected:	01/31/25 0	9:30

Comments:

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank

- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits

5

^{* =} indicates the duplicate analysis is not within control limits.



С

5

LAB CHRONICLE

OrderID: Client: Contact:	Q1252 Holland Manufacturing Co. Todd Holland			OrderDate: Project: Location:	1/31/2025 11:4 Pre Treatment E11			
LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1252-01	EFFLUENT	WATER			01/31/25 09:30			01/31/25
			Ammonia	SM4500-NH3		02/03/25	02/03/25 13:50	
			BOD5	SM5210 B			01/31/25 17:10	
			Oil and Grease	1664A			02/01/25 11:30	
			Phosphorus-Ortho	SM4500-P E			01/31/25 15:07	
			Phosphorus-Total	365.3		01/31/25	01/31/25 15:42	
			TSS	SM2540 D			02/05/25 09:30	
Q1252-01D	EFFLUENTDL	WATER			01/31/25 09:30			01/31/25
			Ammonia	SM4500-NH3		02/03/25	02/03/25 14:31	
Q1252-04	AERATION 1	WATER			01/31/25 09:30			01/31/25
			TSS	SM2540 D			02/05/25 09:30	
Q1252-05	INFLUENT	WATER			01/31/25 09:30			01/31/25
			Ammonia	SM4500-NH3		02/03/25	02/03/25 13:50	
			BOD5	SM5210 B			01/31/25 17:10	



С	

Q1252-05DL	INFLUENTDL	WATER		01/31/ 09:30			01/31/25
			Ammonia	SM4500-NH3	02/03/25	02/03/25 14:31	



<u>SHIPPING</u> DOCUMENTS

6



284 Sheffield Street, Mountainside, NJ 07092

www.chemtech.net

(908) 789-8900 • Fax (908) 789-8922

CHEMTECH PROJECT NO.	01252
QUOTE NO.	KTUN

COC Number 2041563

6.1

· · · ·	CLIENT IN	IFORMATION					CLIE	NT PI	ROJECT IN	FORM/	TION			200			CLIEN	T BILLI	NG INFO	ORMATION	
COMPANY: HOLLAND MFG CO			PROJECT NAME: HWC PRETKEATMENT							BILL TO:						PO#:					
ADDRESS: 15 MAIN ST			PROJE	PROJECT NO.: LOCATION:							ADDRESS:										
			ZIP: 07876	PROJE	PROJECT MANAGER: TODS HOLLAND								CITY				STATE: ZIP:				
ATTENTION:				e-mail:								ATTENTION:					PHONE:				
PHONE:		FAX:		PHONE: FAX:							ANA					ALYSIS					
and the second division of the second divisio	DATA TURNARO		ON	PHONE	-	DATA	DEI	IVEF			ATION						ļ.	ļ			
EDD: *TO BE APPRO	ATA PACKAGE): VED BY CHEMTEC RDCOPY TURNAR		DAYS* DAYS* DAYS* BUSINESS DAYS	Leve	l 2 (Re l 3 (Re aw Da	esults + esults + ta)	QC)		_evel 4 (QC NJ Reduced NYS ASP A Other	1 🗆 U8	S EPA CI	LP	5/15/3	0×1	5	OTP 6	PHIL HI	V 8	/9		
CHEMTECH					SAMPLE SAMPLE							PRES	SERVA	TIVES		COMMENTS					
SAMPLE	SAMPLE PROJECT			SAMPLE MATRIX	COMP	GRAB 30	-		TIME	# OF BOTTLES	2	2	C 3	C 4	C	6	7	8	9	A-HCI B-HN03 C-H2SO4	D-NąOH E-ICE F-OTHER
1.	EFFLUENT			w		V	T	31	9:30	-412	X	×	X	×	×	X			9	0-112304	
2.	AEKATION			w		V		31	9:30			X			1						
3.	INFLUEN			W		V	-		9:30		×	1.				X					
4.																					
5.										r											
6.																					
7.																					
8.																					
9.																					
10.										_											
1 RELINQUISHED BY 2.									с 5 /												
RELINQUISHED BY 3.	r SAMPLEE	DATE/TIME:	RECEIVED BY: 3.				F	age_	of		CLIENT		Hand De			ther Id Samp	ling		-		t Complete
°Q11252023			WHITE - CHEMTE	CH COPY FO	RRET	URN TO	_	-	17 of 1				_	SAMPLE	and the second division of the second divisio	au oamp	///IY			LI TES	



Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488