

Hit Summary Sheet
SW-846

SDG No.: Q1268

Order ID: Q1268

Client: Chemtech Consulting Group

Project ID: Weekly Storage Blanks

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : PCB-GPC2-BLANK-SPIKE								
Q1268-14	PCB-GPC2-BLANK-§ SOIL		Aroclor-1016	360	7.20		100	ug/kg
Q1268-14	PCB-GPC2-BLANK-§ SOIL		Aroclor-1260	370	7.50		100	ug/kg
Total Concentration:				730.000				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	01/31/25
Project:	Weekly Storage Blanks	Date Received:	01/31/25
Client Sample ID:	PCB-GPC2-BLANK	SDG No.:	Q1268
Lab Sample ID:	Q1268-13	Matrix:	SOIL
Analytical Method:	SFAM_PCB	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	PCB
Extraction Type:		Injection Volume :	
GPC Factor :	2.0	PH :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PR070206.D	1	02/03/25 11:45	02/04/25 11:01	PB166491

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	7.20	U	7.20	100	ug/kg
11104-28-2	Aroclor-1221	7.50	U	7.50	100	ug/kg
11141-16-5	Aroclor-1232	7.50	U	7.50	100	ug/kg
53469-21-9	Aroclor-1242	7.50	U	7.50	100	ug/kg
12672-29-6	Aroclor-1248	7.50	U	7.50	100	ug/kg
11097-69-1	Aroclor-1254	7.50	U	7.50	100	ug/kg
11096-82-5	Aroclor-1260	7.50	U	7.50	100	ug/kg
37324-23-5	Aroclor-1262	7.50	U	7.50	100	ug/kg
11100-14-4	Aroclor-1268	7.50	U	7.50	100	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	30 - 150	%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	30 - 150	%	SPK: 40

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	01/31/25
Project:	Weekly Storage Blanks	Date Received:	01/31/25
Client Sample ID:	PCB-GPC2-BLANK-SPIKE	SDG No.:	Q1268
Lab Sample ID:	Q1268-14	Matrix:	SOIL
Analytical Method:	SFAM_PCB	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	PCB
Extraction Type:		Injection Volume :	
GPC Factor :	2.0	PH :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PR070207.D	1	02/03/25 11:45	02/04/25 11:16	PB166491

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	360		7.20	100	ug/kg
11104-28-2	Aroclor-1221	7.50	U	7.50	100	ug/kg
11141-16-5	Aroclor-1232	7.50	U	7.50	100	ug/kg
53469-21-9	Aroclor-1242	7.50	U	7.50	100	ug/kg
12672-29-6	Aroclor-1248	7.50	U	7.50	100	ug/kg
11097-69-1	Aroclor-1254	7.50	U	7.50	100	ug/kg
11096-82-5	Aroclor-1260	370		7.50	100	ug/kg
37324-23-5	Aroclor-1262	7.50	U	7.50	100	ug/kg
11100-14-4	Aroclor-1268	7.50	U	7.50	100	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	30 - 150	%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	30 - 150	%	SPK: 40

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q1268	OrderDate:	1/31/2025 2:53:00 PM
Client:	Chemtech Consulting Group	Project:	Weekly Storage Blanks
Contact:	QA Officer	Location:	D11,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1268-13	PCB-GPC2-BLANK	SOIL	PCB	SFAM_PCB	01/31/25	02/03/25	02/04/25	01/31/25
Q1268-14	PCB-GPC2-BLANK-SPI KE	SOIL	PCB	SFAM_PCB	01/31/25	02/03/25	02/04/25	01/31/25