

## **DATA PACKAGE**

GENERAL CHEMISTRY  
METALS

**PROJECT NAME : PARSIPPANY WASTEWATER QUARTERLY 2025**

**METEM A GE POWER BUSINESS**

**700 Parsippany Road**

**Parsippany, NJ - 07054**

**Phone No: 973-887-6635**

**ORDER ID : Q1278**

**ATTENTION : Sundas Pervez**



**Laboratory Certification ID # 20012**



1) Signature Page	3
2) Case Narrative	4
2.1) Metals-AES- Case Narrative	4
2.2) Genchem- Case Narrative	5
3) Qualifier Page	6
4) QA Checklist	7
5) Metals-AES Data	8
6) Genchem Data	12
7) Shipping Document	15
7.1) CHAIN OF CUSTODY	16
7.2) Lab Certificate	19

1

2

3

4

5

6

7

## Cover Page

**Order ID :** Q1278

**Project ID :** Parsippany Wastewater Quarterly 2025

**Client :** METEM A GE POWER Business

**Lab Sample Number**

Q1278-01

**Client Sample Number**

Q1 WASTEWATER

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 9:15 am, Feb 14, 2025*

Date: 2/10/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**METEM A GE POWER Business**

**Project Name: Parsippany Wastewater Quarterly 2025**

**Project # N/A**

**Chemtech Project # Q1278**

**Test Name: Metals Group5**

### **A. Number of Samples and Date of Receipt:**

1 Water sample was received on 02/03/2025.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Cyanide, Field pH and Metals Group5. This data package contains results for Metals Group5.

### **C. Analytical Techniques:**

The analysis and digestion of Metals Group5 was based on method 200.7.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

### **E. Additional Comments:**

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 9:15 am, Feb 14, 2025*



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**METEM A GE POWER Business**

**Project Name: Parsippany Wastewater Quarterly 2025**

**Project # N/A**

**Chemtech Project # Q1278**

**Test Name: Cyanide,Field pH**

### **A. Number of Samples and Date of Receipt:**

1 Water sample was received on 02/03/2025.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested:

Cyanide, Field pH and Metals Group5. This data package contains results for

Cyanide,Field pH.

### **C. Analytical Techniques:**

The analysis of Cyanide was based on method SM4500-CN C,E and The analysis of Field pH was based on method SM4500-H B.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

### **E. Additional Comments:**

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 9:15 am, Feb 14, 2025*

## DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

<b>J</b>	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
<b>U</b>	Indicates the analyte was analyzed for, but not detected.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>E</b>	Indicates the reported value is estimated because of the presence of interference
<b>M</b>	Indicates Duplicate injection precision not met.
<b>N</b>	Indicates the spiked sample recovery is not within control limits.
<b>S</b>	Indicates the reported value was determined by the Method of Standard Addition (MSA).
<b>*</b>	Indicates that the duplicate analysis is not within control limits.
<b>+</b>	Indicates the correlation coefficient for the MSA is less than 0.995.
<b>D</b>	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
<b>M</b>	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
<b>OR</b>	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements
<b>H</b>	Sample Analysis Out Of Hold Time

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q1278

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 02/10/2025



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q1278 **Order ID:** Q1278  
**Client:** METEM A GE POWER Business **Project ID:** Parsippany Wastewater Quarterly 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
<b>Client ID : Q1 WASTEWATER</b>								
Q1278-01	Q1 WASTEWATER	Water	Chromium	34.4		0.52	5.00	ug/L
Q1278-01	Q1 WASTEWATER	Water	Nickel	659		1.28	20.0	ug/L
Q1278-01	Q1 WASTEWATER	Water	Silver	3.62	J	0.83	5.00	ug/L
Q1278-01	Q1 WASTEWATER	Water	Zinc	142		1.44	20.0	ug/L





# SAMPLE DATA

## Report of Analysis

Client:	METEM A GE POWER Business	Date Collected:	02/03/25
Project:	Parsippany Wastewater Quarterly 2025	Date Received:	02/03/25
Client Sample ID:	Q1 WASTEWATER	SDG No.:	Q1278
Lab Sample ID:	Q1278-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-43-9	Cadmium	0.21	U	1	0.21	3.00	ug/L	02/06/25 12:35	02/07/25 18:14	EPA 200.7	
7440-47-3	Chromium	34.4		1	0.52	5.00	ug/L	02/06/25 12:35	02/07/25 18:14	EPA 200.7	
7440-50-8	Copper	1.52	U	1	1.52	10.0	ug/L	02/06/25 12:35	02/07/25 18:14	EPA 200.7	
7439-92-1	Lead	1.57	U	1	1.57	6.00	ug/L	02/06/25 12:35	02/07/25 18:14	EPA 200.7	
7440-02-0	Nickel	659		1	1.28	20.0	ug/L	02/06/25 12:35	02/07/25 18:14	EPA 200.7	
7440-22-4	Silver	3.62	J	1	0.83	5.00	ug/L	02/06/25 12:35	02/07/25 18:14	EPA 200.7	
7440-66-6	Zinc	142		1	1.44	20.0	ug/L	02/06/25 12:35	02/07/25 18:14	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group5			

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1278	OrderDate:	2/3/2025 11:41:00 AM
Client:	METEM A GE POWER Business	Project:	Parsippany Wastewater Quarterly 2025
Contact:	Sundas Pervez	Location:	D11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1278-01	Q1 WASTEWATER	Water	Metals Group5	200.7	02/03/25	02/06/25	02/07/25	02/03/25



# SAMPLE DATA

## Report of Analysis

Client:	METEM A GE POWER Business	Date Collected:	02/03/25 11:15
Project:	Parsippany Wastewater Quarterly 2025	Date Received:	02/03/25
Client Sample ID:	Q1 WASTEWATER	SDG No.:	Q1278
Lab Sample ID:	Q1278-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.00093	U	1	0.00093	0.0050	mg/L	02/05/25 07:30	02/05/25 11:42	SM 4500-CN C-16 plus E-16
Field pH	7.51		1	0	0	pH		02/03/25 11:17	SM4500-H B

Comments: \_\_\_\_\_

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1278	OrderDate:	2/3/2025 11:41:00 AM
Client:	METEM A GE POWER Business	Project:	Parsippany Wastewater Quarterly 2025
Contact:	Sundas Pervez	Location:	D11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1278-01	Q1 WASTEWATER	WATER			02/03/25 11:15			02/03/25
			Cyanide	SM4500-CN C,E		02/05/25	02/05/25 11:42	
			Field pH	SM4500-H B			02/03/25 11:17	



# SHIPPING DOCUMENTS

CLIENT INFORMATION

CLIENT PROJECT INFORMATION

CLIENT BILLING INFORMATION

REPORT TO BE SENT TO:

COMPANY: **Metem A GE Power Business**

ADDRESS: **700 Parsippany Rd.**

CITY: **Parsippany** STATE: **NJ** ZIP: **07054**

ATTENTION: **Sumas Pervez**

PHONE: **973-887-6635** FAX:

PROJECT NAME: **Parsippany Wastewater Quarterly 2025**

PROJECT NO.: LOCATION:

PROJECT MANAGER:

e-mail:

PHONE:

FAX:

BILL TO:

PO#:

ADDRESS:

CITY

STATE:

ZIP:

ATTENTION:

PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) \_\_\_\_\_ DAYS\*

HARDCOPY (DATA PACKAGE): \_\_\_\_\_ DAYS\*

EDD: \_\_\_\_\_ DAYS\*

\*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

- ☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)  
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP  
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B  
+ Raw Data ☐ Other \_\_\_\_\_  
☐ EDD FORMAT

*Metals  
Cyanide  
Field PH*

1 2 3 4 5 6 7 8 9

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES										COMMENTS
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	<b>Q1 Wastewater</b>	<b>W</b>	<input checked="" type="checkbox"/>		<b>2-3-25</b>	<b>1115</b>	<b>3</b>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							<b>PH- 7.51</b>
2.																	
3.																	
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <i>[Signature]</i>	DATE/TIME: <b>1125</b> <b>2-3-25</b>	RECEIVED BY: 1. <i>[Signature]</i> <b>2-3-25</b>	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <b>3.2</b> °C
RELINQUISHED BY SAMPLER: 2. <i>[Signature]</i>	DATE/TIME:	RECEIVED BY: 2. <i>[Signature]</i>	Comments:
RELINQUISHED BY SAMPLER: 3. <i>[Signature]</i>	DATE/TIME: <b>1310</b> <b>2-3-25</b>	RECEIVED BY: 3. <i>[Signature]</i>	

Page \_\_\_\_ of \_\_\_\_

CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete  
☐ YES ☐ NO



284 Sheffield Street, Mountainside, NJ 07092 Tel. 908-789-8900 Fax 908-789-8922  
FIELD SAMPLING LOG

Client Name: metem A GE power Business

Client Address: 700 Parsippany Road

Client Rep on Site: Sundas Pervez

Sampling Date: 2-3-25

Arrival Time: 1050

Departure Time: 1125

Project Name: Parsippany wastewater quarterly

Project Location: Parshipani

Cooler Custody Seal: NI

Temperature Correction Factor (°C): +3

## FIELD SAMPLING INFORMATION

[illegible]

**Meter: YSI MPS, Model # 556, Serial # 085A0063**

**Sampler Signature/Date:**

Supervisor Review/Date:

Alliance Technical Group, LLC-Newark

284 Sheffield Street, Mountainside, NJ 07092 Tel. 908-789-8900 Fax 908-789-8922

**FIELD SAMPLING LOG**

Client Name: Metem A GE Power Business

Client Address: 700 Parsippany Road.

Client Rep on Site: Sondar Pervez

Sampling Date: 2-3-25

Arrival Time: 1050 Departure Time: 1125

Project Name: Parsippany wastewater quarry 2025

Project Location: Parsippany

Cooler Custody Seal: N/A

Temperature Correction Factor (°C): +3

**FIELD EQUIPMENT CALIBRATION**

pH Calibration (SM4500-H B/9040C)				
Calibration				ICV (± 0.1 pH unit)
	7.00 Buffer	4.00 Buffer	10.00 Buffer	7.00 Buffer
	W 3071	W 3107	W 3094	W 3093
Time	1057	1059	1101	1103
Temp °C	16.98°	16.87°	16.92°	16.94°
pH	7.00	4.00	10.00	7.00

**FIELD EQUIPMENT CALIBRATION**

Specific Conductance (mS/cm) (99% -101%)/(mmho/cm) (SM2510 B/120.1/9050A)		
Calibration (± 1%) (99% -101%)		ICV (± 1%) (99% -101%)
	WP	WP
Time		
Temp °C		
Reading (mS/cm)		

Sampler Signature/Date: [Signature] 2-3-25

Supervisor Review/Date: [Signature] 2/3/25

**Laboratory Certification**

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488