

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020625\
 Data File : BF141477.D
 Acq On : 06 Feb 2025 13:21
 Operator : RC/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050

Quant Time: Feb 06 16:00:45 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 15:49:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.792	152	87860	20.000	ng	0.00
21) Naphthalene-d8	8.075	136	347298	20.000	ng	0.00
39) Acenaphthene-d10	9.828	164	190523	20.000	ng	0.00
64) Phenanthrene-d10	11.316	188	323702	20.000	ng	0.00
76) Chrysene-d12	13.963	240	205879	20.000	ng	0.00
86) Perylene-d12	15.415	264	174906	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.404	112	559309	99.801	ng	0.00
7) Phenol-d6	6.434	99	702435	99.168	ng	0.00
23) Nitrobenzene-d5	7.357	82	657106	98.686	ng	0.00
42) 2,4,6-Tribromophenol	10.622	330	189178	98.845	ng	0.00
45) 2-Fluorobiphenyl	9.151	172	1182292	95.605	ng	0.00
79) Terphenyl-d14	12.904	244	1244053	102.010	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.481	88	110258	48.882	ng	98
3) Pyridine	3.210	79	275985	51.419	ng	100
4) n-Nitrosodimethylamine	3.169	42	183299	51.575	ng	97
6) Aniline	6.457	93	330719	49.774	ng	86
8) 2-Chlorophenol	6.581	128	300380	49.604	ng	98
9) Benzaldehyde	6.340	77	164133	43.605	ng	99
10) Phenol	6.445	94	364380	49.425	ng	98
11) bis(2-Chloroethyl)ether	6.528	93	274892	49.643	ng	98
12) 1,3-Dichlorobenzene	6.728	146	316493	49.506	ng	98
13) 1,4-Dichlorobenzene	6.810	146	321786	49.264	ng	98
14) 1,2-Dichlorobenzene	6.963	146	296834	48.964	ng	99
15) Benzyl Alcohol	6.934	79	274040	50.451	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.069	45	465332	49.091	ng	97
17) 2-Methylphenol	7.051	107	232571	49.081	ng	100
18) Hexachloroethane	7.298	117	122071	50.498	ng	98
19) n-Nitroso-di-n-propyla...	7.210	70	207915	49.072	ng	98
20) 3+4-Methylphenols	7.204	107	295179	49.011	ng	96
22) Acetophenone	7.204	105	419759	48.588	ng	99
24) Nitrobenzene	7.375	77	320155	49.308	ng	100
25) Isophorone	7.616	82	521533	49.123	ng	99
26) 2-Nitrophenol	7.692	139	164623	50.962	ng	96
27) 2,4-Dimethylphenol	7.734	122	189037	50.093	ng	98
28) bis(2-Chloroethoxy)met...	7.822	93	336274	49.430	ng	100
29) 2,4-Dichlorophenol	7.939	162	251518	49.328	ng	99
30) 1,2,4-Trichlorobenzene	8.016	180	270897	48.788	ng	99
31) Naphthalene	8.098	128	878692	48.605	ng	100
32) Benzoic acid	7.863	122	202728	51.719	ng	99
33) 4-Chloroaniline	8.151	127	312251	49.471	ng	99
34) Hexachlorobutadiene	8.210	225	163240	48.971	ng	99
35) Caprolactam	8.522	113	76350	49.180	ng	97
36) 4-Chloro-3-methylphenol	8.633	107	280911	49.736	ng	99
37) 2-Methylnaphthalene	8.786	142	572244	48.643	ng	99
38) 1-Methylnaphthalene	8.886	142	553503	48.579	ng	98
40) 1,2,4,5-Tetrachloroben...	8.951	216	266614	48.369	ng	98
41) Hexachlorocyclopentadiene	8.939	237	97674	53.276	ng	100
43) 2,4,6-Trichlorophenol	9.063	196	177503	49.825	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020625\
 Data File : BF141477.D
 Acq On : 06 Feb 2025 13:21
 Operator : RC/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050


Quant Time: Feb 06 16:00:45 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 15:49:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.110	196	187902	48.667	ng	96
46) 1,1'-Biphenyl	9.251	154	722373	48.905	ng	100
47) 2-Chloronaphthalene	9.275	162	530577	48.576	ng	100
48) 2-Nitroaniline	9.375	65	181860	49.612	ng	99
49) Acenaphthylene	9.692	152	790730	48.672	ng	99
50) Dimethylphthalate	9.557	163	630673	48.760	ng	99
51) 2,6-Dinitrotoluene	9.616	165	140697	49.760	ng	98
52) Acenaphthene	9.863	154	527828	48.327	ng	100
53) 3-Nitroaniline	9.786	138	152426	50.087	ng	99
54) 2,4-Dinitrophenol	9.892	184	87953	52.339	ng	97
55) Dibenzofuran	10.033	168	777905	48.523	ng	100
56) 4-Nitrophenol	9.957	139	118835	52.603	ng	99
57) 2,4-Dinitrotoluene	10.022	165	185741	49.346	ng	98
58) Fluorene	10.380	166	590000	47.597	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.157	232	165559	49.807	ng	98
60) Diethylphthalate	10.251	149	619064	48.647	ng	100
61) 4-Chlorophenyl-phenyle...	10.369	204	286530	48.048	ng	99
62) 4-Nitroaniline	10.404	138	151765	49.113	ng	99
63) Azobenzene	10.533	77	616638	48.742	ng	98
65) 4,6-Dinitro-2-methylph...	10.433	198	114725	51.021	ng	97
66) n-Nitrosodiphenylamine	10.492	169	505770	48.810	ng	99
67) 4-Bromophenyl-phenylether	10.863	248	177761	49.135	ng	98
68) Hexachlorobenzene	10.927	284	180930	48.567	ng	98
69) Atrazine	11.022	200	149758	48.175	ng	98
70) Pentachlorophenol	11.122	266	128081	53.769	ng	99
71) Phenanthrene	11.339	178	866517	48.631	ng	100
72) Anthracene	11.392	178	877393	48.984	ng	99
73) Carbazole	11.551	167	781733	48.504	ng	100
74) Di-n-butylphthalate	11.880	149	915782	49.210	ng	100
75) Fluoranthene	12.527	202	913699	48.367	ng	100
77) Benzidine	12.651	184	222606	49.026	ng	99
78) Pyrene	12.757	202	913198	52.106	ng	100
80) Butylbenzylphthalate	13.380	149	310612	51.168	ng	99
81) Benzo(a)anthracene	13.951	228	673785	49.234	ng	100
82) 3,3'-Dichlorobenzidine	13.915	252	186802	47.650	ng	98
83) Chrysene	13.986	228	625572	49.505	ng	100
84) Bis(2-ethylhexyl)phtha...	13.939	149	350121	51.138	ng	100
85) Di-n-octyl phthalate	14.563	149	519741	53.213	ng	99
87) Indeno(1,2,3-cd)pyrene	16.868	276	586584	54.277	ng	99
88) Benzo(b)fluoranthene	14.998	252	590149	50.251	ng	99
89) Benzo(k)fluoranthene	15.027	252	469466	46.814	ng	100
90) Benzo(a)pyrene	15.357	252	467288	49.173	ng	99
91) Dibenzo(a,h)anthracene	16.880	278	477285	54.503	ng	99
92) Benzo(g,h,i)perylene	17.304	276	500274	54.592	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Feb 06 16:00:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 06 15:49:10 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.792 min Scan# 79
 Delta R.T. 0.000 min
 Lab File: BF141477.D
 Acq: 06 Feb 2025 13:21




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050


Tgt Ion:152 Resp: 87860
 Ion Ratio Lower Upper
 152 100
 150 165.6 125.0 187.4
 115 64.1 53.6 80.4



#2
 1,4-Dioxane
 Concen: 48.882 ng
 RT: 2.481 min Scan# 66
 Delta R.T. 0.000 min
 Lab File: BF141477.D
 Acq: 06 Feb 2025 13:21

Tgt Ion: 88 Resp: 110258
 Ion Ratio Lower Upper
 88 100
 58 90.6 71.1 106.7
 43 40.1 30.6 46.0





#3

Pyridine

Concen: 51.419 ng

RT: 3.210 min Scan# 190

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion: 79 Resp: 275985

Ion Ratio Lower Upper

79 100

52 92.1 73.7 110.5

51 47.9 37.5 56.3



#4

n-Nitrosodimethylamine

Concen: 51.575 ng

RT: 3.169 min Scan# 183

Delta R.T. -0.018 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21




Tgt Ion: 42 Resp: 183299


Ion Ratio Lower Upper

42 100

74 94.6 78.0 117.0

44 6.7 5.4 8.2









#5
2-Fluorophenol
Concen: 99.801 ng
RT: 5.404 min Scan# 509
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:112 Resp: 559309
Ion Ratio Lower Upper
112 100
64 64.4 51.1 76.7
63 35.9 28.4 42.6



#6
Aniline
Concen: 49.774 ng
RT: 6.457 min Scan# 742
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion: 93 Resp: 330719
Ion Ratio Lower Upper
93 100
66 65.4 62.6 94.0
65 38.7 38.3 57.5









#7
Phenol-d6
Concen: 99.168 ng
RT: 6.434 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion: 99 Resp: 702435
Ion Ratio Lower Upper
99 100
42 23.4 19.1 28.7
71 37.6 31.1 46.7



#8
2-Chlorophenol
Concen: 49.604 ng
RT: 6.581 min Scan# 763
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion: 128 Resp: 300380
Ion Ratio Lower Upper
128 100
130 31.9 12.7 52.7
64 50.3 28.3 68.3









#9
Benzaldehyde
Concen: 43.605 ng
RT: 6.340 min Scan# 71
Delta R.T. 0.001 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion: 77 Resp: 164133
Ion Ratio Lower Upper
77 100
105 98.9 79.4 119.4
106 93.2 75.1 115.1



#10
Phenol
Concen: 49.425 ng
RT: 6.445 min Scan# 740
Delta R.T. -0.012 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion: 94 Resp: 364380
Ion Ratio Lower Upper
94 100
65 42.8 23.7 63.7
66 67.6 49.3 89.3









#11
bis(2-Chloroethyl)ether
Concen: 49.643 ng
RT: 6.528 min Scan# 754
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDIC050


Tgt Ion: 93 Resp: 274892
Ion Ratio Lower Upper
93 100
63 83.9 62.0 102.0
95 32.8 12.6 52.6



#12
1,3-Dichlorobenzene
Concen: 49.506 ng
RT: 6.728 min Scan# 788
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:146 Resp: 316493
Ion Ratio Lower Upper
146 100
148 63.2 51.9 77.9
75 33.4 28.2 42.2





#13

1,4-Dichlorobenzene

Concen: 49.264 ng

RT: 6.810 min Scan# 801

Delta R.T. 0.000 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:146 Resp: 321786

Ion Ratio Lower Upper

146 100

148 64.5 50.9 76.3

111 43.1 35.9 53.9



#14

1,2-Dichlorobenzene

Concen: 48.964 ng

RT: 6.963 min Scan# 828

Delta R.T. 0.000 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21




Tgt Ion:146 Resp: 296834


Ion Ratio Lower Upper

146 100

148 63.8 51.8 77.6

111 45.7 37.0 55.4









#15
Benzyl Alcohol
Concen: 50.451 ng
RT: 6.934 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion: 79 Resp: 274040
Ion Ratio Lower Upper
79 100
108 71.9 57.4 86.2
77 62.3 50.9 76.3



#16
2,2'-oxybis(1-Chloropropane)
Concen: 49.091 ng
RT: 7.069 min Scan# 846
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion: 45 Resp: 465332
Ion Ratio Lower Upper
45 100
77 17.2 0.0 35.8
79 13.9 0.0 32.7









#17
2-Methylphenol
Concen: 49.081 ng
RT: 7.051 min Scan# 843
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:	107	Resp:	232571
Ion	Ratio	Lower	Upper
107	100		
108	113.3	90.6	136.0
77	55.4	44.4	66.6
79	53.4	42.3	63.5



#18
Hexachloroethane
Concen: 50.498 ng
RT: 7.298 min Scan# 885
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:	117	Resp:	122071
Ion	Ratio	Lower	Upper
117	100		
119	94.2	76.5	114.7
201	93.8	76.7	115.1









#19
n-Nitroso-di-n-propylamine
Concen: 49.072 ng
RT: 7.210 min Scan# 819
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDIC050


Tgt Ion: 70 Resp: 207915
Ion Ratio Lower Upper
70 100
42 69.6 57.4 86.2
101 9.6 8.0 12.0
130 21.9 16.9 25.3



#20
3+4-Methylphenols
Concen: 49.011 ng
RT: 7.204 min Scan# 869
Delta R.T. -0.012 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:107 Resp: 295179
Ion Ratio Lower Upper
107 100
108 88.9 68.5 108.5
77 143.8 116.5 156.5
79 31.4 12.0 52.0





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.075 min Scan# 1

Delta R.T. 0.000 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDICC050

Tgt Ion:136 Resp: 347298





Ion Ratio Lower Upper

136 100

137 10.7 8.6 13.0

54 9.0 7.2 10.8

68 4.8 3.7 5.5



#22

Acetophenone

Concen: 48.588 ng

RT: 7.204 min Scan# 869

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Tgt Ion:105 Resp: 419759




Ion Ratio Lower Upper


105 100

71 7.7 5.7 8.5

51 43.2 33.7 50.5

120 21.0 17.0 25.6





#23

Nitrobenzene-d5

Concen: 98.686 ng

RT: 7.357 min Scan# 895

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion: 82 Resp: 657106

Ion Ratio Lower Upper

82 100

128 42.9 34.8 52.2

54 60.9 48.2 72.4



#24

Nitrobenzene

Concen: 49.308 ng

RT: 7.375 min Scan# 898

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21




Tgt Ion: 77 Resp: 320155


Ion Ratio Lower Upper

77 100

123 45.8 36.9 55.3

65 14.7 11.9 17.9









#25
Isophorone
Concen: 49.123 ng
RT: 7.616 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDIC050


Tgt Ion: 82 Resp: 521533
Ion Ratio Lower Upper
82 100
95 8.0 6.4 9.6
138 18.1 13.9 20.9



#26
2-Nitrophenol
Concen: 50.962 ng
RT: 7.692 min Scan# 952
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:139 Resp: 164623
Ion Ratio Lower Upper
139 100
109 33.0 27.0 40.6
65 55.3 47.1 70.7





#27

2,4-Dimethylphenol

Concen: 50.093 ng

RT: 7.734 min Scan# 91

Delta R.T. 0.000 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDIC050





Tgt Ion:122 Resp: 189037

Ion Ratio Lower Upper

122 100

107 118.8 94.3 141.5

121 59.7 46.0 69.0



#28

bis(2-Chloroethoxy)methane

Concen: 49.430 ng

RT: 7.822 min Scan# 974

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21




Tgt Ion: 93 Resp: 336274


Ion Ratio Lower Upper

93 100

95 32.5 26.1 39.1

123 12.1 9.5 14.3









#29
2,4-Dichlorophenol
Concen: 49.328 ng
RT: 7.939 min Scan# 994
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:162 Resp: 251518
Ion Ratio Lower Upper
162 100
164 63.7 44.6 84.6
98 38.1 17.2 57.2



#30
1,2,4-Trichlorobenzene
Concen: 48.788 ng
RT: 8.016 min Scan# 1007
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:180 Resp: 270897
Ion Ratio Lower Upper
180 100
182 96.8 76.8 115.2
145 31.3 24.2 36.4









#31
Naphthalene
Concen: 48.605 ng
RT: 8.098 min Scan# 10
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:128 Resp: 878692
Ion Ratio Lower Upper
128 100
129 11.0 8.9 13.3
127 13.6 10.7 16.1



#32
Benzoic acid
Concen: 51.719 ng
RT: 7.863 min Scan# 981
Delta R.T. -0.029 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:122 Resp: 202728
Ion Ratio Lower Upper
122 100
105 128.0 106.5 146.5
77 96.0 76.3 116.3









#33
4-Chloroaniline
Concen: 49.471 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:127	Resp: 312251
Ion Ratio	Lower Upper
127 100	
129 32.2	26.5 39.7
65 32.6	26.4 39.6
92 19.3	15.3 22.9



#34
Hexachlorobutadiene
Concen: 48.971 ng
RT: 8.210 min Scan# 1040
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:225	Resp: 163240
Ion Ratio	Lower Upper
225 100	
223 63.9	50.1 75.1
227 62.8	51.0 76.6









#35
Caprolactam
Concen: 49.180 ng
RT: 8.522 min Scan# 1109
Delta R.T. -0.023 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:113 Resp: 76350
Ion Ratio Lower Upper
113 100
55 205.6 180.8 220.8
56 157.4 133.6 173.6



#36
4-Chloro-3-methylphenol
Concen: 49.736 ng
RT: 8.633 min Scan# 1112
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:107 Resp: 280911
Ion Ratio Lower Upper
107 100
144 24.5 19.7 29.5
142 75.0 60.8 91.2









#37
2-Methylnaphthalene
Concen: 48.643 ng
RT: 8.786 min Scan# 1138
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:142 Resp: 572244
Ion Ratio Lower Upper
142 100
141 88.3 71.2 106.8



#38
1-Methylnaphthalene
Concen: 48.579 ng
RT: 8.886 min Scan# 1155
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:142 Resp: 553503
Ion Ratio Lower Upper
142 100
141 92.4 72.1 108.1









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.828 min Scan# 1115
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:164 Resp: 190523
Ion Ratio Lower Upper
164 100
162 101.5 81.3 121.9
160 44.6 35.9 53.9



#40
1,2,4,5-Tetrachlorobenzene
Concen: 48.369 ng
RT: 8.951 min Scan# 1166
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21


Tgt Ion:216 Resp: 266614
Ion Ratio Lower Upper
216 100
214 80.0 62.3 93.5
179 22.7 18.0 27.0
108 19.0 15.0 22.6








#41
Hexachlorocyclopentadiene
Concen: 53.276 ng
RT: 8.939 min Scan# 1164
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21


Instrument :
BNA_F
ClientSampleId :
SSTDICC050





Tgt Ion:237 Resp: 97674
Ion Ratio Lower Upper
237 100
235 61.1 41.4 81.4
272 12.5 0.0 32.4




#42
2,4,6-Tribromophenol
Concen: 98.845 ng
RT: 10.622 min Scan# 1450
Delta R.T. -0.005 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21



Tgt Ion:330 Resp: 189178
Ion Ratio Lower Upper
330 100
332 95.8 78.5 117.7
141 37.2 31.0 46.4









#43
2,4,6-Trichlorophenol
Concen: 49.825 ng
RT: 9.063 min Scan# 1185
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:196 Resp: 177503
Ion Ratio Lower Upper
196 100
198 100.1 80.6 121.0
200 31.9 25.5 38.3



#44
2,4,5-Trichlorophenol
Concen: 48.667 ng
RT: 9.110 min Scan# 1193
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:196 Resp: 187902
Ion Ratio Lower Upper
196 100
198 103.9 79.8 119.8
97 58.6 44.8 67.2
132 30.8 23.9 35.9









#45
2-Fluorobiphenyl
Concen: 95.605 ng
RT: 9.151 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:172 Resp: 1182292
Ion Ratio Lower Upper
172 100
171 35.8 28.7 43.1
170 23.8 18.9 28.3



#46
1,1'-Biphenyl
Concen: 48.905 ng
RT: 9.251 min Scan# 1217
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:154 Resp: 722373
Ion Ratio Lower Upper
154 100
153 40.4 20.4 60.4
76 11.1 0.0 30.8





#47

2-Chloronaphthalene

Concen: 48.576 ng

RT: 9.275 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:162 Resp: 530577

Ion Ratio Lower Upper

162 100

127 42.6 34.1 51.1

164 32.9 26.3 39.5



#48

2-Nitroaniline

Concen: 49.612 ng

RT: 9.375 min Scan# 1238

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21




Tgt Ion: 65 Resp: 181860


Ion Ratio Lower Upper

65 100

92 67.0 52.2 78.2

138 100.2 79.5 119.3





#49

Acenaphthylene

Concen: 48.672 ng

RT: 9.692 min Scan# 1292

Delta R.T. 0.000 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:152 Resp: 790730

Ion Ratio Lower Upper

152 100

151 20.2 16.4 24.6

153 13.7 10.9 16.3



#50

Dimethylphthalate

Concen: 48.760 ng

RT: 9.557 min Scan# 1269

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21




Tgt Ion:163 Resp: 630673


Ion Ratio Lower Upper

163 100

194 3.8 3.0 4.4

164 10.1 7.9 11.9





#51

2,6-Dinitrotoluene

Concen: 49.760 ng

RT: 9.616 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:165 Resp: 140697

Ion Ratio Lower Upper

165 100

63 64.4 49.4 74.0

89 58.9 46.5 69.7



#52

Acenaphthene

Concen: 48.327 ng

RT: 9.863 min Scan# 1321

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21




Tgt Ion:154 Resp: 527828


Ion Ratio Lower Upper

154 100

153 111.5 89.2 133.8

152 50.8 39.8 59.8









#53
3-Nitroaniline
Concen: 50.087 ng
RT: 9.786 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:138 Resp: 152426
Ion Ratio Lower Upper
138 100
108 11.0 9.0 13.4
92 116.2 93.7 140.5



#54
2,4-Dinitrophenol
Concen: 52.339 ng
RT: 9.892 min Scan# 1326
Delta R.T. -0.012 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:184 Resp: 87953
Ion Ratio Lower Upper
184 100
63 77.9 61.0 91.6
154 71.8 59.9 89.9









#55
Dibenzofuran
Concen: 48.523 ng
RT: 10.033 min Scan# 1350
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:168 Resp: 777905
Ion Ratio Lower Upper
168 100
139 41.2 32.7 49.1
169 13.5 10.8 16.2



#56
4-Nitrophenol
Concen: 52.603 ng
RT: 9.957 min Scan# 1337
Delta R.T. -0.012 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:139 Resp: 118835
Ion Ratio Lower Upper
139 100
109 81.7 62.0 102.0
65 109.4 91.2 131.2









#57
2,4-Dinitrotoluene
Concen: 49.346 ng
RT: 10.022 min Scan# 11
Delta R.T. -0.005 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:165 Resp: 185741
Ion Ratio Lower Upper
165 100
63 55.6 46.4 69.6
89 76.5 61.8 92.6
182 2.7 2.2 3.2



#58
Fluorene
Concen: 47.597 ng
RT: 10.380 min Scan# 1409
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:166 Resp: 590000
Ion Ratio Lower Upper
166 100
165 98.4 78.2 117.2
167 13.4 10.7 16.1









#59
2,3,4,6-Tetrachlorophenol
Concen: 49.807 ng
RT: 10.157 min Scan# 1371
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:232 Resp: 165559
Ion Ratio Lower Upper
232 100
131 46.7 39.2 58.8
130 2.6 2.1 3.1
166 30.8 25.1 37.7



#60
Diethylphthalate
Concen: 48.647 ng
RT: 10.251 min Scan# 1387
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:149 Resp: 619064
Ion Ratio Lower Upper
149 100
177 22.2 17.8 26.6
150 12.5 10.1 15.1









#61
4-Chlorophenyl-phenylether
Concen: 48.048 ng
RT: 10.369 min Scan# 1407
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:204 Resp: 286530
Ion Ratio Lower Upper
204 100
206 32.4 26.6 40.0
141 66.0 51.9 77.9



#62
4-Nitroaniline
Concen: 49.113 ng
RT: 10.404 min Scan# 1413
Delta R.T. -0.012 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:138 Resp: 151765
Ion Ratio Lower Upper
138 100
92 52.2 31.3 71.3
108 84.9 63.7 103.7









#63
Azobenzene
Concen: 48.742 ng
RT: 10.533 min Scan# 1435
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:	77	Resp:	616638
Ion	Ratio	Lower	Upper
77	100		
182	27.0	4.7	44.7
105	21.1	0.4	40.4
51	35.7	16.5	56.5



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.316 min Scan# 1568
Delta R.T. -0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:	188	Resp:	323702
Ion	Ratio	Lower	Upper
188	100		
94	8.4	6.6	10.0
80	9.0	7.3	10.9









#65
4,6-Dinitro-2-methylphenol
Concen: 51.021 ng
RT: 10.433 min Scan# 1417
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:198 Resp: 114725
Ion Ratio Lower Upper
198 100
51 54.9 37.4 77.4
105 43.0 25.2 65.2



#66
n-Nitrosodiphenylamine
Concen: 48.810 ng
RT: 10.492 min Scan# 1428
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:169 Resp: 505770
Ion Ratio Lower Upper
169 100
168 66.1 53.3 79.9
167 36.1 29.4 44.2









#67
4-Bromophenyl-phenylether
Concen: 49.135 ng
RT: 10.863 min Scan# 1491
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:248 Resp: 177761
Ion Ratio Lower Upper
248 100
250 99.3 77.8 116.6
141 77.0 60.6 90.8



#68
Hexachlorobenzene
Concen: 48.567 ng
RT: 10.927 min Scan# 1502
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:284 Resp: 180930
Ion Ratio Lower Upper
284 100
142 35.9 28.0 42.0
249 33.4 25.8 38.8





#69

Atrazine

Concen: 48.175 ng

RT: 11.022 min Scan# 1518

Delta R.T. 0.001 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDIC050





Tgt Ion:200 Resp: 149758

Ion Ratio Lower Upper

200 100

173 24.2 5.9 45.9

215 46.3 25.9 65.9



#70

Pentachlorophenol

Concen: 53.769 ng

RT: 11.122 min Scan# 1535

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21




Tgt Ion:266 Resp: 128081


Ion Ratio Lower Upper

266 100

268 61.8 50.1 75.1

264 62.8 50.1 75.1









#71
Phenanthrene
Concen: 48.631 ng
RT: 11.339 min Scan# 1572
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:178 Resp: 866517
Ion Ratio Lower Upper
178 100
176 19.3 15.4 23.0
179 15.6 12.4 18.6



#72
Anthracene
Concen: 48.984 ng
RT: 11.392 min Scan# 1581
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:178 Resp: 877393
Ion Ratio Lower Upper
178 100
176 18.8 14.8 22.2
179 15.7 12.4 18.6





#73

Carbazole

Concen: 48.504 ng

RT: 11.551 min Scan# 1

Delta R.T. 0.000 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:167 Resp: 781733

Ion Ratio Lower Upper

167 100

166 21.6 17.4 26.2

139 13.5 10.9 16.3



#74

Di-n-butylphthalate

Concen: 49.210 ng

RT: 11.880 min Scan# 1664

Delta R.T. 0.000 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21




Tgt Ion:149 Resp: 915782


Ion Ratio Lower Upper

149 100

150 9.1 7.4 11.0

104 5.2 4.2 6.2









#75
Fluoranthene
Concen: 48.367 ng
RT: 12.527 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDIC050


Tgt Ion:202 Resp: 913699
Ion Ratio Lower Upper
202 100
101 10.1 0.0 30.2
203 17.6 0.0 37.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.963 min Scan# 2018
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:240 Resp: 205879
Ion Ratio Lower Upper
240 100
120 9.4 8.0 12.0
236 25.4 19.8 29.8





#77

Benzidine

Concen: 49.026 ng

RT: 12.651 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:184 Resp: 222606

Ion Ratio Lower Upper

184 100

185 14.1 11.3 16.9

183 12.1 9.3 13.9



#78

Pyrene

Concen: 52.106 ng

RT: 12.757 min Scan# 1813

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21




Tgt Ion:202 Resp: 913198


Ion Ratio Lower Upper

202 100

200 21.2 17.0 25.4


203 17.6 14.3 21.5








#79
 Terphenyl-d14
 Concen: 102.010 ng
 RT: 12.904 min Scan# 1838
 Delta R.T. 0.000 min
 Lab File: BF141477.D
 Acq: 06 Feb 2025 13:21


Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050





Tgt Ion:244 Resp: 1244053
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.6 8.4
 122 10.5 8.4 12.6




#80
 Butylbenzylphthalate
 Concen: 51.168 ng
 RT: 13.380 min Scan# 1919
 Delta R.T. 0.000 min
 Lab File: BF141477.D
 Acq: 06 Feb 2025 13:21



Tgt Ion:149 Resp: 310612
 Ion Ratio Lower Upper
 149 100
 91 72.8 57.8 86.8
 206 21.5 16.7 25.1









#81
Benzo(a)anthracene
Concen: 49.234 ng
RT: 13.951 min Scan# 2015
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:228 Resp: 673785
Ion Ratio Lower Upper
228 100
226 27.1 21.8 32.8
229 19.8 15.8 23.6



#82
3,3'-Dichlorobenzidine
Concen: 47.650 ng
RT: 13.915 min Scan# 2010
Delta R.T. 0.000 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:252 Resp: 186802
Ion Ratio Lower Upper
252 100
254 64.7 50.6 76.0
126 10.8 9.3 13.9





#83

Chrysene

Concen: 49.505 ng

RT: 13.986 min Scan# 2022

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:228 Resp: 625572

Ion Ratio Lower Upper

228 100

226 29.8 24.0 36.0

229 19.6 15.7 23.5



#84

Bis(2-ethylhexyl)phthalate

Concen: 51.138 ng

RT: 13.939 min Scan# 2014

Delta R.T. 0.000 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21




Tgt Ion:149 Resp: 350121


Ion Ratio Lower Upper

149 100

167 26.5 21.4 32.0

279 4.0 3.1 4.7





#85

Di-n-octyl phthalate

Concen: 53.213 ng

RT: 14.563 min Scan# 2120

Delta R.T. 0.000 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:149 Resp: 519741

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9

43 11.7 9.5 14.3



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.415 min Scan# 2265

Delta R.T. 0.000 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21




Tgt Ion:264 Resp: 174906


Ion Ratio Lower Upper

264 100

260 23.5 18.6 28.0

265 21.3 17.0 25.4





#87

Indeno(1,2,3-cd)pyrene

Concen: 54.277 ng

RT: 16.868 min Scan# 2194

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:276 Resp: 586584

Ion Ratio Lower Upper

276 100

138 23.0 18.0 27.0

277 25.2 20.4 30.6



#88

Benzo(b)fluoranthene

Concen: 50.251 ng

RT: 14.998 min Scan# 2194

Delta R.T. -0.006 min

Lab File: BF141477.D

Acq: 06 Feb 2025 13:21




Tgt Ion:252 Resp: 590149


Ion Ratio Lower Upper

252 100

253 22.2 17.5 26.3

125 9.2 7.0 10.6









#89
Benzo(k)fluoranthene
Concen: 46.814 ng
RT: 15.027 min Scan# 2198
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:252 Resp: 469466
Ion Ratio Lower Upper
252 100
253 22.3 18.0 27.0
125 9.2 7.4 11.0



#90
Benzo(a)pyrene
Concen: 49.173 ng
RT: 15.357 min Scan# 2255
Delta R.T. -0.006 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:252 Resp: 467288
Ion Ratio Lower Upper
252 100
253 21.7 17.1 25.7
125 10.2 7.4 11.2









#91
Dibenzo(a,h)anthracene
Concen: 54.503 ng
RT: 16.880 min Scan# 2513
Delta R.T. -0.012 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:278 Resp: 477285
Ion Ratio Lower Upper
278 100
139 15.1 11.8 17.6
279 23.6 19.1 28.7



#92
Benzo(g,h,i)perylene
Concen: 54.592 ng
RT: 17.304 min Scan# 2586
Delta R.T. -0.012 min
Lab File: BF141477.D
Acq: 06 Feb 2025 13:21

Tgt Ion:276 Resp: 500274
Ion Ratio Lower Upper
276 100
277 23.1 18.6 28.0
138 19.1 15.9 23.9

