

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN020525\
 Data File : BN036323.D
 Acq On : 06 Feb 2025 07:27
 Operator : RC/JU
 Sample : Q1283-05
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-192-GW-500-502

Quant Time: Feb 06 08:02:19 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 01:04:09 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.775	152	2177	0.400	ng	0.00
7) Naphthalene-d8	10.562	136	4873	0.400	ng	0.00
13) Acenaphthene-d10	14.409	164	2591	0.400	ng	0.00
19) Phenanthrene-d10	17.149	188	5153	0.400	ng	-0.01
29) Chrysene-d12	21.340	240	5130	0.400	ng	0.00
35) Perylene-d12	23.625	264	5436	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.363	112	927	0.164	ng	0.00
5) Phenol-d6	6.952	99	651	0.098	ng	0.00
8) Nitrobenzene-d5	8.918	82	1663	0.362	ng	-0.01
11) 2-Methylnaphthalene-d10	12.152	152	2399	0.362	ng	0.00
14) 2,4,6-Tribromophenol	15.895	330	437	0.263	ng	-0.01
15) 2-Fluorobiphenyl	13.030	172	3375	0.292	ng	-0.01
27) Fluoranthene-d10	19.188	212	5569	0.417	ng	0.00
31) Terphenyl-d14	19.782	244	4207	0.395	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.283	88	7472	3.070	ng	97
24) Pentachlorophenol	16.813	266	1017	0.486	ng	95
34) Bis(2-ethylhexyl)phtha...	21.259	149	3005	0.295	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN020525\
Data File : BN036323.D
Acq On : 06 Feb 2025 07:27
Operator : RC/JU
Sample : Q1283-05
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-500-502


Quant Time: Feb 06 08:02:19 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 06 01:04:09 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.775 min Scan# 61
 Delta R.T. 0.000 min
 Lab File: BN036323.D
 Acq: 06 Feb 2025 07:27

Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-192-GW-500-502



Tgt Ion:152 Resp: 2177




Ion	Ratio	Lower	Upper
152	100		
150	147.6	117.4	176.2
115	62.5	51.0	76.4




#2
 1,4-Dioxane
 Concen: 3.070 ng
 RT: 3.283 min Scan# 28
 Delta R.T. -0.007 min
 Lab File: BN036323.D
 Acq: 06 Feb 2025 07:27

Tgt Ion: 88 Resp: 7472

Ion	Ratio	Lower	Upper
88	100		
43	44.5	38.5	57.7
58	81.7	66.6	99.8









#4
2-Fluorophenol
Concen: 0.164 ng
RT: 5.363 min Scan# 316
Delta R.T. 0.000 min
Lab File: BN036323.D
Acq: 06 Feb 2025 07:27




Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-500-502


Tgt Ion:112 Resp: 927
Ion Ratio Lower Upper
112 100
64 64.1 50.0 75.0
63 37.5 30.7 46.1



#5
Phenol-d6
Concen: 0.098 ng
RT: 6.952 min Scan# 536
Delta R.T. 0.000 min
Lab File: BN036323.D
Acq: 06 Feb 2025 07:27

Tgt Ion: 99 Resp: 651
Ion Ratio Lower Upper
99 100
42 44.7 26.8 40.2#
71 60.8 36.6 55.0#





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.562 min Scan# 91

Delta R.T. 0.000 min

Lab File: BN036323.D

Acq: 06 Feb 2025 07:27

Instrument :

BNA_N

ClientSampleId :

BP-VPB-192-GW-500-502

Tgt Ion:136 Resp: 4873





Ion Ratio Lower Upper

136 100

137 12.6 10.4 15.6

54 11.5 7.7 11.5

68 7.9 5.4 8.0



#8

Nitrobenzene-d5

Concen: 0.362 ng

RT: 8.918 min Scan# 781

Delta R.T. -0.011 min

Lab File: BN036323.D

Acq: 06 Feb 2025 07:27




Tgt Ion: 82 Resp: 1663


Ion Ratio Lower Upper

82 100

128 36.6 28.8 43.2

54 67.7 55.8 83.8









#11
2-Methylnaphthalene-d10
Concen: 0.362 ng
RT: 12.152 min Scan# 1146
Delta R.T. -0.005 min
Lab File: BN036323.D
Acq: 06 Feb 2025 07:27




Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-500-502


Tgt Ion:152 Resp: 2399
Ion Ratio Lower Upper
152 100
151 21.0 16.6 25.0



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.409 min Scan# 1450
Delta R.T. 0.000 min
Lab File: BN036323.D
Acq: 06 Feb 2025 07:27


Tgt Ion:164 Resp: 2591
Ion Ratio Lower Upper
164 100
162 101.5 84.1 126.1
160 50.0 43.8 65.8








#14
2,4,6-Tribromophenol
Concen: 0.263 ng
RT: 15.895 min Scan# 1584
Delta R.T. -0.012 min
Lab File: BN036323.D
Acq: 06 Feb 2025 07:27

Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-500-502







Tgt Ion:330 Resp: 437
Ion Ratio Lower Upper
330 100
332 95.7 81.0 121.4
141 47.8 36.7 55.1



#15
2-Fluorobiphenyl
Concen: 0.292 ng
RT: 13.030 min Scan# 1321
Delta R.T. -0.011 min
Lab File: BN036323.D
Acq: 06 Feb 2025 07:27

Tgt Ion:172 Resp: 3375
Ion Ratio Lower Upper
172 100
171 37.0 30.9 46.3
170 25.3 21.2 31.8









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.149 min Scan# 1685
Delta R.T. -0.012 min
Lab File: BN036323.D
Acq: 06 Feb 2025 07:27




Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-500-502


Tgt Ion:188 Resp: 5153
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 16.4 12.3 18.5



#24
Pentachlorophenol
Concen: 0.486 ng
RT: 16.813 min Scan# 1658
Delta R.T. 0.000 min
Lab File: BN036323.D
Acq: 06 Feb 2025 07:27

Tgt Ion:266 Resp: 1017
Ion Ratio Lower Upper
266 100
264 63.8 48.2 72.2
268 67.8 51.6 77.4









#27
Fluoranthene-d10
Concen: 0.417 ng
RT: 19.188 min Scan# 1940
Delta R.T. 0.000 min
Lab File: BN036323.D
Acq: 06 Feb 2025 07:27




Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-500-502


Tgt Ion:212 Resp: 5569
Ion Ratio Lower Upper
212 100
106 14.1 9.7 14.5
104 9.0 6.0 9.0



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.340 min Scan# 2265
Delta R.T. -0.000 min
Lab File: BN036323.D
Acq: 06 Feb 2025 07:27

Tgt Ion:240 Resp: 5130
Ion Ratio Lower Upper
240 100
120 20.1 13.9 20.9
236 30.3 23.7 35.5









#31
 Terphenyl-d14
 Concen: 0.395 ng
 RT: 19.782 min Scan# 2063
 Delta R.T. -0.009 min
 Lab File: BN036323.D
 Acq: 06 Feb 2025 07:27




Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-192-GW-500-502


Tgt Ion:244 Resp: 4207
 Ion Ratio Lower Upper
 244 100
 212 10.7 9.1 13.7
 122 17.4 11.3 16.9#



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.295 ng
 RT: 21.259 min Scan# 2256
 Delta R.T. 0.000 min
 Lab File: BN036323.D
 Acq: 06 Feb 2025 07:27


Tgt Ion:149 Resp: 3005
 Ion Ratio Lower Upper
 149 100
 167 28.1 21.9 32.9
 279 3.2 3.0 4.6





#35
Perylene-d12
Concen: 0.400 ng
RT: 23.625 min Scan# 21
Delta R.T. -0.003 min
Lab File: BN036323.D
Acq: 06 Feb 2025 07:27

Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-500-502



Tgt Ion:264 Resp: 5436
Ion Ratio Lower Upper
264 100
260 26.5 21.8 32.6
265 101.6 56.6 84.8#

