

Client Contact Information		Bottle Order ID : B2501045		Courier : Frank Galdun		1 of 4 COCs																					
Client ID : GFE101	Project ID : 2136		Project Manager : FRANK GILDUN		Sample Name(s) : FRANK GILDUN		Analysis																				
Customer Name : GFE LLC	Project Manager : FRANK GILDUN		Phone Number : 646-542-3465		Fax Number : 973-334-1692		Matrix																				
Address : 58 Nokomis Ave	City : Lake Hawatha		State : NJ		Zip Code : 07034																						
Country : USA		Analysis Turnaround Time : 5 DAY		Standard : 10 BUSINESS DAYS		OR																					
Rush (Specify) : 5 Days		Data Package Type : RESULTS ONLY		EDD Type : PDF																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In ("Hg) (Start)	Can Vacuum In ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/mln)	Can Cert ID														
501	4/24/21	12:21	05:00	5	5	69	69	-30	-5.1	10616	10271	6 L	50	VL041615.D	1	1	1	1									
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																			Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																									
Start																											
Stop																											
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																			Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																									
Start																											
Stop																											
GC/MS Analyst Signature (TO-15) <i>[Signature]</i>																											
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low Sampling site (State): NJ Quick Connector required : NJ Canisters Shipped by: 3/28/21 Date/Time: 01/28/21 Canisters Received by: 3/28/21 Date/Time: 25/25/20 Samples Relinquished by: 3/28/21 Date/Time: 25/25/20 Received by: 3/28/21 Date/Time: 25/25/20 Relinquished by: 3/28/21 Date/Time: 25/25/20 Received by: 3/28/21 Date/Time: 25/25/20																											
PTD Readings: 0.0 Submittal of this COC indicates approval of the analysis based on existing conditions. FOR ONLY THOSE ANALYTES ON THE ATTACHED LIST. Please follow the instructions on the back of this COC.																											
Indoor/Ambient Air Soil Gas																											

REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,2-DCE

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane

Hexane

Client Contact Information						Bottle Order ID :	B2501045		Courier :	Frank Galdun		2 of 4 COCs					
Client ID :		GFEI01	Project ID :		2126 Utopia Parkway, Flushing NY		Sampler Name(s)		Frank Galdun		Analysis		Matrix				
Customer Name :		GFE LLC	Project Manager :		FRANK GALDUN		AIR ANALYSIS										
Address :		58 Nokomis Ave	Phone Number :		646-542-3465		CHAIN-OF-CUSTODY										
			Fax Number :		973-334-1692		Batch Certified										
City :		Lake Hiawatha	Site Details		12341125 Flat Rock Ave Brooklyn, NY												
State :		NJ	Analysis Turnaround Time		5 DAY												
Zip Code :		07034	Standard :		ASTM D1532-17 OR		Data Package Type :										
Country :			Rush (Specify):		5 Days		EDD Type :										
Sample Identification			Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (mL/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV2			10/10/21	10:28 AM	12:30 PM		69.65	-30	-6.2	10502	10285	6 L	50	VLO41615.D	/		1
		Temperature (Fahrenheit)															
		Ambient			Maximum	Minimum											
Start																	
Stop																	
		Pressure (Inches of Hg)															
		Ambient			Maximum	Minimum											
Start																	
Stop																	
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low Sampling site (State): NJ Quick Connector required : NO Canisters Shipped by: SGA Samples Relinquished by: SGA Relinquished by:																	
PID Readings: O2 0																	
GC/MS Analyst Signature (TO-15) Submital of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.																	
B2501045 - 5																	

REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,2-DCE

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane

Hexane

Client Contact Information		Bottle Order ID : B2501045		Courier : F. Galdun		Analysis		Matrix											
Client ID : GFELO1		Project ID : 21-30000000000000000000		Sampler Name(s) : FRANK Galdun		COCs		2 of 4											
Customer Name : GFE LLC		Project Manager : FRANK Galdun		AIR ANALYSIS															
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY															
		Fax Number : 973-334-1692		Batch Certified															
City : Lake Hiawatha		Site Details: 1123 & 1125 Fairbush Ave Brooklyn, NY																	
State : NJ		Analysis Turnaround Time : 5 DAY																	
Zip Code : 07034		Standard : 10000000000000000000		Data Package Type : Results Only															
Country : 		Rush (Specify) : 5 Days		EDD Type : PDF															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID						
IAA1	2/1/05	10:13	12:13	30	3.5	65	65	-30	-4.5	10185	10275	6 L	50	VL041615.D	1				
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15)									
Ambient					Maximum					Minimum									
Start																			
Stop																			
Pressure (Inches of Hg)										**Submittal of this COC indicates approval of the analysis based on existing conditions. REJECT ONLY THOSE ANALYTES AND THE ATTACHED LIST Please follow the instructions on the back of this COC.									
Ambient					Maximum					Minimum									
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low																			
Sampling site (State):																			
Quick Connector required : 110																			
Canisters Shipped by: 110					Date/Time: 2/1/05					Canisters Received by: FR					Date/Time: 2/1/05				
Samples Relinquished by: FR					Date/Time: 2/1/05					Received by: FR					Date/Time: 2/1/05				
Relinquished by: FR					Date/Time: 2/1/05					Received by: FR					Date/Time: 2/1/05				

REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,2-DCE

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane

Hexane

Client Contact Information		Bottle Order ID : B2501045		Courier : F. GARDUN		Analysis		Matrix																
Client ID : GFEI01	Project ID : 21-03-0101	Project Manager : FRANK GALDUN		Sampler Name(s) : FRANK GALDUN																				
Customer Name : GFE LLC	Phone Number : 646-542-3465		Fax Number : 973-334-1692		AIR ANALYSIS CHAIN-OF-CUSTODY																			
Address : 58 Nokomis Ave		Site Details : 1123 1/2 Turnabout Ave Brooklyn, NY		Batch Certified																				
City : Lake Hiawatha	Analysis Turnaround Time : 5 DAY																							
State : NJ	Standard : 10-15 minutes		OR		Data Package Type : Results Only																			
Zip Code : 07034	Rush (Specify) : 5 Days		EDD Type : PDF																					
Country : USA																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor Ambient Air	Soil Gas									
IT-2	4/1/25	10:00	12:00	30	5.5	65	65	-30	-5.9	10226	10269	6 L	50	VL041615.D	TO-15									
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
GC/MS Analyst Signature (TO-15) Submital of this COC indicates approval of the analysis based on existing conditions. PERFORMED ONLY THOSE ANALYSES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.																								
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low Sampling site (State): Low Quick Connector required : NO Canisters Shipped by: 398 Date/Time: 4/1/25 Canisters Received by: 25 Date/Time: 4/1/25 Samples Relinquished by: 398 Date/Time: 4/1/25 Received by: 25 Date/Time: 4/1/25 Relinquished by: 398 Date/Time: 4/1/25 Received by: 25 Date/Time: 4/1/25																								

REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,2-DCE

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane


Hexane

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: <u>Chemtech</u>		Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>	
NAME		Title: <u>Sample Custodian</u>	
Field Sample Seal No. <u>Q1303</u>		Date Broken <u>2/5/2025</u>	Military Time Seal Broken: <u>12:00:00</u>
Case No.: <u>1123 & 1125 Flatbush Ave</u>		Analytical Parameter/Fraction <u>WOCMS Group2</u>	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1303-01	SV1		
Q1303-02	SV2		
Q1303-03	IA1		
Q1303-04	IA2		

Date	Time	Relinquished By		Received By		Purpose of Change of Custody
2/5	1350	Signature		Signature		
		Printed Name	<u>FORSE N.</u>	Printed Name	<u>Forse N. J. C. C.</u>	
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: [Signature]Supervisor Signature: [Signature]

METHOD: TO-15

Pressure Gauge ID: 0511064

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
01/15/24	Q1090-01	10599	11.4	-6.7				sy
	Q1090-02	10053	11.4	-6.7				↓
	Q1090-03	10598	11.6	-6.3				
	Q1090-04	10297	11.6	-6.3				↓
✓	Q1090-05	10154	12.8	-3.9				sy
01/20/25	Q1138-01	10607	11.8	-5.9				sy
↓	Q1138-02	10323	13.4	-2.7				sy
1/29/25	Q1222-01	10332	13.5	-2.4				↓
↓	Q1222-02	10281	13.4	-2.7				↓
↓	Q1222-03	10595	12.6	-4.3				→
1/31/25	Q1256-01	10592	12.8	-3.9				↓
↓	Q1256-02	10198	12.5	-4.5				↓
2/05/25	Q1302-01	10331	12.5	-4.5				sy
	Q1302-02	10283	12.0	-5.5				sy
	Q1303-01	10271	12.2	-5.1				↓
	Q1303-02	10285	11.4	-6.7				↓
	Q1303-03	10275	12.5	-4.5				↓
✓	Q1303-04	10269	11.8	-5.9				↓

Process Report

284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Order ID : Q1303

Date	Bottle ID	Lab Sample Number	InComing Vacuum	Canister ID	Can Size	Reg ID	Reg Size	Batch Code	Certification ID
02/05/2025	B2501045	Q1303-02	-6.7	10285	6 L	10502		C2409003	VL041615.D Seq :vl091824 TUNE : VL041600.D ICAL : VL041597.D CCAL : VL041601.D MB : VL041602.D
02/05/2025	B2501045	Q1303-03	-4.5	10275	6 L	10185		C2409003	VL041615.D Seq :vl091824 TUNE : VL041600.D ICAL : VL041597.D CCAL : VL041601.D MB : VL041602.D
02/05/2025	B2501045	Q1303-01	-5.1	10271	6 L	10616		C2409003	VL041615.D Seq :vl091824 TUNE : VL041600.D ICAL : VL041597.D CCAL : VL041601.D MB : VL041602.D
02/05/2025	B2501045	Q1303-04	-5.9	10269	6 L	10226		C2409003	VL041615.D Seq :vl091824 TUNE : VL041600.D ICAL : VL041597.D CCAL : VL041601.D MB : VL041602.D

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #

Client Name

Project Name

Date

Analysis

Comments

CHEMTECH'S SAMPLE ID

Date Received

Storage Location: VOA Lab
Sample: Q1303-02
Cust #: SV2

SV2
SITE
FERTISUGA
2/4
10-15

10285
15

B2501045

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #

Client Name

Project Name

Date

Analysis

Comments

CHEMTECH'S SAMPLE ID

Date Received

Storage Location: VOA Lab
Sample: Q1303-01
Cust #: SV1

SV1
SITE
FERTISUGA
2/4
10-15

10271
15

B2501045

10275 4.5

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: IA1 CFE
Client Name: FAIRBUSH
Project Name: FAIRBUSH
Date: 2/9 Time: 10:15
Analysis: 1045
Comments: _____
CHEMTECH'S SAMPLE ID: _____
Date Received: _____
Storage Location: VOA Lab
Sample: Q1303-03
Cust #: IA1

10269 5.9

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: IA2 CFE
Client Name: FAIRBUSH
Project Name: FAIRBUSH
Date: 2/9 Time: 10:15
Analysis: 1045
Comments: _____
CHEMTECH'S SAMPLE ID: _____
Date Received: _____
Storage Location: VOA Lab
Sample: Q1303-04
Cust #: IA2

B2501045

