



SHIPPING DOCUMENTS

284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

CHEMTECH Project No. :

Q1303

Client Contact Information				Bottle Order ID : B2501045				Courier : F. Galdun				1 of 4 COCs																							
Client ID : GFEL01				Project ID : 21-36 STOPPED PARKWAY, FLUSHING NY				Sampler Name(s) : FRANK GILDUN				Analysis																							
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GILDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																											
				Phone Number : 646-542-3465																															
				Fax Number : 973-334-1692																															
				Site Details: 1123 & 1125 FLATBUSH AVE BROOKLYN, NY																															
				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY				Indoor/Ambient Air																							
				Standard : 10 BUSINESS DAYS OR				EDD Type : PDF																											
Rush (Specify): 5 Days												Soil Gas																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15																				
SU1	2/1/25	10:21	12:21	OVER 30	5	69	69	-30	-5.1	10616	10271	6 L	50	VL041615.D	1																				
<table border="1"><thead><tr><th colspan="5">Temperature (Fahrenheit)</th></tr><tr><th></th><th>Ambient</th><th>Maximum</th><th>Minimum</th><th></th></tr></thead><tbody><tr><td>Start</td><td></td><td></td><td></td><td></td></tr><tr><td>Stop</td><td></td><td></td><td></td><td></td></tr></tbody></table>																Temperature (Fahrenheit)						Ambient	Maximum	Minimum		Start					Stop				
Temperature (Fahrenheit)																																			
	Ambient	Maximum	Minimum																																
Start																																			
Stop																																			
<table border="1"><thead><tr><th colspan="5">Pressure (Inches of Hg)</th></tr><tr><th></th><th>Ambient</th><th>Maximum</th><th>Minimum</th><th></th></tr></thead><tbody><tr><td>Start</td><td></td><td></td><td></td><td></td></tr><tr><td>Stop</td><td></td><td></td><td></td><td></td></tr></tbody></table>																Pressure (Inches of Hg)						Ambient	Maximum	Minimum		Start					Stop				
Pressure (Inches of Hg)																																			
	Ambient	Maximum	Minimum																																
Start																																			
Stop																																			
GC/MS Analyst Signature (TO-15) [Signature]																																			
Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST. Please follow the instructions on the back of this COC.																																			
Special Instructions/QC Requirements & Comments :																																			
Suspected Contamination: High Medium Low PID Readings: 0.0																																			
Sampling site (State):																																			
Quick Connector required : NO																																			
Canisters Shipped by: [Signature]				Date/Time: 01/28/25				Canisters Received by: [Signature]				Date/Time: 2/5/25 1200																							
Samples Relinquished by: [Signature]				Date/Time: 2/5/25				Received by:				Date/Time:																							
Relinquished by:				Date/Time:				Received by:				Date/Time:																							
B2501045 - 3																																			

Client Contact Information						Bottle Order ID : B2501045				Courier : F. Galdun				<u>2</u> of <u>4</u> COCs			
Client ID : GFEL01 Project ID : 2126 Utopia Parkway, Flushing NY						Sampler Name(s) FRANK Galdun				Analysis				Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :						Project Manager : FRANK Galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 646-542-3465											
						Fax Number : 973-334-1692											
						Site Details: 1123 & 1125 Flatbush Ave BROOKLYN, NY											
Analysis Turnaround Time 5 DAY						Standard : 10 business days OR				Data Package Type :							
Rush (Specify): 5 Days						EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV2	2/4/05	10:29	12:29	30		69	65	-30	-6.2	10502	10285	6 L	50	VL041615.D	1		1
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: 0.0																	
Sampling site (State):																	
Quick Connector required : NO																	
Canisters Shipped by: [Signature]				Date/Time: 2/4/05				Canisters Received by: [Signature]				Date/Time: 2/5/05 1200				B2501045 - 5	
Samples Relinquished by: [Signature]				Date/Time: 2/5/05				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2501045				Courier : FGALDUN				3 of 4 COCs					
Client ID : GFEL01 Project ID : 21-36 Utom Parkway, Flushing NY				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix					
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 1123 & 1125 Flatbush Ave BROOKLYN, NY													
Analysis Turnaround Time 5 DAY				Standard : 10 Business days OR				Data Package Type : RESULTS ONLY									
Rush (Specify): 5 Days				EDD Type : PDF													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas
IA1	4/25	10:13	12:13	30	3.5	65	65	-30	-4.5	10185	10275	6 L	50	VL041615.D	1	1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																	
Sampling site (State):																	
Quick Connector required :																	
Canisters Shipped by: <u>[Signature]</u>				Date/Time: <u>4/28/25</u>				Canisters Received by: <u>[Signature]</u>				Date/Time: <u>4/25/200</u>				B2501045 - 4	
Samples Relinquished by: <u>[Signature]</u>				Date/Time: <u>4/25/25</u>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2501045				Courier : FGALDUN				9 of 4 COCs																
Client ID : GFEL01 Project ID : 21-38 Utopia Parkway, Bushing, NY				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix																
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																				
				Phone Number : 646-542-3465																								
				Fax Number : 973-334-1692																								
				Site Details: 1123 & 1125 Flatbush Ave Brooklyn, NY																								
Analysis Turnaround Time 5 DAY				Standard : 10 business days OR				Data Package Type : Results Only																				
Rush (Specify): 5 Days				EDD Type : PDF																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas												
IA2	4/25	10:29	12:29	30	5.5	65	65	-30	-5.9	10226	10269	6 L	50	VL041615.D	1													
Temperature (Fahrenheit) <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15)																		Ambient	Maximum	Minimum	Start				Stop			
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> ** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.																		Ambient	Maximum	Minimum	Start				Stop			
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: 0.0 Sampling site (State):																												
Quick Connector required : No																												
Canisters Shipped by: Sam				Date/Time: 4/27/25				Canisters Received by: [Signature]				Date/Time: 2/5/25, 200																
Samples Relinquished by: [Signature]				Date/Time: 4/25/25				Received by:				Date/Time:																
Relinquished by:				Date/Time:				Received by:				Date/Time:																

REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,2-DCE

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane

Hexane

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,2-DCE

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane

Hexane

REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,2-DCE

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane

Hexane



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

New Jersey Department of Environmental Protection

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample	
Laboratory: <u>Chemtech</u> NOAEE Field Sample Seal No. <u>Q1303</u> Case No.: <u>1123 & 1125 Flatbush Ave</u>	Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u> Title: <u>Sample Custodian</u> Date Broken <u>2/5/2025</u> Analytical Parameter/Fraction <u>OCMS Group2</u>
Military Time Seal Broken: <u>12:00:00</u>	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1303-01	SV1		
Q1303-02	SV2		
Q1303-03	IA1		
Q1303-04	IA2		

Date	Time	Relinquished By		Received By		Purpose of Change of Custody
2/5	1350	Signature		Signature		
		Printed Name	Page N.	Printed Name	Quincy J. C. G. S. C.	
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy