

nteres

Instrument :

FID_B

ClientSampleId :

EX-6-TPH-1

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB02062
Data File : FB031454.D
Signal(s) : FID2B.CH
Acq On : 6 Feb 2025 12:25
Sample : Q1308-02 50X
Misc : 7.96G/5.00 ML MEOH
ALS Vial : 6 Sample Multiplier: 1

Reviewed By :Yogesh Patel 02/07/2025
Supervised By :Ankita Jodhani 02/07/2025

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011525.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.720	4.537	4.908	BV	107023	8365192	18.23%	1.824%
2	5.737	5.526	5.798	PV	19169	1332943	2.90%	0.291%
3	5.983	5.798	6.218	VV	39362	5073423	11.06%	1.106%
4	6.386	6.218	6.560	VV	112629	8081040	17.61%	1.762%
5	7.156	7.000	7.294	VV	336461	31566487	68.79%	6.884%
6	7.440	7.294	7.576	VV	185431	19391434	42.26%	4.229%
7	7.756	7.576	7.966	VV	288083	26617498	58.00%	5.805%
8	8.074	7.966	8.165	VV	65387	4579579	9.98%	0.999%
9	8.259	8.165	8.366	VV	70791	4992757	10.88%	1.089%
10	8.580	8.366	8.701	VV	105587	12528212	27.30%	2.732%
11	8.860	8.701	8.990	VV	218769	19013182	41.43%	4.147%
12	9.177	8.990	9.266	VV	137637	16929406	36.89%	3.692%
13	9.397	9.266	9.552	VV	392617	36676282	79.92%	7.999%
14	9.657	9.552	9.953	VV	272324	27314834	59.52%	5.957%
15	10.031	9.953	10.084	VV	24315	1481000	3.23%	0.323%
16	10.202	10.084	10.243	VV	110778	6908443	15.05%	1.507%
17	10.309	10.243	10.406	VV	144856	10753986	23.43%	2.345%
18	10.484	10.406	10.619	VV	93418	9251170	20.16%	2.018%
19	10.654	10.619	10.720	VV	42864	2407865	5.25%	0.525%
20	10.798	10.720	10.879	VV	64904	4468205	9.74%	0.974%
21	11.033	10.879	11.132	VV	87992	9410148	20.51%	2.052%
22	11.162	11.132	11.300	VV	46880	3387874	7.38%	0.739%
23	11.385	11.300	11.490	VV	24871	2195110	4.78%	0.479%
24	11.611	11.490	11.655	VV	63175	3992745	8.70%	0.871%
25	11.769	11.655	11.822	VV	129022	9740918	21.23%	2.124%
26	11.878	11.822	11.994	VV	143299	9012944	19.64%	1.966%
27	12.096	11.994	12.279	VV	108062	7846635	17.10%	1.711%
28	12.350	12.279	12.432	VV	24138	1729221	3.77%	0.377%
29	12.518	12.432	12.583	VV	17805	1428396	3.11%	0.312%
30	12.780	12.583	12.898	VV	39258	5651427	12.31%	1.233%
31	13.059	12.898	13.153	VV	111322	9701673	21.14%	2.116%
32	13.188	13.153	13.264	VV	36638	1860400	4.05%	0.406%
33	13.318	13.264	13.437	VV	18189	1535279	3.35%	0.335%
34	13.555	13.437	13.680	VV	39818	3161440	6.89%	0.689%
35	13.809	13.680	13.875	VV	17109	1548186	3.37%	0.338%
36	13.921	13.875	13.991	VV	14918	831899	1.81%	0.181%

					rters				
37	14.105	13.991	14.339	VV	62342	7127854	15.53%	1.554%	
38	14.429	14.339	14.453	VV	25835	1281126			
39	14.546	14.453	14.771	VV	171347	9872204	21.11%	0.049%	
40	14.928	14.771	15.024	VV	13502	1357928	2.11%	0.049%	
41	15.244	15.024	15.353	VV	608768	29711373	64.23%	3.426%	
42	15.449	15.353	15.476	VV	248355	10073170	21.11%	0.049%	
43	15.523	15.476	15.735	VV	321707	15707555	34.23%	3.426%	
44	15.799	15.735	15.862	VV	5047	224205	0.49%	0.049%	
45	15.967	15.862	16.090	PV	137480	6517436	14.20%	1.421%	
46	16.215	16.090	16.323	PV	1062261	45890738	100.00%	10.008%	
					Sum of corrected areas:		458530816		

Instrument :
FID_B
ClientSampleId :
EX-6-TPH-1

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/07/2025
Supervised By :Ankita Jodhani 02/07/2025

FB011525.M Fri Feb 07 08:15:51 2025